



The drawing shows a cross-section of a reinforced concrete slab with a total width of 100 cm. The top reinforcement consists of 16 mm diameter bars spaced at 25 cm, with a total length of 348 cm. The bottom reinforcement consists of 16 mm diameter bars spaced at 25 cm, with a total length of 358 cm. The slab is supported by a 10 cm thick base. The reinforcement is labeled as ① #16mm co 25 cm and ② #16mm co 25 cm. The concrete is labeled as Beton wyrównawczy B10.

Technical drawing of a reinforced concrete slab cross-section. The drawing shows a rectangular slab with a width of 130 cm and a height of 160 cm. The top reinforcement consists of 16mm diameter bars spaced at 25 cm, with a total length of 120 cm. The bottom reinforcement consists of 16mm diameter bars spaced at 25 cm, with a total length of 120 cm. The slab is supported by a concrete base labeled "Beton wyrównawczy B10". The drawing includes a section line A-A and a scale bar indicating 120 cm.

NR	Średnica [mm]		Długość [cm]	Ilość [szt.]	DŁUGOŚĆ CAŁKOWITA [m]								
	Ø	#			S10S				34GS				
					Ø 6				# 12	# 16			
1		16	348	5							17.40		
2		16	120	14							16.80		
3		12	110	8						8.80			
4	6		702	4	28.08								
DŁUGOŚĆ OGÓŁEM [m]					28.08					8.80	34.20		
MASA JEDNOSTKOWA [kg/m]					0.222					0.888	1.578		
MASA OGÓŁEM [kg]					6.23					7.81	53.97		
MASA RAZEM [kg]					6.23					61.78			

UWAGA!!!
ZGODNIE Z PRZEKROJAMI GEOTECHNICZNYMI NALEŻY WYBRAĆ GRUNT NIEBUDOWLANY DO GRUNTU RODZIMEGO I UZUPEŁNIĆ
BETONEM B7.5. Założono wymięcie gruntu pod całą powierzchnia zabudowy budynku na gł. średnio około 3,0m od poziomu
podszkazy właściwej zgodnie z badanami geotechnicznymi

Budowa budynku stacji uzdatniania wody w m. Kotlin wraz z budową trzech fundamentów pod zbiorniki retencyjne poj. 100m3 każdy i ich montażem, budową podziemnego żelbetowego odstożnika wód popłucznych poj. 50m3 i niezbędną infrastrukturą towarzyszącą wodno-kanalizacyjną, elektroenergetyczną oraz odnawialnymi źródłami energii o mocy do 50kW			GMINA KOTLIN ul.Powstańców Wielkopolskich 63-220 Kotlin	
Nazwa załącznika: <i>Projektowany -rzut stopy fundamentowej pod zestaw ZH- skala 1:25</i>				
<i>Imię i Nazwisko</i>	<i>Specjalność</i>	<i>Nr uprawnień</i>	<i>Podpis</i>	<i>Nr zał:</i> <