
 Elementy trasy - KD2

ELEMENT	OD	DO			
Prosta	0+000,00	0+060,13	L=60,13m		
Łuk kołowy	0+060,13	0+146,44	R=280,00m	T=43,50m	B=3,36m
			L=86,31m	g=0,3083rd	g=19,6239g
Prosta	0+146,44	0+344,33	L=197,89m		
Łuk kołowy	0+344,33	0+362,46	R=600,00m	T=9,06m	B=0,07m
			L=18,13m	g=0,0302rd	g=1,9232g
Prosta	0+362,46	0+411,59	L=49,13m		
Łuk kołowy	0+411,59	0+426,50	R=220,00m	T=7,46m	B=0,13m
			L=14,92m	g=0,0678rd	g=4,3162g
Prosta	0+426,50	0+489,74	L=63,24m		
Prosta	0+489,74	0+545,37	L=55,62m		

 Elementy trasy - KD4

ELEMENT	OD	DO			
Prosta	0+000,00	0+078,01	L=78,01m		
Łuk kołowy	0+078,01	0+111,95	R=250,00m	T=17,00m	B=0,58m
			L=33,94m	g=0,1358rd	g=8,6436g
Prosta	0+111,95	0+139,99	L=28,04m		

 Elementy trasy - KD20

ELEMENT	OD	DO			
Prosta	0+000,00	0+027,05	L=27,05m		
Łuk kołowy	0+027,05	0+043,58	R=700,00m	T=8,26m	B=0,05m
			L=16,52m	g=0,0236rd	g=1,5027g
Prosta	0+043,58	0+079,01	L=35,44m		
Łuk kołowy	0+079,01	0+156,74	R=300,00m	T=39,08m	B=2,54m
			L=77,73m	g=0,2591rd	g=16,4944g
Prosta	0+156,74	0+162,50	L=5,76m		