

CPU Benchmarks

CPU List

Single CPU Systems

Last updated on the 11th of December 2023

Last updated on the 11th of December 2023

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
天玑900	4,259	1781	NA
ZHAOXIN KaiXian ZX-D D4600@2.0GHz	1,492	3035	NA
ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz	1,547	2995	NA
ZHAOXIN KaiXian KX-U6780A@2.7GHz	3,913	1869	NA
ZHAOXIN KaiXian KX-U6780@2.7GHz	3,693	1936	NA
ZHAOXIN KaiXian KX-U6580@2.5GHz	3,227	2093	NA
ZHAOXIN KaiXian KX-6640MA@2.2+GHz	1,561	2978	NA
Z3-6540M@2.1GHz	1,599	2947	NA
Virtual @ 3.14GHz	3,784	1905	NA
Virtual @ 2.99GHz	5,410	1566	NA
Virtual @ 2.74GHz	2,248	2554	NA
Virtual @ 2.55GHz	2,386	2469	NA
Virtual @ 2.41GHz	3,188	2109	NA
Virtual @ 2.40GHz	2,978	2205	NA
Virtual @ 2.00GHz	2,709	2308	NA
Vili based on Qualcomm Technologies, Inc SM8350	5,299	1588	NA
VIA QuadCore U4650 @ 1.0+ GHz	666	3825	NA
VIA QuadCore L4700 @ 1.2+ GHz	773	3690	NA
VIA QuadCore C4650@2.0GHz	1,352	3131	NA
VIA Nehemiah	101	4512	NA
VIA Nano X2 U4025 @ 1.2 GHz	393	4127	NA
VIA Nano U3500@1000MHz	184	4410	NA
VIA Nano U2500@1200MHz	199	4383	NA
VIA Nano U2250@1300+MHz	179	4422	NA
VIA Nano U2250 (1.6GHz Capable)	187	4407	NA

VIA Nano L2207@1600MHz	165	4438	NA
VIA Nano L2100@1800MHz	279	4273	NA
VIA Nano L2007@1600MHz	238	4331	NA
VIA Esther 1500MHz	135	4480	NA
VIA Esther 1000MHz	95	4517	NA
VIA Eden X4 C4250 @ 1.2+GHz	904	3550	NA
VIA Eden X2 U4200 @ 1.0+ GHz	327	4203	NA
VIA Eden C1050@1.06GHz	263	4295	NA
VIA Eden 1200MHz	93	4518	NA
VIA Eden 1000MHz	80	4524	NA
VIA C7-M 6300MHz	145	4468	NA
VIA C7-M 1600MHz	116	4503	NA
VIA C7-M 1200MHz	112	4508	NA
VIA C7-D 1800MHz	150	4463	NA
Venus based on Qualcomm Technologies, Inc SM8350	5,398	1568	NA
vendor Kirin9000E	7,141	1248	NA
vendor Kirin9000	6,914	1288	NA
vendor Kirin990	6,094	1433	NA
vendor Kirin985	5,417	1565	NA
vendor Kirin980	5,330	1580	NA
vendor Kirin970	3,180	2114	NA
vendor Kirin820	4,968	1646	NA
vendor Kirin810	4,244	1789	NA
vendor Kirin710	2,793	2275	NA
UNIVERSAL3475	301	4238	NA
Unisoc ums9230T	2,835	2259	NA
Unisoc ums9230H	2,924	2230	NA
Unisoc ums9230	2,328	2509	NA
Unisoc ums512	2,588	2363	NA
Unisoc ums312	963	3496	NA
Unisoc UIS8581E	1,279	3178	NA
Unisoc UIS8581A	1,671	2898	NA
Unisoc T700	2,579	2375	NA
Unisoc T618	2,542	2386	NA
Unisoc T616	3,152	2124	NA
Unisoc T612	2,820	2267	NA
Unisoc T610	2,827	2263	NA
Unisoc T606	2,660	2331	NA
Unisoc T310	1,398	3102	NA
Unisoc SC9863A1	1,399	3101	NA

Unisoc SC9863a	1,417	3087	NA
Unisoc SC9832e	498	4018	NA
Unisoc SC7731e	338	4181	NA
UIS7862A	2,626	2346	NA
UGOOS UT8 Board	894	3559	NA
tn8	1,024	3423	NA
Thor	839	3618	NA
taoyao based Qualcomm Technologies, Inc. Yupik IDP	6,359	1378	NA
T700-Unisoc	2,367	2482	NA
T618	2,760	2289	NA
T610S-Unisoc	2,781	2279	NA
T610-Unisoc	2,538	2390	NA
T606	2,824	2266	NA
Synaptics VS640	862	3589	NA
sun50iw6	511	4003	NA
Star based on Qualcomm Technologies, Inc SM8350	5,241	1599	NA
Spreadtrum T618	3,005	2188	NA
Spreadtrum T616	2,992	2194	NA
Spreadtrum T612	3,065	2161	NA
Spreadtrum T606	2,728	2298	NA
Spreadtrum T310	1,565	2977	NA
Spreadtrum SC9863A Board	1,650	2916	NA
Spreadtrum SC9863A	1,503	3026	NA
Spreadtrum SC9853I-IA	748	3722	NA
Spreadtrum SC9832E	476	4037	NA
Spreadtrum SC7731e	294	4250	NA
Sony Mobile fusion3	428	4078	NA
Snapdragon 8350	4,599	1702	NA
Snapdragon 7325	5,561	1526	NA
Snapdragon 860 @ 2.96 GHz	5,130	1615	NA
Snapdragon 855 @ 2.84 GHz	5,547	1530	NA
Snapdragon 850 @ 2.96 GHz	3,326	2055	NA
Snapdragon 845 @ 2.8 GHz	3,446	2003	NA
Snapdragon 835	2,211	2584	NA
Snapdragon 662	2,387	2468	NA
Snapdragon 435	1,036	3413	NA
Snapdragon 8cx Gen 3 @ 3.0 GHz	11,805	863	NA
Snapdragon 8cx Gen 2 @ 3.15 GHz	6,581	1335	NA
Snapdragon 8cx Gen 2 @ 3.0 GHz	6,770	1310	NA
Snapdragon 8cx @ 2.84 GHz	4,735	1677	NA

Snapdragon 8c @ 2.46 GHz	5,230	1604	NA
Snapdragon 8 Gen2 Mobile Platform for Galaxy	9,362	1016	NA
Snapdragon 7c Gen 2 @ 2.55 GHz	3,818	1898	NA
Snapdragon 7c @ 2.40 GHz	3,315	2058	NA
Snapdragon 7c @ 1.96 GHz	3,712	1930	NA
SMDK4x12	3,006	2186	NA
SM8450	4,896	1656	NA
SM8350	6,129	1428	NA
SM8325	5,629	1514	NA
SM7325	6,230	1406	NA
SM6375	4,441	1737	NA
Samsung Technologies, Inc Exynos E1080	4,846	1660	NA
SAMSUNG SERRANO	239	4328	NA
Samsung s5e9925	6,480	1353	NA
Samsung s5e8835	6,077	1439	NA
Samsung s5e8825	4,571	1710	NA
Samsung s5e8535	4,455	1734	NA
Samsung M13 SWA INS 00 board based on EXYNOS850	1,269	3189	NA
Samsung M13 EUR OPEN REV02 board based on EXYNOS85	1,425	3080	NA
SAMSUNG JF	540	3971	NA
Samsung J7 Max LTE SWA board based on MT6757V/WL	925	3535	NA
Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba	415	4095	NA
Samsung GrandPrimePlus LTE LTN DTV rev04 board bas	599	3896	NA
Samsung GrandPrimePlus LTE CIS rev04 board based o	312	4226	NA
Samsung Exynos 9825	3,772	1909	NA
Samsung Exynos 9820	3,865	1880	NA
Samsung Exynos 9810	3,738	1923	NA
Samsung Exynos 9611	2,495	2410	NA
Samsung Exynos 9610	2,245	2559	NA
Samsung Exynos 8895	3,111	2140	NA
Samsung Exynos 8890	2,540	2387	NA
Samsung Exynos 7904	1,809	2817	NA
Samsung Exynos 7885	1,812	2814	NA
Samsung Exynos 7884	1,576	2968	NA
Samsung Exynos 7880	1,775	2838	NA
Samsung Exynos 7870	1,011	3440	NA

Samsung Exynos 7580	878	3573	NA
Samsung Exynos 7570	454	4057	NA
Samsung Exynos 7420	1,612	2934	NA
Samsung Exynos 2100	5,441	1555	NA
Samsung Exynos 990	6,188	1413	NA
Samsung Exynos 980	4,591	1703	NA
Samsung Exynos 850	2,105	2638	NA
samsung exynos7885	2,489	2416	NA
Samsung Exynos7870	2,093	2642	NA
SAMSUNG Exynos7580	863	3586	NA
SAMSUNG Exynos7420	2,026	2678	NA
Samsung EXYNOS5433	1,146	3306	NA
Samsung EXYNOS5420	669	3821	NA
Samsung Exynos	2,423	2449	NA
Samsung A13 USA SINGLE REV02B board based on EXYNO	1,528	3007	NA
Samsung A13 EUR OPEN REV02B board based on EXYNOS8	1,230	3223	NA
Samsung A04S EUR OPEN REV03C board based on EXYNOS	2,452	2435	NA
rockchip,rk3368	870	3577	NA
rockchip,rk3328	761	3706	NA
Rockchip RK3588	4,166	1803	NA
Rockchip RK3568 EVB7 DDR4 V10 Board	1,106	3344	NA
Rockchip RK3568 EVB2 LP4X V10 Board	895	3558	NA
Rockchip RK3568 EVB1 DDR4 V10 Board	1,039	3410	NA
Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board	795	3668	NA
Rockchip RK3566 RK817 TABLET RKG11 LP4 Board	686	3798	NA
Rockchip RK3566 RK817 TABLET LP4X Board	1,010	3442	NA
Rockchip RK3566 EVB3 DDR3 V10 Board	994	3466	NA
Rockchip RK3566 EVB2 LP4X V10 Board	958	3505	NA
Rockchip RK3566 EVB1 DDR4 V10 Board	751	3718	NA
Rockchip RK3566 BOX DEMO V10 ANDROID Board	1,079	3370	NA
Rockchip RK3566	1,005	3454	NA
Rockchip RK3562	1,052	3402	NA
Rockchip RK3528 DEMO4 DDR4 V10 Board	888	3565	NA
Rockchip RK3399 Excavator Board edp avb (Android)	1,143	3308	NA
Rockchip RK3399 EVB IND LPDDR4 Board lvds (Android)	1,862	2784	NA

Rockchip RK3399 Board (Android)	1,456	3056	NA
Rockchip RK3399	2,925	2229	NA
Rockchip RK3368	827	3630	NA
Rockchip RK3328 box liantong avb	491	4023	NA
Rockchip RK3328	319	4212	NA
Rockchip rk3326 evb board	463	4049	NA
Rockchip rk3326 863 rkisp1 board	399	4116	NA
Rockchip RK3326	412	4098	NA
Rockchip RK3288 (Flattened Device Tree)	508	4008	NA
Rockchip RK3288	708	3770	NA
Rockchip RK3229	238	4329	NA
Rockchip RK	1,246	3210	NA
Rockchip (Device Tree)	656	3835	NA
ROC-RK3568-PC HDMI (Android)	1,197	3257	NA
rk3566	595	3901	NA
RK30board	198	4385	NA
Renoir based on Qualcomm Technologies, Inc SM7350	4,842	1662	NA
redwood based Qualcomm Technologies, Inc. SM7325	6,448	1361	NA
Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP	1,426	3079	NA
Qualcomm Technologies, Inc TRINKET-IOT	3,230	2091	NA
Qualcomm Technologies, Inc TRINKET	2,426	2446	NA
Qualcomm Technologies, Inc SM8350AC	6,588	1332	NA
Qualcomm Technologies, Inc SM8350	6,112	1429	NA
Qualcomm Technologies, Inc SM8250_AC	6,408	1369	NA
Qualcomm Technologies, Inc SM8250	5,846	1471	NA
Qualcomm Technologies, Inc SM8150P	4,495	1725	NA
Qualcomm Technologies, Inc SM8150 Plus	4,189	1797	NA
Qualcomm Technologies, Inc SM8150	4,573	1709	NA
Qualcomm Technologies, Inc SM7325	6,431	1365	NA
Qualcomm Technologies, Inc SM7250	3,459	1996	NA
Qualcomm Technologies, Inc SM7225	3,390	2024	NA
Qualcomm Technologies, Inc SM7150	3,258	2080	NA
Qualcomm Technologies, Inc SM7125	3,347	2045	NA
Qualcomm Technologies, Inc SM6375	4,255	1782	NA
Qualcomm Technologies, Inc SM6225	2,692	2317	NA
Qualcomm Technologies, Inc SM6150	2,901	2238	NA
Qualcomm Technologies, Inc SM6125	2,195	2589	NA
Qualcomm Technologies, Inc SM4350	3,087	2153	NA
Qualcomm Technologies, Inc SM4250	2,120	2628	NA

Qualcomm Technologies, Inc SDMMAGPIEP	3,523	1982	NA
Qualcomm Technologies, Inc SDMMAGPIE	3,155	2123	NA
Qualcomm Technologies, Inc SDM845	3,332	2051	NA
Qualcomm Technologies, Inc SDM778G	5,542	1533	NA
Qualcomm Technologies, Inc SDM765G 5G	3,405	2018	NA
Qualcomm Technologies, Inc SDM750G	4,350	1765	NA
Qualcomm Technologies, Inc SDM730G AIE	3,350	2044	NA
Qualcomm Technologies, Inc SDM720G	3,285	2073	NA
Qualcomm Technologies, Inc SDM712	2,530	2394	NA
Qualcomm Technologies, Inc SDM710	2,646	2337	NA
Qualcomm Technologies, Inc SDM670	2,529	2395	NA
Qualcomm Technologies, Inc SDM665	2,350	2494	NA
Qualcomm Technologies, Inc SDM662	2,237	2566	NA
Qualcomm Technologies, Inc SDM660	2,402	2462	NA
Qualcomm Technologies, Inc SDM636	2,161	2608	NA
Qualcomm Technologies, Inc SDM632	2,066	2659	NA
Qualcomm Technologies, Inc SDM630	1,897	2766	NA
Qualcomm Technologies, Inc SDM460	2,031	2674	NA
Qualcomm Technologies, Inc SDM450	1,324	3145	NA
Qualcomm Technologies, Inc SDM439	1,462	3051	NA
Qualcomm Technologies, Inc SDM429	989	3473	NA
Qualcomm Technologies, Inc SDA660	2,688	2320	NA
Qualcomm Technologies, Inc SDA450	1,492	3034	NA
Qualcomm Technologies, Inc SDA429W	715	3762	NA
Qualcomm Technologies, Inc SCUBAPIIOT	1,123	3325	NA
Qualcomm Technologies, Inc SCUBAIIOT	759	3709	NA
Qualcomm Technologies, Inc SA8195P	6,554	1338	NA
Qualcomm Technologies, Inc QM215	456	4055	NA
Qualcomm Technologies, Inc QCS610	1,949	2721	NA
Qualcomm Technologies, Inc QCM6125	2,775	2283	NA
Qualcomm Technologies, Inc QCM2150	409	4102	NA
Qualcomm Technologies, Inc MSM8998	2,788	2277	NA
Qualcomm Technologies, Inc MSM8996pro	1,552	2988	NA
Qualcomm Technologies, Inc MSM8996	1,401	3100	NA
Qualcomm Technologies, Inc MSM8994	932	3528	NA
Qualcomm Technologies, Inc MSM8992	826	3631	NA
Qualcomm Technologies, Inc MSM8976SG	1,961	2715	NA
Qualcomm Technologies, Inc MSM8976	1,748	2858	NA
Qualcomm Technologies, Inc MSM8956	1,480	3039	NA
Qualcomm Technologies, Inc MSM8953	1,799	2821	NA
Qualcomm Technologies, Inc MSM8952	915	3539	NA

Qualcomm Technologies, Inc MSM8939	959	3504	NA
Qualcomm Technologies, Inc MSM8937	1,087	3363	NA
Qualcomm Technologies, Inc MSM8929	560	3951	NA
Qualcomm Technologies, Inc MSM8920	471	4041	NA
Qualcomm Technologies, Inc MSM8917	519	3992	NA
Qualcomm Technologies, Inc MSM8916	395	4125	NA
Qualcomm Technologies, Inc MSM8909	283	4266	NA
Qualcomm Technologies, Inc MSM8216	292	4255	NA
Qualcomm Technologies, Inc LITO	3,314	2061	NA
Qualcomm Technologies, Inc LAGOON	3,363	2042	NA
Qualcomm Technologies, Inc KONA-IOT	6,282	1398	NA
Qualcomm Technologies, Inc KONA	5,653	1508	NA
Qualcomm Technologies, Inc KHAJE	3,405	2017	NA
Qualcomm Technologies, Inc BENGALP-IOT	3,127	2133	NA
Qualcomm Technologies, Inc BENGALP	2,547	2384	NA
Qualcomm Technologies, Inc BENGAL-IOT	1,912	2748	NA
Qualcomm Technologies, Inc BENGAL	2,433	2441	NA
Qualcomm Technologies, Inc ATOLL-AB	3,491	1991	NA
Qualcomm Technologies, Inc APQ8096pro	730	3747	NA
Qualcomm Technologies, Inc APQ8096	1,717	2874	NA
Qualcomm Technologies, Inc APQ8094	1,818	2809	NA
Qualcomm Technologies, Inc APQ8076	1,673	2897	NA
Qualcomm Technologies, Inc APQ8053	2,109	2633	NA
Qualcomm Technologies, Inc APQ8017	530	3983	NA
Qualcomm Technologies, Inc APQ8016	395	4123	NA
Qualcomm Technologies, Inc APQ8009	331	4200	NA
Qualcomm Technologies, Inc 450	1,978	2707	NA
Qualcomm Technologies, Inc	3,863	1882	NA
Qualcomm Snapdragon 810	1,316	3153	NA
Qualcomm SM8350	6,762	1312	NA
Qualcomm SM8250	6,695	1320	NA
Qualcomm SM8150	5,503	1538	NA
Qualcomm SM7325	5,994	1455	NA
Qualcomm SM7250	3,791	1903	NA
Qualcomm SM7150	4,313	1770	NA
Qualcomm SM7125	3,641	1948	NA
Qualcomm SM6150	3,722	1927	NA
Qualcomm SM6125	3,017	2181	NA
Qualcomm SM6115	3,001	2190	NA
Qualcomm SM4350	3,569	1968	NA
Qualcomm SM4250	2,749	2294	NA

Qualcomm SDM845	4,287	1775	NA
Qualcomm SDM670	3,230	2092	NA
Qualcomm SDM660	2,719	2303	NA
Qualcomm SDM450	2,855	2255	NA
Qualcomm SDM439	2,195	2590	NA
Qualcomm SC7180P	4,558	1713	NA
Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre	566	3936	NA
Qualcomm MSM 8939 HUAWEI TEXAS-A1	1,085	3366	NA
Qualcomm MSM 8939 HUAWEI KIW-L24	1,065	3385	NA
Qualcomm MSM 8939 HUAWEI KIW-L21	1,088	3362	NA
Qualcomm MSM8998	3,365	2040	NA
Qualcomm MSM8996PRO-AB	1,638	2922	NA
Qualcomm MSM8996	1,366	3121	NA
Qualcomm MSM8994	754	3716	NA
Qualcomm MSM8992	1,255	3201	NA
Qualcomm MSM8974PRO-AC	634	3858	NA
Qualcomm MSM8974PRO-AB	686	3797	NA
Qualcomm MSM8974PRO-AA	672	3818	NA
Qualcomm MSM8974	710	3767	NA
Qualcomm MSM8953	1,589	2956	NA
Qualcomm MSM8939	1,176	3279	NA
Qualcomm MSM8937	1,020	3426	NA
Qualcomm MSM8928	337	4185	NA
Qualcomm MSM8926	300	4240	NA
Qualcomm MSM8917	649	3841	NA
Qualcomm MSM8916	424	4084	NA
Qualcomm MSM8626	294	4251	NA
Qualcomm MSM8228	332	4197	NA
Qualcomm MSM8226	322	4209	NA
Qualcomm APQ 8084 (Flattened Device Tree)	683	3802	NA
Qualcomm APQ8084	603	3887	NA
Qualcomm APQ8026	332	4196	NA
Qualcomm	1,354	3129	NA
QTI SM8650	10,642	926	NA
QTI SM8550	9,134	1037	NA
QTI SM8475	7,302	1226	NA
QTI SM8450	6,308	1392	NA
QTI SM8350	6,499	1349	NA
QTI SM8250	6,495	1350	NA
QTI SM8150	5,243	1598	NA

QTI SM7475	7,653	1175	NA
QTI SM7450	5,434	1560	NA
QTI SM7350	5,276	1591	NA
QTI SM7325	5,887	1467	NA
QTI SM7250	4,414	1750	NA
QTI SM7225	4,343	1768	NA
QTI SM7150	3,747	1920	NA
QTI SM7125	3,926	1864	NA
QTI SM6450	5,474	1547	NA
QTI SM6375	4,181	1800	NA
QTI SM6350	4,178	1801	NA
QTI SM6225	3,555	1970	NA
QTI SM6150	3,399	2021	NA
QTI SM6125	2,975	2207	NA
QTI SM6115	2,880	2243	NA
QTI SM4450	3,129	2132	NA
QTI SM4375	3,970	1855	NA
QTI SM4350	3,825	1895	NA
QTI SG8175P	7,046	1259	NA
QTI SDM660	2,470	2425	NA
QTI SDM450	1,609	2937	NA
QTI SDM439	1,594	2949	NA
QTI QCS8550	9,603	998	NA
QTI QCM5430	4,006	1849	NA
QTI QCM4290	3,169	2117	NA
QTI MSM8937	2,142	2617	NA
QCT APQ8064 MTP	389	4133	NA
QCT APQ8064 MAKO	399	4117	NA
QCT APQ8064 FLO	543	3967	NA
QCT APQ8064 DEB	453	4058	NA
QCT APQ8064 AWIFI	382	4139	NA
Pentium Dual-Core T4500 @ 2.30GHz	932	3529	NA
Pentium Dual-Core T4200 @ 2.00GHz	775	3686	NA
Pentium Dual-Core E6000 @ 3.46GHz	1,472	3043	NA
P22	1,908	2752	NA
Odin based on Qualcomm Technologies, Inc SM8350	6,456	1358	NA
nxp IMX8MQ	803	3656	NA
Nvidia Tegra T210	1,635	2923	NA
Nvidia Tegra T132	1,224	3230	NA
MTK8257	842	3610	NA

MTK6757	1,158	3296	NA
MT9950	845	3604	NA
MT8797Z/CNZA	6,550	1340	NA
MT8789V/T	4,104	1821	NA
MT8789V/CT	4,060	1839	NA
MT8788	2,726	2299	NA
MT8786V/N	2,992	2195	NA
MT8786V/CA	3,146	2128	NA
MT8783	1,039	3411	NA
MT8771V/PZA	4,723	1681	NA
MT8768WE	1,314	3155	NA
MT8768WD	1,122	3326	NA
MT8768WB	1,074	3377	NA
MT8766B	813	3642	NA
MT8766A	990	3470	NA
MT8765WB	419	4089	NA
MT8765WA	555	3957	NA
MT8735T	704	3774	NA
MT8735P	548	3962	NA
MT8735M	358	4156	NA
MT8735A	731	3746	NA
MT8735	495	4020	NA
MT8732T	1,081	3369	NA
MT8696	738	3733	NA
MT8667	3,230	2090	NA
MT8395AV/ZA	2,410	2457	NA
MT8365	889	3562	NA
MT8195AV/ZA	5,735	1490	NA
MT8188JV/A	5,140	1614	NA
MT8186	4,078	1832	NA
MT8176	1,406	3097	NA
MT8173	804	3655	NA
MT8169A	1,942	2726	NA
MT8168M	823	3637	NA
MT8168B	1,054	3398	NA
MT8167D	517	3994	NA
MT8167A	478	4034	NA
MT8165	937	3524	NA
MT8161P	508	4006	NA
MT8161AA	857	3592	NA
MT8161A	800	3664	NA

MT8127	429	4076	NA
MT6969T	2,228	2574	NA
MT6893Z_Z/CZA	6,485	1352	NA
MT6893Z_D/CZA	5,701	1499	NA
MT6893Z_C/CZA	6,139	1425	NA
MT6893Z_B/CZA	6,371	1373	NA
MT6893Z_A/CZA	6,043	1449	NA
MT6893Z/CZA	6,467	1354	NA
MT6893	5,102	1623	NA
MT6891Z/CZA	6,025	1452	NA
MT6891	5,817	1477	NA
MT6889Z/CZA	4,504	1722	NA
MT6883Z/CZA	5,665	1506	NA
MT6877V/ZA	4,787	1670	NA
MT6877V/TZA	4,871	1658	NA
MT6877V/TTZA	5,253	1595	NA
MT6877T	4,548	1716	NA
MT6875	4,393	1754	NA
MT6853V/ZA	3,577	1966	NA
MT6853V/TNZA	3,616	1957	NA
MT6853V/NZA	3,330	2052	NA
MT6833V/ZA	4,092	1826	NA
MT6833V/PNZA	4,164	1804	NA
MT6833V/NZA	3,641	1949	NA
MT6833P	4,158	1806	NA
MT6833GP	3,238	2088	NA
MT6833	3,784	1906	NA
MT6797M	2,004	2691	NA
MT6797D	758	3710	NA
MT6795MM	618	3873	NA
MT6795M	968	3490	NA
MT6795	1,290	3173	NA
MT6785	3,542	1976	NA
MT6781V/CD	3,969	1856	NA
MT6781	3,916	1867	NA
mt6779	2,251	2552	NA
MT6771V/WL	2,354	2491	NA
MT6771V/CL	3,079	2154	NA
MT6769V/CZ	2,765	2288	NA
MT6769V/CT	2,474	2424	NA
MT6769V	2,229	2573	NA

MT6769H	2,696	2316	NA
MT6768G	2,838	2258	NA
MT6765V/WB	1,872	2780	NA
MT6765V/WA	1,741	2861	NA
MT6765H	2,132	2622	NA
MT6765	1,842	2800	NA
MT6763V/WT	1,375	3115	NA
MT6763V/CT	1,717	2873	NA
MT6763V/B	1,544	2997	NA
MT6762V/CR	1,194	3261	NA
mt6762m	538	3972	NA
MT6762	1,735	2865	NA
MT6761V/WD	580	3920	NA
MT6761V/WAB	816	3640	NA
MT6761V/CD	784	3680	NA
MT6761V/CBB	910	3545	NA
MT6761V/CAB	802	3658	NA
MT6757WH	1,161	3293	NA
MT6757WD	1,771	2843	NA
MT6757W	1,904	2758	NA
MT6755V/WS	1,389	3105	NA
MT6755V/WM	1,090	3356	NA
MT6755V/W	1,608	2939	NA
MT6755V/C	1,554	2985	NA
MT6755V/BM	1,219	3236	NA
MT6755M	1,229	3224	NA
MT6755BM	1,070	3380	NA
MT6755	1,278	3180	NA
MT6752	1,728	2867	NA
MT6750V/WS	934	3526	NA
MT6750V/W	845	3605	NA
MT6750V/DN	1,271	3188	NA
MT6750V/CS	955	3508	NA
MT6750V/C	1,415	3088	NA
MT6739WM	310	4228	NA
MT6739CH	533	3980	NA
MT6738	692	3786	NA
MT6737H	550	3959	NA
MT6735P	331	4199	NA
MT6735M	308	4229	NA
MT6592T	1,056	3394	NA

MT6592	521	3989	NA
MT5893	702	3779	NA
MT3561S	723	3756	NA
msm8960dt	306	4232	NA
Montage Jintide C5318Y	22,237	418	NA
Montage Jintide C4215R	14,672	717	NA
mocha	1,125	3323	NA
Mobile Intel Pentium III - M 1200MHz	146	4467	NA
Mobile Intel Pentium III - M 933MHz	130	4487	NA
Mobile Intel Pentium 4 - M 2.40GHz	139	4474	NA
Mobile Intel Pentium 4 - M 2.20GHz	143	4469	NA
Mobile Intel Pentium 4 - M 2.00GHz	138	4478	NA
Mobile Intel Pentium 4 - M 1.80GHz	119	4499	NA
Mobile Intel Pentium 4 - M 1.70GHz	121	4496	0.89
Mobile Intel Pentium 4 3.33GHz	344	4170	NA
Mobile Intel Pentium 4 3.20GHz	232	4344	NA
Mobile Intel Pentium 4 3.06GHz	220	4360	NA
Mobile Intel Pentium 4 2.80GHz	205	4376	NA
Mobile Intel Pentium 4 2.66GHz	182	4417	NA
Mobile Intel Celeron 1333MHz	183	4416	NA
Mobile Intel Celeron 2.40GHz	154	4458	NA
Mobile Intel Celeron 2.20GHz	147	4466	NA
Mobile Intel Celeron 2.00GHz	133	4483	NA
Mobile Intel Celeron 1.80GHz	121	4497	NA
Mobile Intel Celeron 1.70GHz	118	4501	NA
Mobile AMD Sempron 3800+	335	4187	NA
Mobile AMD Sempron 3600+	338	4182	NA
Mobile AMD Sempron 3500+	237	4334	NA
Mobile AMD Sempron 3400+	269	4284	NA
Mobile AMD Sempron 3300+	294	4252	NA
Mobile AMD Sempron 3200+	245	4316	NA
Mobile AMD Sempron 3100+	277	4274	NA
Mobile AMD Sempron 3000+	269	4286	NA
Mobile AMD Sempron 2800+	237	4336	NA
Mobile AMD Sempron 2600+	256	4300	NA
Mobile AMD Sempron 2100+	164	4441	NA
Mobile AMD Athlon XP-M 3000+	238	4330	NA
Mobile AMD Athlon XP-M 2800+	238	4332	NA
Mobile AMD Athlon XP-M 2600+	241	4322	NA
Mobile AMD Athlon XP-M 2500+	226	4350	NA
Mobile AMD Athlon XP-M 2400+	225	4352	NA

Mobile AMD Athlon XP-M 2200+	237	4335	NA
Mobile AMD Athlon XP-M 2000+	196	4390	NA
Mobile AMD Athlon XP-M 1800+	193	4397	NA
Mobile AMD Athlon XP-M 1600+	169	4435	NA
Mobile AMD Athlon MP-M 2400+	192	4400	NA
Mobile AMD Athlon MP-M 1800+	173	4431	NA
Mobile AMD Athlon 2500+	241	4323	NA
Mobile AMD Athlon 64 4000+	313	4225	NA
Mobile AMD Athlon 64 3700+	356	4159	NA
Mobile AMD Athlon 64 3400+	333	4194	NA
Mobile AMD Athlon 64 3200+	326	4205	NA
Mobile AMD Athlon 4 2400+	233	4341	NA
Microsoft SQ3 @ 3.0 GHz	11,742	868	NA
Microsoft SQ2 @ 3.15 GHz	5,936	1460	NA
Microsoft SQ1 @ 3.0 GHz	5,448	1552	NA
Mediatek MT8798Z/CNZA	9,179	1030	NA
Mediatek MT8797Z/CNZA	7,078	1256	NA
Mediatek MT8791V/TN	4,831	1666	NA
Mediatek MT8789V/T	4,206	1794	NA
Mediatek MT8789V/CT	3,773	1908	NA
Mediatek MT8789	6,640	1325	NA
Mediatek MT8788	3,369	2036	NA
Mediatek MT8786V/N	3,131	2131	NA
Mediatek MT8786V/CT	3,368	2038	NA
Mediatek MT8781V/NA	4,547	1717	NA
Mediatek MT8781V/CA	4,294	1774	NA
Mediatek MT8771V/PZA	4,414	1749	NA
MediaTek MT8768WT	1,975	2708	NA
Mediatek MT8768WE	2,046	2669	NA
MediaTek MT8768WA	1,692	2889	NA
MediaTek MT8768CT	2,017	2684	NA
Mediatek MT8768A	1,524	3012	NA
Mediatek MT8766B	1,222	3233	NA
Mediatek MT8766A	977	3484	NA
Mediatek MT8765WA	529	3984	NA
MediaTek MT8735B	418	4090	NA
Mediatek MT8696	796	3667	NA
MediaTek MT8183	2,411	2455	NA
Mediatek MT8175B	592	3906	NA
Mediatek MT8168B	774	3688	NA
MediaTek MT8168A	694	3785	NA

MediaTek MT8168	1,029	3418	NA
MediaTek MT8167B	366	4149	NA
MediaTek MT8166B	962	3498	NA
MediaTek MT8163	604	3884	NA
Mediatek MT6989	10,042	964	NA
Mediatek MT6983W/CZA	9,155	1034	NA
MediaTek MT6983	6,516	1348	NA
Mediatek MT6896Z/CZA	8,115	1127	NA
Mediatek MT6896	7,947	1146	NA
Mediatek MT6895Z_B/TCZA	7,273	1230	NA
Mediatek MT6895Z_A/TCZA	7,615	1179	NA
Mediatek MT6895Z/TCZA	6,359	1376	NA
MediaTek MT6895	7,615	1180	NA
Mediatek MT6893Z_T/CZA	6,599	1330	NA
Mediatek MT6893	6,293	1396	NA
Mediatek MT6891Z_Z/CZA	6,148	1422	NA
Mediatek MT6891	4,965	1647	NA
Mediatek MT6889	6,322	1387	NA
Mediatek MT6883Z/CZA	6,413	1367	NA
Mediatek MT6879V_T/ZA	5,125	1618	NA
Mediatek MT6879V/ZA	4,047	1842	NA
Mediatek MT6877V/ZA	5,015	1637	NA
Mediatek MT6877V/TZA	4,971	1645	NA
Mediatek MT6877V/TTZA	4,827	1668	NA
Mediatek MT6877	4,998	1640	NA
Mediatek MT6875	5,249	1596	NA
MediaTek MT6873	4,050	1840	NA
Mediatek MT6855V/AZA	4,578	1707	NA
Mediatek MT6853V/TNZA	4,575	1708	NA
Mediatek MT6853V/NZA	4,035	1845	NA
MediaTek MT6853T	3,380	2030	NA
Mediatek MT6835	4,463	1733	NA
Mediatek MT6833V/ZA	4,278	1777	NA
Mediatek MT6833V/PNZA	4,253	1785	NA
Mediatek MT6833V/NZA	3,627	1953	NA
Mediatek MT6833P	3,658	1942	NA
Mediatek MT6833GP	4,277	1779	NA
Mediatek MT6833	3,857	1884	NA
MediaTek MT6797X	2,143	2616	NA
MediaTek MT6797T	1,605	2941	NA
MediaTek MT6797	1,768	2848	NA

Mediatek MT6789V/CD	4,334	1769	NA
MediaTek MT6785V/CD	3,609	1959	NA
MediaTek MT6785V/CC	3,346	2046	NA
Mediatek MT6785	3,533	1979	NA
Mediatek MT6781V/CDZAMB-H	4,104	1822	NA
Mediatek MT6781V/CD	3,787	1904	NA
Mediatek MT6781	3,745	1922	NA
MediaTek MT6779V/CV	2,712	2306	NA
MediaTek MT6779V/CU	2,645	2338	NA
MediaTek MT6779V/CE	2,972	2208	NA
Mediatek MT6779	3,307	2064	NA
MediaTek MT6771V/WT	2,348	2497	NA
MediaTek MT6771V/WM	2,225	2577	NA
MediaTek MT6771V/W	2,422	2450	NA
MediaTek MT6771V/CT	2,630	2345	NA
MediaTek MT6771V/C	2,636	2344	NA
MediaTek MT6769Z	2,462	2429	NA
MediaTek MT6769V/WB	2,192	2595	NA
Mediatek MT6769V/CZ	2,928	2228	NA
MediaTek MT6769V/CU	2,650	2336	NA
Mediatek MT6769V/CT	2,376	2476	NA
MediaTek MT6769V/CB	2,395	2466	NA
MediaTek MT6769T	2,510	2402	NA
Mediatek MT6769H	3,004	2189	NA
MediaTek MT6768V/CA	2,295	2535	NA
Mediatek MT6768G	3,232	2089	NA
Mediatek MT6765V/XBA	1,593	2950	NA
Mediatek MT6765V/WB	1,720	2870	NA
MediaTek MT6765V/CB	1,833	2802	NA
MediaTek MT6765V/CA	1,784	2831	NA
Mediatek MT6765H	2,130	2625	NA
MediaTek MT6765G	1,593	2951	NA
Mediatek MT6765	1,890	2769	NA
MediaTek MT6763V/V	1,569	2974	NA
MediaTek MT6763V/CE	2,130	2624	NA
MediaTek MT6762V/WR	1,541	3001	NA
MediaTek MT6762V/WD	1,555	2984	NA
MediaTek MT6762V/WB	1,422	3084	NA
MediaTek MT6762V/WA	1,465	3050	NA
MediaTek MT6762V/CN	611	3879	NA
MediaTek MT6762V/CB	1,582	2959	NA

MediaTek MT6762V/CA	1,204	3248	NA
MediaTek MT6762G	1,201	3252	NA
Mediatek MT6762	1,445	3066	NA
MediaTek MT6761V/WE	743	3728	NA
MediaTek MT6761V/WBB	756	3712	NA
Mediatek MT6761V/CAB	1,115	3335	NA
Mediatek MT6761	1,092	3354	NA
MediaTek MT6757V	1,550	2990	NA
MediaTek MT6757CD	1,757	2855	NA
MediaTek MT6753T	1,149	3304	NA
MediaTek MT6753	1,006	3451	NA
MediaTek MT6750V/WT	1,153	3301	NA
MediaTek MT6750T	1,187	3267	NA
MediaTek MT6750	1,040	3409	NA
MediaTek MT6739WW	434	4069	NA
MediaTek MT6739WA	401	4112	NA
MediaTek MT6737T	664	3828	NA
MediaTek MT6737M	355	4161	NA
MediaTek MT6737	453	4060	NA
MediaTek MT6735	562	3945	NA
MediaTek Kompanio 520/528 (MT8186/MT8186T)	3,949	1860	NA
MediaTek G99 Ultimate (MT6789)	4,299	1772	NA
Mediatek DM700	4,471	1731	NA
Mediatek Dimensity 9200 (MT6985)	8,524	1083	NA
Mediatek Dimensity 7200-Ultra (MT6886)	4,156	1808	NA
Mars based on Qualcomm Technologies, Inc SM8350	5,230	1605	NA
Manta	356	4160	NA
M7221	758	3711	NA
Iisa based Qualcomm Technologies, Inc. SM7325	5,456	1550	NA
JLQ JR510	1,050	3403	NA
Intel Xeon X6550 @ 2.00GHz	1,936	2730	24.50
Intel Xeon X5698 @ 4.40GHz	3,447	2002	NA
Intel Xeon X5690 @ 3.47GHz	7,024	1265	37.72
Intel Xeon X5687 @ 3.60GHz	5,309	1582	27.95
Intel Xeon X5680 @ 3.33GHz	6,822	1298	284.36
Intel Xeon X5679 @ 3.20GHz	7,095	1253	NA
Intel Xeon X5677 @ 3.47GHz	5,011	1639	45.56
Intel Xeon X5675 @ 3.07GHz	6,444	1364	65.74
Intel Xeon X5672 @ 3.20GHz	4,993	1642	110.98
Intel Xeon X5670 @ 2.93GHz	6,098	1432	60.98

<u>Intel Xeon X5667 @ 3.07GHz</u>	4,649	1694	257.68
<u>Intel Xeon X5660 @ 2.80GHz</u>	6,046	1447	61.79
<u>Intel Xeon X5650 @ 2.67GHz</u>	5,714	1495	59.18
<u>Intel Xeon X5647 @ 2.93GHz</u>	4,441	1738	222.81
<u>Intel Xeon X5570 @ 2.93GHz</u>	3,263	2078	32.63
<u>Intel Xeon X5560 @ 2.80GHz</u>	3,124	2134	31.24
<u>Intel Xeon X5550 @ 2.67GHz</u>	3,009	2185	103.77
<u>Intel Xeon X5492 @ 3.40GHz</u>	2,912	2235	2.09
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,755	2291	27.56
<u>Intel Xeon X5472 @ 3.00GHz</u>	2,197	2588	9.76
<u>Intel Xeon X5470 @ 3.33GHz</u>	2,912	2236	16.18
<u>Intel Xeon X5460 @ 3.16GHz</u>	2,589	2362	11.79
<u>Intel Xeon X5450 @ 3.00GHz</u>	2,419	2451	48.43
<u>Intel Xeon X5365 @ 3.00GHz</u>	2,331	2506	37.01
<u>Intel Xeon X5355 @ 2.66GHz</u>	1,979	2706	6.60
<u>Intel Xeon X5272 @ 3.40GHz</u>	1,451	3058	10.36
<u>Intel Xeon X5270 @ 3.50GHz</u>	1,524	3013	NA
<u>Intel Xeon X5260 @ 3.33GHz</u>	1,238	3215	95.20
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,255	2082	NA
<u>Intel Xeon X3470 @ 2.93GHz</u>	3,257	2081	34.45
<u>Intel Xeon X3460 @ 2.80GHz</u>	2,962	2211	40.55
<u>Intel Xeon X3450 @ 2.67GHz</u>	2,834	2261	72.66
<u>Intel Xeon X3440 @ 2.53GHz</u>	2,757	2290	64.12
<u>Intel Xeon X3430 @ 2.40GHz</u>	2,296	2534	31.00
<u>Intel Xeon X3380 @ 3.16GHz</u>	2,568	2379	5.04
<u>Intel Xeon X3370 @ 3.00GHz</u>	2,465	2427	61.63
<u>Intel Xeon X3363 @ 2.83GHz</u>	2,324	2512	26.53
<u>Intel Xeon X3360 @ 2.83GHz</u>	2,369	2479	59.25
<u>Intel Xeon X3353 @ 2.66GHz</u>	2,229	2572	30.33
<u>Intel Xeon X3350 @ 2.66GHz</u>	2,245	2557	37.42
<u>Intel Xeon X3330 @ 2.66GHz</u>	2,069	2657	9.85
<u>Intel Xeon X3323 @ 2.50GHz</u>	1,837	2801	94.86
<u>Intel Xeon X3320 @ 2.50GHz</u>	1,986	2702	8.65
<u>Intel Xeon X3230 @ 2.66GHz</u>	2,052	2665	5.86
<u>Intel Xeon X3220 @ 2.40GHz</u>	1,945	2724	29.40
<u>Intel Xeon X3210 @ 2.13GHz</u>	1,293	3170	6.96
<u>Intel Xeon W-11955M @ 2.60GHz</u>	22,782	403	36.57
<u>Intel Xeon W-11865MRE @ 2.60GHz</u>	23,702	370	49.38
<u>Intel Xeon W-11865MLE @ 1.50GHz</u>	15,958	662	34.17
<u>Intel Xeon W-11855M @ 3.20GHz</u>	18,282	569	40.63
<u>Intel Xeon W-11555MRE @ 2.60GHz</u>	17,484	598	53.63

<u>Intel Xeon W-1155MLE @ 1.90GHz</u>	12,591	833	36.18
<u>Intel Xeon W-10885M @ 2.40GHz</u>	15,660	672	25.14
<u>Intel Xeon W-10855M @ 2.80GHz</u>	12,852	819	28.56
<u>Intel Xeon W-3375 @ 2.50GHz</u>	59,069	62	13.13
<u>Intel Xeon W-3365 @ 2.70GHz</u>	59,038	63	15.33
<u>Intel Xeon W-3345 @ 3.00GHz</u>	48,261	101	19.31
<u>Intel Xeon W-3335 @ 3.40GHz</u>	39,293	149	30.25
<u>Intel Xeon W-3323 @ 3.50GHz</u>	25,875	321	27.27
<u>Intel Xeon W-3275M @ 2.50GHz</u>	38,622	154	5.18
<u>Intel Xeon W-3275 @ 2.50GHz</u>	41,554	134	8.49
<u>Intel Xeon W-3265M @ 2.70GHz</u>	32,025	217	5.04
<u>Intel Xeon W-3265 @ 2.70GHz</u>	30,105	240	6.61
<u>Intel Xeon W-3245M @ 3.20GHz</u>	26,174	314	5.23
<u>Intel Xeon W-3245 @ 3.20GHz</u>	30,505	232	11.37
<u>Intel Xeon W-3235 @ 3.30GHz</u>	25,948	319	12.98
<u>Intel Xeon W-3223 @ 3.50GHz</u>	17,322	603	21.11
<u>Intel Xeon W-3175X @ 3.10GHz</u>	37,167	166	13.97
<u>Intel Xeon W-2295 @ 3.00GHz</u>	30,590	230	18.31
<u>Intel Xeon W-2275 @ 3.30GHz</u>	27,952	274	13.58
<u>Intel Xeon W-2265 @ 3.50GHz</u>	26,014	317	22.19
<u>Intel Xeon W-2255 @ 3.70GHz</u>	22,272	417	28.63
<u>Intel Xeon W-2245 @ 3.90GHz</u>	19,474	519	23.13
<u>Intel Xeon W-2235 @ 3.80GHz</u>	14,370	737	23.18
<u>Intel Xeon W-2225 @ 4.10GHz</u>	10,586	928	18.70
<u>Intel Xeon W-2223 @ 3.60GHz</u>	8,584	1076	22.36
<u>Intel Xeon W-2195 @ 2.30GHz</u>	27,842	278	14.03
<u>Intel Xeon W-2191B @ 2.30GHz</u>	28,851	258	NA
<u>Intel Xeon W-2175 @ 2.50GHz</u>	23,271	384	29.09
<u>Intel Xeon W-2170B @ 2.50GHz</u>	24,064	362	NA
<u>Intel Xeon W-2155 @ 3.30GHz</u>	21,033	461	13.74
<u>Intel Xeon W-2150B @ 3.00GHz</u>	20,511	485	NA
<u>Intel Xeon W-2145 @ 3.70GHz</u>	18,140	573	14.81
<u>Intel Xeon W-2140B @ 3.20GHz</u>	17,287	605	NA
<u>Intel Xeon W-2135 @ 3.70GHz</u>	14,403	734	14.29
<u>Intel Xeon W-2133 @ 3.60GHz</u>	12,670	829	20.54
<u>Intel Xeon W-2125 @ 4.00GHz</u>	10,027	965	17.75
<u>Intel Xeon W-2123 @ 3.60GHz</u>	8,500	1085	19.90
<u>Intel Xeon W-2104 @ 3.20GHz</u>	5,729	1492	22.47
<u>Intel Xeon W-2102 @ 2.90GHz</u>	5,081	1629	17.71
<u>Intel Xeon W-1390P @ 3.50GHz</u>	25,451	330	NA
<u>Intel Xeon W-1390 @ 2.80GHz</u>	23,902	366	41.64

<u>Intel Xeon W-1370P @ 3.60GHz</u>	24,540	352	48.21
<u>Intel Xeon W-1370 @ 2.90GHz</u>	23,449	379	50.00
<u>Intel Xeon W-1350P @ 4.00GHz</u>	19,853	506	53.33
<u>Intel Xeon W-1350 @ 3.30GHz</u>	19,015	531	56.59
<u>Intel Xeon W-1290T @ 1.90GHz</u>	18,409	563	37.27
<u>Intel Xeon W-1290P @ 3.70GHz</u>	22,766	404	35.06
<u>Intel Xeon W-1290E @ 3.50GHz</u>	18,786	546	37.57
<u>Intel Xeon W-1290 @ 3.20GHz</u>	20,123	498	34.18
<u>Intel Xeon W-1270TE @ 2.00GHz</u>	13,553	778	36.93
<u>Intel Xeon W-1270P @ 3.80GHz</u>	18,553	556	23.49
<u>Intel Xeon W-1270E @ 3.40GHz</u>	18,635	553	50.78
<u>Intel Xeon W-1270 @ 3.40GHz</u>	17,519	594	48.39
<u>Intel Xeon W-1250P @ 4.10GHz</u>	14,440	729	44.91
<u>Intel Xeon W-1250E @ 3.50GHz</u>	12,212	848	46.97
<u>Intel Xeon W-1250 @ 3.30GHz</u>	13,665	771	40.98
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,342	2047	2.38
<u>Intel Xeon W5580 @ 3.20GHz</u>	3,386	2026	5.84
<u>Intel Xeon W3690 @ 3.47GHz</u>	7,238	1235	16.21
<u>Intel Xeon W3680 @ 3.33GHz</u>	6,974	1278	22.53
<u>Intel Xeon W3670 @ 3.20GHz</u>	6,400	1371	21.68
<u>Intel Xeon W3580 @ 3.33GHz</u>	3,612	1958	16.84
<u>Intel Xeon W3570 @ 3.20GHz</u>	3,185	2110	6.78
<u>Intel Xeon W3565 @ 3.20GHz</u>	3,364	2041	56.12
<u>Intel Xeon W3550 @ 3.07GHz</u>	3,220	2097	64.46
<u>Intel Xeon W3540 @ 2.93GHz</u>	3,070	2158	6.16
<u>Intel Xeon W3530 @ 2.80GHz</u>	3,063	2162	9.06
<u>Intel Xeon W3520 @ 2.67GHz</u>	2,934	2222	49.73
<u>Intel Xeon W3505 @ 2.53GHz</u>	1,161	3292	78.13
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,085	3367	108.63
<u>Intel Xeon w9-3495X</u>	96,740	9	16.43
<u>Intel Xeon w9-3475X</u>	67,227	39	17.98
<u>Intel Xeon w7-3465X</u>	69,847	35	24.18
<u>Intel Xeon w7-3445</u>	41,588	133	20.91
<u>Intel Xeon w7-2495X</u>	61,178	52	23.49
<u>Intel Xeon w7-2475X</u>	54,246	77	30.32
<u>Intel Xeon w5-3435X</u>	46,896	109	29.51
<u>Intel Xeon w5-3425</u>	36,819	170	30.97
<u>Intel Xeon w5-3423</u>	28,986	253	24.38
<u>Intel Xeon w5-2465X</u>	47,436	107	34.15
<u>Intel Xeon w5-2455X</u>	37,979	160	36.55
<u>Intel Xeon w5-2445</u>	32,663	209	38.93

<u>Intel Xeon w3-2435</u>	26,943	299	40.27
<u>Intel Xeon w3-2425</u>	18,504	558	34.98
<u>Intel Xeon w3-2423</u>	16,505	638	NA
<u>Intel Xeon Silver 4416+</u>	45,127	119	38.37
<u>Intel Xeon Silver 4410Y</u>	24,282	356	43.13
<u>Intel Xeon Silver 4410T</u>	28,859	256	46.25
<u>Intel Xeon Silver 4316 @ 2.30GHz</u>	37,264	165	40.29
<u>Intel Xeon Silver 4314 @ 2.40GHz</u>	29,346	249	55.82
<u>Intel Xeon Silver 4310T @ 2.30GHz</u>	20,973	463	26.75
<u>Intel Xeon Silver 4310 @ 2.10GHz</u>	22,797	401	54.34
<u>Intel Xeon Silver 4309Y @ 2.80GHz</u>	19,227	526	44.27
<u>Intel Xeon Silver 4216 @ 2.10GHz</u>	20,613	482	27.48
<u>Intel Xeon Silver 4215R @ 3.20GHz</u>	15,140	695	21.78
<u>Intel Xeon Silver 4215 @ 2.50GHz</u>	14,439	730	27.37
<u>Intel Xeon Silver 4214Y @ 2.20GHz</u>	16,442	641	29.35
<u>Intel Xeon Silver 4214R @ 2.40GHz</u>	18,324	568	37.03
<u>Intel Xeon Silver 4214 @ 2.20GHz</u>	16,190	654	40.54
<u>Intel Xeon Silver 4210R @ 2.40GHz</u>	15,136	696	45.87
<u>Intel Xeon Silver 4210 @ 2.20GHz</u>	13,340	789	53.37
<u>Intel Xeon Silver 4209T @ 2.20GHz</u>	11,080	899	17.07
<u>Intel Xeon Silver 4208 @ 2.10GHz</u>	11,384	882	57.52
<u>Intel Xeon Silver 4123 @ 3.00GHz</u>	14,405	733	NA
<u>Intel Xeon Silver 4116T @ 2.10GHz</u>	15,187	693	13.66
<u>Intel Xeon Silver 4116 @ 2.10GHz</u>	15,150	694	51.53
<u>Intel Xeon Silver 4114 @ 2.20GHz</u>	13,036	807	58.44
<u>Intel Xeon Silver 4112 @ 2.60GHz</u>	6,446	1363	29.31
<u>Intel Xeon Silver 4110 @ 2.10GHz</u>	10,131	958	111.33
<u>Intel Xeon Silver 4109T @ 2.00GHz</u>	10,348	945	14.95
<u>Intel Xeon Silver 4108 @ 1.80GHz</u>	8,808	1062	35.24
<u>Intel Xeon Platinum P-8124 @ 3.00GHz</u>	22,674	408	NA
<u>Intel Xeon Platinum 8470 @2.00GHz</u>	89,850	13	9.60
<u>Intel Xeon Platinum 8461V</u>	74,982	29	16.70
<u>Intel Xeon Platinum 8380 @ 2.30GHz</u>	62,318	49	6.94
<u>Intel Xeon Platinum 8375C @ 2.90GHz</u>	55,705	72	NA
<u>Intel Xeon Platinum 8360Y @ 2.40GHz</u>	54,078	78	10.05
<u>Intel Xeon Platinum 8358 @ 2.60GHz</u>	54,416	76	10.67
<u>Intel Xeon Platinum 8347C @ 2.10GHz</u>	49,386	96	NA
<u>Intel Xeon Platinum 8280 @ 2.70GHz</u>	32,781	204	7.43
<u>Intel Xeon Platinum 8275CL @ 3.00GHz</u>	40,794	141	NA
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	31,632	220	5.27
<u>Intel Xeon Platinum 8260M @ 2.30GHz</u>	33,970	192	4.41

<u>Intel Xeon Platinum 8260 @ 2.40GHz</u>	29,360	248	10.73
<u>Intel Xeon Platinum 8259CL @ 2.50GHz</u>	30,463	234	NA
<u>Intel Xeon Platinum 8180 @ 2.50GHz</u>	38,259	158	9.61
<u>Intel Xeon Platinum 8176 @ 2.10GHz</u>	23,179	386	8.30
<u>Intel Xeon Platinum 8175M @ 2.50GHz</u>	26,659	304	NA
<u>Intel Xeon Platinum 8173M @ 2.00GHz</u>	31,837	219	NA
<u>Intel Xeon Platinum 8171M @ 2.60GHz</u>	30,632	229	NA
<u>Intel Xeon Platinum 8168 @ 2.70GHz</u>	32,549	211	14.20
<u>Intel Xeon Platinum 8167M @ 2.00GHz</u>	25,396	332	NA
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	27,968	273	12.19
<u>Intel Xeon Platinum 8151 @ 3.40GHz</u>	6,591	1331	NA
<u>Intel Xeon Platinum 8124M @ 3.00GHz</u>	27,336	291	NA
<u>Intel Xeon Phi 7210 @ 1.30GHz</u>	7,306	1224	3.88
<u>Intel Xeon MV 3.20GHz</u>	582	3919	NA
<u>Intel Xeon L7455 @ 2.13GHz</u>	2,494	2413	NA
<u>Intel Xeon L5640 @ 2.27GHz</u>	4,606	1700	51.20
<u>Intel Xeon L5639 @ 2.13GHz</u>	4,419	1747	NA
<u>Intel Xeon L5638 @ 2.00GHz</u>	3,707	1932	53.03
<u>Intel Xeon L5630 @ 2.13GHz</u>	3,018	2180	26.88
<u>Intel Xeon L5609 @ 1.87GHz</u>	3,298	2067	NA
<u>Intel Xeon L5530 @ 2.40GHz</u>	2,522	2398	40.68
<u>Intel Xeon L5520 @ 2.27GHz</u>	2,274	2541	78.43
<u>Intel Xeon L5430 @ 2.66GHz</u>	2,260	2547	10.32
<u>Intel Xeon L5420 @ 2.50GHz</u>	2,116	2629	76.95
<u>Intel Xeon L5410 @ 2.33GHz</u>	1,921	2743	19.19
<u>Intel Xeon L5408 @ 2.13GHz</u>	1,769	2846	NA
<u>Intel Xeon L5335 @ 2.00GHz</u>	1,678	2895	89.29
<u>Intel Xeon L5320 @ 1.86GHz</u>	1,118	3331	15.97
<u>Intel Xeon L5310 @ 1.60GHz</u>	1,385	3109	12.31
<u>Intel Xeon L5240 @ 3.00GHz</u>	1,337	3136	42.57
<u>Intel Xeon L3426 @ 1.87GHz</u>	2,590	2361	12.95
<u>Intel Xeon L3406 @ 2.27GHz</u>	928	3532	3.60
<u>Intel Xeon L3360 @ 2.83GHz</u>	2,306	2524	25.84
<u>Intel Xeon L3110 @ 3.00GHz</u>	1,338	3135	NA
<u>Intel Xeon Gold 6448Y</u>	60,449	57	16.87
<u>Intel Xeon Gold 6438N</u>	52,789	82	15.75
<u>Intel Xeon Gold 6426Y</u>	41,447	135	27.32
<u>Intel Xeon Gold 6423N</u>	57,434	67	26.58
<u>Intel Xeon Gold 6421N</u>	60,551	56	25.57
<u>Intel Xeon Gold 6414U</u>	57,200	69	24.91
<u>Intel Xeon Gold 6354 @ 3.00GHz</u>	41,445	136	15.03

<u>Intel Xeon Gold 6348 @ 2.60GHz</u>	52,276	84	24.59
<u>Intel Xeon Gold 6346 @ 3.10GHz</u>	37,722	161	24.43
<u>Intel Xeon Gold 6342 @ 2.80GHz</u>	47,320	108	19.82
<u>Intel Xeon Gold 6338N @ 2.20GHz</u>	42,552	130	9.11
<u>Intel Xeon Gold 6338 @ 2.00GHz</u>	33,814	193	20.84
<u>Intel Xeon Gold 6336Y @ 2.40GHz</u>	45,517	118	23.58
<u>Intel Xeon Gold 6334 @ 3.60GHz</u>	21,512	446	9.26
<u>Intel Xeon Gold 6330N @ 2.20GHz</u>	36,360	172	15.20
<u>Intel Xeon Gold 6330 @ 2.00GHz</u>	43,056	127	35.00
<u>Intel Xeon Gold 6326 @ 2.90GHz</u>	35,224	176	26.10
<u>Intel Xeon Gold 6314U @ 2.30GHz</u>	48,013	103	17.26
<u>Intel Xeon Gold 6312U @ 2.40GHz</u>	42,124	131	23.28
<u>Intel Xeon Gold 6278C @ 2.60GHz</u>	32,835	203	NA
<u>Intel Xeon Gold 6268CL @ 2.80GHz</u>	36,878	169	NA
<u>Intel Xeon Gold 6262V @ 1.90GHz</u>	3,155	2122	0.95
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	30,381	236	13.21
<u>Intel Xeon Gold 6253CL @ 3.10GHz</u>	28,549	264	NA
<u>Intel Xeon Gold 6252 @ 2.10GHz</u>	27,148	294	15.21
<u>Intel Xeon Gold 6250 @ 3.90GHz</u>	20,915	467	9.51
<u>Intel Xeon Gold 6248R @ 3.00GHz</u>	35,626	174	17.87
<u>Intel Xeon Gold 6248 @ 2.50GHz</u>	29,504	245	20.42
<u>Intel Xeon Gold 6246R @ 3.40GHz</u>	30,468	233	15.30
<u>Intel Xeon Gold 6246 @ 3.30GHz</u>	24,829	345	7.98
<u>Intel Xeon Gold 6244 @ 3.60GHz</u>	18,980	534	6.39
<u>Intel Xeon Gold 6242R @ 3.10GHz</u>	34,963	179	17.50
<u>Intel Xeon Gold 6242 @ 2.80GHz</u>	26,288	310	19.50
<u>Intel Xeon Gold 6240R @ 2.40GHz</u>	33,353	197	23.83
<u>Intel Xeon Gold 6238R @ 2.20GHz</u>	37,511	164	16.02
<u>Intel Xeon Gold 6238 @ 2.10GHz</u>	27,617	283	3.75
<u>Intel Xeon Gold 6234 @ 3.30GHz</u>	17,752	586	12.46
<u>Intel Xeon Gold 6230R @ 2.10GHz</u>	34,183	189	24.96
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	27,069	297	21.20
<u>Intel Xeon Gold 6226R @ 2.90GHz</u>	26,307	308	21.94
<u>Intel Xeon Gold 6226 @ 2.70GHz</u>	19,810	508	18.89
<u>Intel Xeon Gold 6212U @ 2.40GHz</u>	27,470	287	13.73
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	28,915	254	12.34
<u>Intel Xeon Gold 6208U @ 2.90GHz</u>	27,085	296	37.74
<u>Intel Xeon Gold 6154 @ 3.00GHz</u>	28,632	261	16.87
<u>Intel Xeon Gold 6152 @ 2.10GHz</u>	24,680	348	72.38
<u>Intel Xeon Gold 6150 @ 2.70GHz</u>	26,905	300	59.92
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	28,988	252	73.23

<u>Intel Xeon Gold 6146 @ 3.20GHz</u>	23,296	382	15.70
<u>Intel Xeon Gold 6144 @ 3.50GHz</u>	19,993	500	10.58
<u>Intel Xeon Gold 6143 @ 2.80GHz</u>	24,786	346	NA
<u>Intel Xeon Gold 6142 @ 2.60GHz</u>	27,114	295	114.16
<u>Intel Xeon Gold 6140 @ 2.30GHz</u>	23,016	392	96.91
<u>Intel Xeon Gold 6138T @ 2.00GHz</u>	20,649	480	6.17
<u>Intel Xeon Gold 6138 @ 2.00GHz</u>	21,592	442	50.71
<u>Intel Xeon Gold 6137 @ 3.90GHz</u>	19,365	523	NA
<u>Intel Xeon Gold 6136 @ 3.00GHz</u>	21,413	450	53.67
<u>Intel Xeon Gold 6134 @ 3.20GHz</u>	16,651	631	73.03
<u>Intel Xeon Gold 6132 @ 2.60GHz</u>	22,110	423	87.74
<u>Intel Xeon Gold 6130T @ 2.10GHz</u>	21,804	436	8.55
<u>Intel Xeon Gold 6130 @ 2.10GHz</u>	20,362	490	17.71
<u>Intel Xeon Gold 6128 @ 3.40GHz</u>	13,605	774	78.73
<u>Intel Xeon Gold 6126 @ 2.60GHz</u>	19,223	527	106.23
<u>Intel Xeon Gold 6122 @ 1.80GHz</u>	23,781	367	11.88
<u>Intel Xeon Gold 5420+</u>	57,593	66	31.16
<u>Intel Xeon Gold 5416S</u>	36,907	168	39.10
<u>Intel Xeon Gold 5415+</u>	25,012	340	23.46
<u>Intel Xeon Gold 5412U</u>	52,092	86	46.80
<u>Intel Xeon Gold 5320 @ 2.20GHz</u>	37,558	162	22.83
<u>Intel Xeon Gold 5318Y @ 2.10GHz</u>	33,283	198	19.58
<u>Intel Xeon Gold 5317 @ 3.00GHz</u>	27,402	289	28.27
<u>Intel Xeon Gold 5315Y @ 3.20GHz</u>	20,724	477	10.37
<u>Intel Xeon Gold 5222 @ 3.80GHz</u>	9,489	1007	7.80
<u>Intel Xeon Gold 5220R @ 2.20GHz</u>	33,370	196	25.28
<u>Intel Xeon Gold 5220 @ 2.20GHz</u>	24,154	359	23.70
<u>Intel Xeon Gold 5218T @ 2.10GHz</u>	21,433	449	15.89
<u>Intel Xeon Gold 5218R @ 2.10GHz</u>	25,650	324	32.38
<u>Intel Xeon Gold 5218 @ 2.30GHz</u>	21,986	428	22.50
<u>Intel Xeon Gold 5217 @ 3.00GHz</u>	15,429	682	14.77
<u>Intel Xeon Gold 5215 @ 2.50GHz</u>	15,624	674	16.42
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	8,857	1059	22.20
<u>Intel Xeon Gold 5120T @ 2.20GHz</u>	18,127	574	10.50
<u>Intel Xeon Gold 5120 @ 2.20GHz</u>	17,686	590	11.33
<u>Intel Xeon Gold 5118 @ 2.30GHz</u>	16,669	630	37.13
<u>Intel Xeon Gold 5117 @ 2.00GHz</u>	15,816	667	NA
<u>Intel Xeon Gold 5115 @ 2.40GHz</u>	14,649	721	21.70
<u>Intel Xeon E-2388G @ 3.20GHz</u>	23,700	371	43.97
<u>Intel Xeon E-2386G @ 3.50GHz</u>	19,613	512	40.69
<u>Intel Xeon E-2378G @ 2.80GHz</u>	22,302	416	33.81

<u>Intel Xeon E-2378 @ 2.60GHz</u>	17,215	608	36.72
<u>Intel Xeon E-2374G @ 3.70GHz</u>	13,607	773	34.02
<u>Intel Xeon E-2356G @ 3.20GHz</u>	18,952	537	56.91
<u>Intel Xeon E-2336 @ 2.90GHz</u>	16,621	633	47.76
<u>Intel Xeon E-2334 @ 3.40GHz</u>	12,929	814	42.39
<u>Intel Xeon E-2324G @ 3.10GHz</u>	9,771	983	36.19
<u>Intel Xeon E-2314 @ 2.80GHz</u>	8,210	1116	33.53
<u>Intel Xeon E-2288G @ 3.70GHz</u>	17,432	601	32.34
<u>Intel Xeon E-2286M @ 2.40GHz</u>	15,134	697	11.02
<u>Intel Xeon E-2286G @ 4.00GHz</u>	13,938	759	11.12
<u>Intel Xeon E-2278GEL @ 2.00GHz</u>	12,024	854	24.34
<u>Intel Xeon E-2278GE @ 3.30GHz</u>	15,895	664	32.18
<u>Intel Xeon E-2278G @ 3.40GHz</u>	16,964	620	34.34
<u>Intel Xeon E-2276ML @ 2.00GHz</u>	6,353	1379	NA
<u>Intel Xeon E-2276ME @ 2.80GHz</u>	8,167	1124	18.15
<u>Intel Xeon E-2276M @ 2.80GHz</u>	11,843	861	26.32
<u>Intel Xeon E-2276G @ 3.80GHz</u>	13,873	762	30.14
<u>Intel Xeon E-2274G @ 4.00GHz</u>	9,760	984	22.62
<u>Intel Xeon E-2254ML @ 1.70GHz</u>	6,333	1382	NA
<u>Intel Xeon E-2246G @ 3.60GHz</u>	13,850	765	44.53
<u>Intel Xeon E-2244G @ 3.80GHz</u>	9,582	1000	28.62
<u>Intel Xeon E-2236 @ 3.40GHz</u>	14,169	752	28.34
<u>Intel Xeon E-2234 @ 3.60GHz</u>	9,961	968	32.13
<u>Intel Xeon E-2226G @ 3.40GHz</u>	11,073	902	33.42
<u>Intel Xeon E-2224G @ 3.50GHz</u>	7,625	1178	28.45
<u>Intel Xeon E-2224 @ 3.40GHz</u>	7,285	1227	29.01
<u>Intel Xeon E-2186M @ 2.90GHz</u>	11,489	878	18.44
<u>Intel Xeon E-2186G @ 3.80GHz</u>	13,955	757	32.46
<u>Intel Xeon E-2176M @ 2.70GHz</u>	10,870	916	24.16
<u>Intel Xeon E-2176G @ 3.70GHz</u>	13,533	779	34.70
<u>Intel Xeon E-2174G @ 3.80GHz</u>	9,741	986	31.89
<u>Intel Xeon E-2146G @ 3.50GHz</u>	13,260	795	26.75
<u>Intel Xeon E-2144G @ 3.60GHz</u>	9,175	1031	27.65
<u>Intel Xeon E-2136 @ 3.30GHz</u>	13,449	786	31.53
<u>Intel Xeon E-2134 @ 3.50GHz</u>	9,091	1043	49.26
<u>Intel Xeon E-2126G @ 3.30GHz</u>	10,545	935	31.02
<u>Intel Xeon E-2124G @ 3.40GHz</u>	7,426	1206	21.23
<u>Intel Xeon E-2124 @ 3.30GHz</u>	7,033	1263	22.15
<u>Intel Xeon E-2104G @ 3.20GHz</u>	5,944	1459	11.66
<u>Intel Xeon E7320 @ 2.13GHz</u>	1,469	3044	NA
<u>Intel Xeon E5649 @ 2.53GHz</u>	5,686	1502	437.74

<u>Intel Xeon E5645 @ 2.40GHz</u>	4,934	1651	36.01
<u>Intel Xeon E5640 @ 2.67GHz</u>	3,702	1933	127.65
<u>Intel Xeon E5630 @ 2.53GHz</u>	3,754	1916	24.38
<u>Intel Xeon E5620 @ 2.40GHz</u>	3,502	1988	120.77
<u>Intel Xeon E5607 @ 2.27GHz</u>	2,686	2322	77.02
<u>Intel Xeon E5606 @ 2.13GHz</u>	2,365	2484	81.54
<u>Intel Xeon E5603 @ 1.60GHz</u>	1,935	2731	21.74
<u>Intel Xeon E5540 @ 2.53GHz</u>	2,766	2287	31.10
<u>Intel Xeon E5530 @ 2.40GHz</u>	2,676	2326	89.23
<u>Intel Xeon E5520 @ 2.27GHz</u>	2,504	2404	29.63
<u>Intel Xeon E5507 @ 2.27GHz</u>	1,928	2739	19.28
<u>Intel Xeon E5506 @ 2.13GHz</u>	1,967	2712	22.19
<u>Intel Xeon E5504 @ 2.00GHz</u>	1,519	3017	52.39
<u>Intel Xeon E5503 @ 2.00GHz</u>	804	3653	6.28
<u>Intel Xeon E5502 @ 1.87GHz</u>	837	3622	21.47
<u>Intel Xeon E5472 @ 3.00GHz</u>	2,286	2536	114.06
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,110	2632	9.33
<u>Intel Xeon E5450 @ 3.00GHz</u>	2,563	2381	69.28
<u>Intel Xeon E5440 @ 2.83GHz</u>	2,362	2487	62.18
<u>Intel Xeon E5430 @ 2.66GHz</u>	2,233	2569	9.71
<u>Intel Xeon E5420 @ 2.50GHz</u>	2,005	2690	8.02
<u>Intel Xeon E5410 @ 2.33GHz</u>	1,990	2700	186.12
<u>Intel Xeon E5405 @ 2.00GHz</u>	1,702	2883	7.23
<u>Intel Xeon E5345 @ 2.33GHz</u>	1,868	2781	124.61
<u>Intel Xeon E5335 @ 2.00GHz</u>	1,549	2993	87.15
<u>Intel Xeon E5320 @ 1.86GHz</u>	1,469	3045	37.91
<u>Intel Xeon E5310 @ 1.60GHz</u>	1,306	3159	26.65
<u>Intel Xeon E5240 @ 3.00GHz</u>	1,448	3061	16.32
<u>Intel Xeon E5205 @ 1.86GHz</u>	838	3621	58.75
<u>Intel Xeon E3120 @ 3.16GHz</u>	1,408	3094	NA
<u>Intel Xeon E3113 @ 3.00GHz</u>	1,429	3075	145.96
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,242	3212	6.21
<u>Intel Xeon E7- 2830 @ 2.13GHz</u>	2,027	2677	1.14
<u>Intel Xeon E7-8891 v3 @ 2.80GHz</u>	21,615	439	3.16
<u>Intel Xeon E7-8880 v3 @ 2.30GHz</u>	18,244	570	137.17
<u>Intel Xeon E5-4669 v4 @ 2.20GHz</u>	11,523	877	NA
<u>Intel Xeon E5-4669 v3 @ 2.10GHz</u>	17,430	602	3.23
<u>Intel Xeon E5-4667 v4 @ 2.20GHz</u>	20,319	493	3.55
<u>Intel Xeon E5-4667 v3 @ 2.00GHz</u>	15,397	684	2.69
<u>Intel Xeon E5-4660 v4 @ 2.20GHz</u>	15,375	685	4.26
<u>Intel Xeon E5-4660 v3 @ 2.10GHz</u>	14,256	746	2.97

<u>Intel Xeon E5-4657L v2 @ 2.40GHz</u>	11,613	874	15.46
<u>Intel Xeon E5-4655 v3 @ 2.90GHz</u>	9,377	1013	2.03
<u>Intel Xeon E5-4650L @ 2.60GHz</u>	8,533	1082	42.66
<u>Intel Xeon E5-4650 v3 @ 2.10GHz</u>	10,838	919	2.82
<u>Intel Xeon E5-4650 v2 @ 2.40GHz</u>	11,064	904	22.17
<u>Intel Xeon E5-4650 @ 2.70GHz</u>	8,630	1073	69.60
<u>Intel Xeon E5-4648 v3 @ 1.70GHz</u>	9,061	1048	NA
<u>Intel Xeon E5-4640 v3 @ 1.90GHz</u>	10,372	943	NA
<u>Intel Xeon E5-4640 @ 2.40GHz</u>	7,012	1267	179.81
<u>Intel Xeon E5-4627 v4 @ 2.60GHz</u>	12,969	811	12.97
<u>Intel Xeon E5-4627 v3 @ 2.60GHz</u>	11,344	884	4.73
<u>Intel Xeon E5-4627 v2 @ 3.30GHz</u>	9,320	1020	18.68
<u>Intel Xeon E5-4620 v3 @ 2.00GHz</u>	10,525	936	521.58
<u>Intel Xeon E5-4620 v2 @ 2.60GHz</u>	9,540	1003	104.83
<u>Intel Xeon E5-4620 @ 2.20GHz</u>	6,830	1297	136.59
<u>Intel Xeon E5-4617 @ 2.90GHz</u>	6,298	1394	175.52
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	7,229	1238	5.93
<u>Intel Xeon E5-4610 @ 2.40GHz</u>	6,460	1357	30.58
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,986	1274	95.96
<u>Intel Xeon E5-4603 @ 2.00GHz</u>	3,391	2023	25.65
<u>Intel Xeon E5-2699C v4 @ 2.20GHz</u>	22,308	415	NA
<u>Intel Xeon E5-2699A v4 @ 2.40GHz</u>	24,208	358	4.90
<u>Intel Xeon E5-2699 v4 @ 2.20GHz</u>	25,166	338	6.26
<u>Intel Xeon E5-2699 v3 @ 2.30GHz</u>	20,482	487	34.72
<u>Intel Xeon E5-2698R v4 @ 2.20GHz</u>	25,605	325	NA
<u>Intel Xeon E5-2698B v3 @ 2.00GHz</u>	16,633	632	NA
<u>Intel Xeon E5-2698 v4 @ 2.20GHz</u>	23,580	376	25.95
<u>Intel Xeon E5-2698 v3 @ 2.30GHz</u>	18,905	540	2.41
<u>Intel Xeon E5-2697R v4 @ 2.30GHz</u>	20,843	471	NA
<u>Intel Xeon E5-2697A v4 @ 2.60GHz</u>	21,772	437	NA
<u>Intel Xeon E5-2697 v4 @ 2.30GHz</u>	20,535	484	48.66
<u>Intel Xeon E5-2697 v3 @ 2.60GHz</u>	18,925	538	111.32
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	14,313	745	86.74
<u>Intel Xeon E5-2696 v4 @ 2.20GHz</u>	24,743	347	12.64
<u>Intel Xeon E5-2696 v3 @ 2.30GHz</u>	22,796	402	41.67
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	14,063	753	NA
<u>Intel Xeon E5-2695 v4 @ 2.10GHz</u>	19,377	522	40.58
<u>Intel Xeon E5-2695 v3 @ 2.30GHz</u>	16,734	627	78.49
<u>Intel Xeon E5-2695 v2 @ 2.40GHz</u>	13,238	797	178.91
<u>Intel Xeon E5-2692 v2 @ 2.20GHz</u>	12,119	851	NA
<u>Intel Xeon E5-2690 v4 @ 2.60GHz</u>	19,635	511	41.65

<u>Intel Xeon E5-2690 v3 @ 2.60GHz</u>	16,449	640	335.70
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	13,463	784	181.95
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	9,752	985	250.06
<u>Intel Xeon E5-2689 v4 @ 3.10GHz</u>	16,123	658	NA
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	9,724	988	53.21
<u>Intel Xeon E5-2687W v4 @ 3.00GHz</u>	18,003	579	19.36
<u>Intel Xeon E5-2687W v3 @ 3.10GHz</u>	14,655	720	24.53
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	12,227	847	30.32
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	10,005	966	15.41
<u>Intel Xeon E5-2686 v4 @ 2.30GHz</u>	20,956	465	NA
<u>Intel Xeon E5-2686 v3 @ 2.00GHz</u>	18,148	572	NA
<u>Intel Xeon E5-2685 v3 @ 2.60GHz</u>	12,944	813	NA
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	17,693	589	72.22
<u>Intel Xeon E5-2683 v3 @ 2.00GHz</u>	14,923	706	17.11
<u>Intel Xeon E5-2682 v4 @ 2.50GHz</u>	19,495	518	NA
<u>Intel Xeon E5-2680R v4 @ 2.40GHz</u>	17,487	596	NA
<u>Intel Xeon E5-2680 v4 @ 2.40GHz</u>	17,980	580	240.05
<u>Intel Xeon E5-2680 v3 @ 2.50GHz</u>	15,317	688	85.09
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	12,628	832	323.79
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	9,393	1011	323.91
<u>Intel Xeon E5-2679 v4 @ 2.50GHz</u>	24,131	360	8.93
<u>Intel Xeon E5-2678 v3 @ 2.50GHz</u>	14,669	718	138.13
<u>Intel Xeon E5-2676 v4 @ 2.40GHz</u>	18,978	535	NA
<u>Intel Xeon E5-2676 v3 @ 2.40GHz</u>	14,019	755	NA
<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	13,180	802	NA
<u>Intel Xeon E5-2673 v4 @ 2.30GHz</u>	21,576	444	11.06
<u>Intel Xeon E5-2673 v3 @ 2.40GHz</u>	14,360	739	20.51
<u>Intel Xeon E5-2673 v2 @ 3.30GHz</u>	12,128	850	NA
<u>Intel Xeon E5-2670 v3 @ 2.30GHz</u>	13,722	768	351.85
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	11,306	887	435.00
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	8,932	1056	496.51
<u>Intel Xeon E5-2669 v3 @ 2.30GHz</u>	16,107	659	NA
<u>Intel Xeon E5-2667 v4 @ 3.20GHz</u>	13,856	764	18.84
<u>Intel Xeon E5-2667 v3 @ 3.20GHz</u>	12,556	835	66.43
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	12,312	842	42.46
<u>Intel Xeon E5-2667 @ 2.90GHz</u>	7,511	1191	80.27
<u>Intel Xeon E5-2666 v3 @ 2.90GHz</u>	14,364	738	NA
<u>Intel Xeon E5-2665 @ 2.40GHz</u>	8,248	1112	56.41
<u>Intel Xeon E5-2663 v3 @ 2.80GHz</u>	11,777	864	NA
<u>Intel Xeon E5-2660 v4 @ 2.00GHz</u>	16,039	660	232.45
<u>Intel Xeon E5-2660 v3 @ 2.60GHz</u>	13,200	801	140.01

<u>Intel Xeon E5-2660 v2 @ 2.20GHz</u>	10,570	929	75.46
<u>Intel Xeon E5-2660 @ 2.20GHz</u>	8,138	1125	1,345.08
<u>Intel Xeon E5-2658A v3 @ 2.20GHz</u>	14,879	707	8.12
<u>Intel Xeon E5-2658 v4 @ 2.30GHz</u>	14,434	732	NA
<u>Intel Xeon E5-2658 v3 @ 2.20GHz</u>	13,487	782	NA
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	10,559	932	83.31
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	6,073	1440	4.50
<u>Intel Xeon E5-2651 v2 @ 1.80GHz</u>	9,488	1008	34.12
<u>Intel Xeon E5-2650L v4 @ 1.70GHz</u>	12,646	831	21.21
<u>Intel Xeon E5-2650L v3 @ 1.80GHz</u>	11,862	860	8.69
<u>Intel Xeon E5-2650L v2 @ 1.70GHz</u>	7,586	1183	194.51
<u>Intel Xeon E5-2650L @ 1.80GHz</u>	6,192	1411	213.52
<u>Intel Xeon E5-2650 v4 @ 2.20GHz</u>	13,808	766	354.06
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,980	857	749.24
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	9,947	974	255.04
<u>Intel Xeon E5-2650 @ 2.00GHz</u>	7,418	1208	255.78
<u>Intel Xeon E5-2649 v3 @ 2.30GHz</u>	12,399	840	NA
<u>Intel Xeon E5-2648L v4 @ 1.80GHz</u>	11,547	875	8.34
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	9,847	981	16.40
<u>Intel Xeon E5-2648L v2 @ 1.90GHz</u>	8,828	1060	9.34
<u>Intel Xeon E5-2648L @ 1.80GHz</u>	5,262	1593	NA
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	11,128	895	35.90
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,445	939	497.62
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	9,134	1036	457.83
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	5,428	1562	2.85
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	12,324	841	61.62
<u>Intel Xeon E5-2640 v3 @ 2.60GHz</u>	11,169	894	859.81
<u>Intel Xeon E5-2640 v2 @ 2.00GHz</u>	7,636	1177	76.36
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	6,321	1388	217.96
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	7,385	1216	189.35
<u>Intel Xeon E5-2637 v3 @ 3.50GHz</u>	7,259	1233	186.13
<u>Intel Xeon E5-2637 v2 @ 3.50GHz</u>	6,413	1368	71.30
<u>Intel Xeon E5-2637 @ 3.00GHz</u>	2,978	2206	37.69
<u>Intel Xeon E5-2630L v4 @ 1.80GHz</u>	10,491	937	81.33
<u>Intel Xeon E5-2630L v3 @ 1.80GHz</u>	8,811	1061	111.53
<u>Intel Xeon E5-2630L v2 @ 2.40GHz</u>	6,701	1319	80.68
<u>Intel Xeon E5-2630L @ 2.00GHz</u>	5,305	1584	102.37
<u>Intel Xeon E5-2630 v4 @ 2.20GHz</u>	11,720	870	781.83
<u>Intel Xeon E5-2630 v3 @ 2.40GHz</u>	10,412	941	694.58
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	7,480	1195	575.84
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	6,167	1417	212.65

<u>Intel Xeon E5-2629 v3 @ 2.40GHz</u>	9,139	1035	18.28
<u>Intel Xeon E5-2628L v4 @ 1.90GHz</u>	11,079	900	8.12
<u>Intel Xeon E5-2628L v3 @ 2.00GHz</u>	9,949	970	NA
<u>Intel Xeon E5-2628L v2 @ 1.90GHz</u>	7,181	1240	NA
<u>Intel Xeon E5-2628 v3 @ 2.50GHz</u>	8,447	1092	NA
<u>Intel Xeon E5-2623 v4 @ 2.60GHz</u>	6,880	1290	695.68
<u>Intel Xeon E5-2623 v3 @ 3.00GHz</u>	6,790	1305	29.53
<u>Intel Xeon E5-2620 v4 @ 2.10GHz</u>	9,130	1038	186.32
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,807	1157	600.98
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	6,238	1404	215.09
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	5,287	1589	68.67
<u>Intel Xeon E5-2618L v4 @ 2.20GHz</u>	12,406	839	13.75
<u>Intel Xeon E5-2618L v3 @ 2.30GHz</u>	10,881	915	10.56
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,443	1554	139.56
<u>Intel Xeon E5-2609 v3 @ 1.90GHz</u>	4,444	1736	153.24
<u>Intel Xeon E5-2609 v2 @ 2.50GHz</u>	3,500	1990	120.68
<u>Intel Xeon E5-2609 @ 2.40GHz</u>	2,860	2251	98.61
<u>Intel Xeon E5-2608L v4 @ 1.60GHz</u>	7,447	1202	20.51
<u>Intel Xeon E5-2608L v3 @ 2.00GHz</u>	6,415	1366	14.55
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,695	1685	26.53
<u>Intel Xeon E5-2603 v3 @ 1.60GHz</u>	3,817	1899	735.55
<u>Intel Xeon E5-2603 v2 @ 1.80GHz</u>	2,751	2293	53.94
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	2,362	2486	81.46
<u>Intel Xeon E5-2470 v2 @ 2.40GHz</u>	10,565	930	352.29
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,295	1103	66.01
<u>Intel Xeon E5-2450L @ 1.80GHz</u>	5,880	1468	75.39
<u>Intel Xeon E5-2450 v2 @ 2.50GHz</u>	9,088	1045	31.89
<u>Intel Xeon E5-2450 @ 2.10GHz</u>	7,534	1188	153.75
<u>Intel Xeon E5-2448L v2 @ 1.80GHz</u>	6,774	1309	4.76
<u>Intel Xeon E5-2440 v2 @ 1.90GHz</u>	7,655	1174	12.66
<u>Intel Xeon E5-2440 @ 2.40GHz</u>	6,091	1434	35.83
<u>Intel Xeon E5-2430L v2 @ 2.40GHz</u>	6,332	1383	NA
<u>Intel Xeon E5-2430L @ 2.00GHz</u>	5,539	1535	26.21
<u>Intel Xeon E5-2430 v2 @ 2.50GHz</u>	7,039	1260	143.65
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	5,584	1523	143.17
<u>Intel Xeon E5-2420 v2 @ 2.20GHz</u>	6,359	1375	85.63
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	5,023	1636	173.21
<u>Intel Xeon E5-2418L v2 @ 2.00GHz</u>	5,380	1571	8.86
<u>Intel Xeon E5-2418L @ 2.00GHz</u>	3,518	1985	NA
<u>Intel Xeon E5-2407 v2 @ 2.40GHz</u>	3,504	1987	23.62
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	2,658	2332	68.14

<u>Intel Xeon E5-2403 v2 @ 1.80GHz</u>	2,873	2247	52.23
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	2,346	2500	8.74
<u>Intel Xeon E5-1681 v3 @ 2.90GHz</u>	14,820	709	NA
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	13,986	756	9.33
<u>Intel Xeon E5-1680 v3 @ 3.20GHz</u>	13,116	804	22.23
<u>Intel Xeon E5-1680 v2 @ 3.00GHz</u>	12,749	825	NA
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	13,574	776	9.09
<u>Intel Xeon E5-1660 v3 @ 3.00GHz</u>	12,568	834	31.50
<u>Intel Xeon E5-1660 v2 @ 3.70GHz</u>	10,278	952	20.60
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	8,394	1097	31.42
<u>Intel Xeon E5-1650 v4 @ 3.60GHz</u>	11,462	880	26.66
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,406	942	75.13
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	9,352	1017	39.29
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	8,088	1130	77.77
<u>Intel Xeon E5-1630 v4 @ 3.70GHz</u>	7,674	1172	NA
<u>Intel Xeon E5-1630 v3 @ 3.70GHz</u>	7,409	1210	5.47
<u>Intel Xeon E5-1620 v4 @ 3.50GHz</u>	7,384	1217	49.56
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	6,993	1272	65.97
<u>Intel Xeon E5-1620 v2 @ 3.70GHz</u>	6,551	1339	21.51
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,855	1469	13.22
<u>Intel Xeon E5-1607 v4 @ 3.10GHz</u>	5,237	1602	29.42
<u>Intel Xeon E5-1607 v3 @ 3.10GHz</u>	4,972	1644	NA
<u>Intel Xeon E5-1607 v2 @ 3.00GHz</u>	4,184	1799	18.20
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	3,730	1924	323.49
<u>Intel Xeon E5-1603 v4 @ 2.80GHz</u>	4,837	1663	NA
<u>Intel Xeon E5-1603 v3 @ 2.80GHz</u>	4,449	1735	345.46
<u>Intel Xeon E5-1603 @ 2.80GHz</u>	3,446	2004	101.68
<u>Intel Xeon E5-1428L v2 @ 2.20GHz</u>	6,255	1400	307.05
<u>Intel Xeon E5-1410 v2 @ 2.80GHz</u>	5,436	1557	283.13
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	4,701	1684	104.50
<u>Intel Xeon E3-1585L v5 @ 3.00GHz</u>	8,083	1131	18.16
<u>Intel Xeon E3-1585 v5 @ 3.50GHz</u>	8,408	1096	15.12
<u>Intel Xeon E3-1575M v5 @ 3.00GHz</u>	7,928	1149	6.57
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,829	1155	NA
<u>Intel Xeon E3-1535M v6 @ 3.10GHz</u>	8,074	1132	12.96
<u>Intel Xeon E3-1535M v5 @ 2.90GHz</u>	7,507	1192	12.05
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,938	1148	NA
<u>Intel Xeon E3-1505M v6 @ 3.00GHz</u>	7,440	1204	NA
<u>Intel Xeon E3-1505M v5 @ 2.80GHz</u>	6,937	1282	NA
<u>Intel Xeon E3-1505L v6 @ 2.20GHz</u>	6,088	1436	NA
<u>Intel Xeon E3-1505L v5 @ 2.00GHz</u>	5,301	1586	NA

<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	6,529	1344	7.38
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	5,429	1561	6.13
<u>Intel Xeon E3-1286L v3 @ 3.20GHz</u>	6,450	1360	8.33
<u>Intel Xeon E3-1286 v3 @ 3.70GHz</u>	7,418	1209	8.84
<u>Intel Xeon E3-1285L v4 @ 3.40GHz</u>	8,074	1133	8.25
<u>Intel Xeon E3-1285L v3 @ 3.10GHz</u>	6,819	1299	7.59
<u>Intel Xeon E3-1285 v6 @ 4.10GHz</u>	8,536	1081	8.99
<u>Intel Xeon E3-1285 v4 @ 3.50GHz</u>	7,770	1162	NA
<u>Intel Xeon E3-1285 v3 @ 3.60GHz</u>	6,974	1277	NA
<u>Intel Xeon E3-1281 v3 @ 3.70GHz</u>	7,408	1211	13.56
<u>Intel Xeon E3-1280 v6 @ 3.90GHz</u>	9,028	1050	16.41
<u>Intel Xeon E3-1280 v5 @ 3.70GHz</u>	8,377	1099	5.86
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	7,402	1213	29.73
<u>Intel Xeon E3-1280 V2 @ 3.60GHz</u>	6,545	1342	17.08
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	5,615	1518	15.69
<u>Intel Xeon E3-1276 v3 @ 3.60GHz</u>	7,422	1207	8.97
<u>Intel Xeon E3-1275L v3 @ 2.70GHz</u>	6,192	1412	NA
<u>Intel Xeon E3-1275 v6 @ 3.80GHz</u>	9,302	1022	26.07
<u>Intel Xeon E3-1275 v5 @ 3.60GHz</u>	8,451	1090	37.58
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	7,244	1234	20.34
<u>Intel Xeon E3-1275 V2 @ 3.50GHz</u>	6,586	1333	19.00
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	5,490	1543	34.31
<u>Intel Xeon E3-1271 v3 @ 3.60GHz</u>	7,518	1189	60.88
<u>Intel Xeon E3-1270L v4 @ 3.00GHz</u>	7,662	1173	NA
<u>Intel Xeon E3-1270 v6 @ 3.80GHz</u>	8,950	1054	20.07
<u>Intel Xeon E3-1270 v5 @ 3.60GHz</u>	8,340	1101	40.03
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	7,319	1221	18.55
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	6,466	1356	33.58
<u>Intel Xeon E3-1270 @ 3.40GHz</u>	5,372	1572	30.18
<u>Intel Xeon E3-1268L v5 @ 2.40GHz</u>	6,079	1438	13.32
<u>Intel Xeon E3-1268L v3 @ 2.30GHz</u>	5,726	1493	NA
<u>Intel Xeon E3-1265L v4 @ 2.30GHz</u>	6,954	1280	NA
<u>Intel Xeon E3-1265L v3 @ 2.50GHz</u>	6,142	1424	21.44
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	5,064	1631	10.93
<u>Intel Xeon E3-1265L @ 2.40GHz</u>	3,411	2014	12.68
<u>Intel Xeon E3-1260L v5 @ 2.90GHz</u>	8,226	1113	31.80
<u>Intel Xeon E3-1260L @ 2.40GHz</u>	4,061	1838	15.04
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>	7,278	1229	21.12
<u>Intel Xeon E3-1245 v6 @ 3.70GHz</u>	8,759	1064	14.85
<u>Intel Xeon E3-1245 v5 @ 3.50GHz</u>	8,040	1138	23.77
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	7,016	1266	22.13

<u>Intel Xeon E3-1245 V2 @ 3.40GHz</u>	6,325	1386	17.21
<u>Intel Xeon E3-1245 @ 3.30GHz</u>	5,334	1578	21.77
<u>Intel Xeon E3-1241 v3 @ 3.50GHz</u>	7,146	1246	28.58
<u>Intel Xeon E3-1240L v5 @ 2.10GHz</u>	6,446	1362	23.19
<u>Intel Xeon E3-1240L v3 @ 2.00GHz</u>	5,558	1527	6.21
<u>Intel Xeon E3-1240 v6 @ 3.70GHz</u>	8,714	1066	28.57
<u>Intel Xeon E3-1240 v5 @ 3.50GHz</u>	8,278	1108	47.71
<u>Intel Xeon E3-1240 v3 @ 3.40GHz</u>	7,068	1257	38.71
<u>Intel Xeon E3-1240 V2 @ 3.40GHz</u>	6,346	1380	31.95
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	5,402	1567	40.93
<u>Intel Xeon E3-1235L v5 @ 2.00GHz</u>	5,013	1638	NA
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	5,030	1634	22.97
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	7,031	1264	95.02
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	5,262	1592	21.05
<u>Intel Xeon E3-1230 v6 @ 3.50GHz</u>	8,218	1115	13.93
<u>Intel Xeon E3-1230 v5 @ 3.40GHz</u>	8,045	1137	50.17
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	6,786	1306	119.53
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	6,182	1416	47.57
<u>Intel Xeon E3-1230 @ 3.20GHz</u>	5,075	1630	19.34
<u>Intel Xeon E3-1226 v3 @ 3.30GHz</u>	5,546	1531	20.55
<u>Intel Xeon E3-1225 v6 @ 3.30GHz</u>	6,321	1389	16.04
<u>Intel Xeon E3-1225 v5 @ 3.30GHz</u>	5,969	1458	57.39
<u>Intel Xeon E3-1225 v3 @ 3.20GHz</u>	5,313	1581	39.54
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	4,747	1675	22.62
<u>Intel Xeon E3-1225 @ 3.10GHz</u>	3,875	1877	18.82
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	1,407	3096	NA
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	2,234	2568	12.58
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,274	2542	NA
<u>Intel Xeon E3-1220 v6 @ 3.00GHz</u>	5,744	1489	15.96
<u>Intel Xeon E3-1220 v5 @ 3.00GHz</u>	5,798	1480	58.04
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,197	1610	57.74
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	4,667	1689	274.69
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	3,884	1876	149.43
<u>Intel Xeon E3-1205 v6 @ 3.00GHz</u>	5,682	1504	29.44
<u>Intel Xeon D-2799 @ 2.40GHz</u>	33,792	194	17.48
<u>Intel Xeon D-2796TE @ 2.00GHz</u>	26,342	307	12.06
<u>Intel Xeon D-2795NT @ 2.00GHz</u>	28,463	265	12.77
<u>Intel Xeon D-2775TE @ 2.00GHz</u>	27,299	292	15.00
<u>Intel Xeon D-2753NT @ 2.00GHz</u>	20,932	466	NA
<u>Intel Xeon D-2752TER @ 1.80GHz</u>	19,102	529	17.30
<u>Intel Xeon D-2733NT @ 2.10GHz</u>	16,206	653	20.26

<u>Intel Xeon D-2712T @ 1.90GHz</u>	7,990	1142	22.01
<u>Intel Xeon D-2187NT @ 2.00GHz</u>	18,070	578	9.08
<u>Intel Xeon D-2183IT @ 2.20GHz</u>	18,385	564	10.42
<u>Intel Xeon D-2166NT @ 2.00GHz</u>	15,105	698	15.03
<u>Intel Xeon D-2146NT @ 2.30GHz</u>	11,736	869	18.31
<u>Intel Xeon D-2143IT @ 2.20GHz</u>	12,461	837	22.02
<u>Intel Xeon D-2141I @ 2.20GHz</u>	12,117	852	21.83
<u>Intel Xeon D-2123IT @ 2.20GHz</u>	6,673	1321	31.33
<u>Intel Xeon D-1747NTE @ 2.50GHz</u>	20,279	494	16.89
<u>Intel Xeon D-1736NT @ 2.70GHz</u>	17,826	584	NA
<u>Intel Xeon D-1733NT @ 2.00GHz</u>	14,849	708	20.62
<u>Intel Xeon D-1732TE @ 1.90GHz</u>	14,254	748	18.78
<u>Intel Xeon D-1726 @ 2.90GHz</u>	15,511	679	31.65
<u>Intel Xeon D-1718T @ 2.60GHz</u>	9,713	992	30.93
<u>Intel Xeon D-1715TER @ 2.40GHz</u>	9,104	1042	31.94
<u>Intel Xeon D-1622 @ 2.60GHz</u>	6,205	1410	36.50
<u>Intel Xeon D-1602 @ 2.50GHz</u>	2,459	2431	23.20
<u>Intel Xeon D-1587 @ 1.70GHz</u>	13,019	809	NA
<u>Intel Xeon D-1581 @ 1.80GHz</u>	13,282	791	NA
<u>Intel Xeon D-1577 @ 1.30GHz</u>	11,645	872	9.90
<u>Intel Xeon D-1567 @ 2.10GHz</u>	10,447	938	NA
<u>Intel Xeon D-1559 @ 1.50GHz</u>	7,353	1220	NA
<u>Intel Xeon D-1557 @ 1.50GHz</u>	8,963	1053	12.92
<u>Intel Xeon D-1548 @ 2.00GHz</u>	9,075	1047	16.35
<u>Intel Xeon D-1541 @ 2.10GHz</u>	10,163	957	NA
<u>Intel Xeon D-1540 @ 2.00GHz</u>	10,061	962	NA
<u>Intel Xeon D-1539 @ 1.60GHz</u>	7,175	1242	14.76
<u>Intel Xeon D-1537 @ 1.70GHz</u>	7,444	1203	13.04
<u>Intel Xeon D-1531 @ 2.20GHz</u>	7,483	1194	21.50
<u>Intel Xeon D-1528 @ 1.90GHz</u>	6,638	1327	NA
<u>Intel Xeon D-1527 @ 2.20GHz</u>	5,213	1609	24.48
<u>Intel Xeon D-1521 @ 2.40GHz</u>	5,921	1462	NA
<u>Intel Xeon D-1520 @ 2.20GHz</u>	4,917	1654	NA
<u>Intel Xeon D-1518 @ 2.20GHz</u>	4,830	1667	NA
<u>Intel Xeon Bronze 3204 @ 1.90GHz</u>	4,835	1664	29.88
<u>Intel Xeon Bronze 3106 @ 1.70GHz</u>	5,769	1484	14.02
<u>Intel Xeon Bronze 3104 @ 1.70GHz</u>	4,424	1744	10.55
<u>Intel Xeon @ 2.20GHz</u>	1,324	3146	NA
<u>Intel Xeon @ 2.00GHz</u>	7,363	1218	NA
<u>Intel Xeon 5160 @ 3.00GHz</u>	963	3497	22.14
<u>Intel Xeon 5150 @ 2.66GHz</u>	924	3536	29.80

<u>Intel Xeon 5148 @ 2.33GHz</u>	912	3541	45.62
<u>Intel Xeon 5140 @ 2.33GHz</u>	857	3593	23.16
<u>Intel Xeon 5133 @ 2.20GHz</u>	887	3567	NA
<u>Intel Xeon 5130 @ 2.00GHz</u>	795	3669	16.22
<u>Intel Xeon 5120 @ 1.86GHz</u>	763	3705	1.94
<u>Intel Xeon 5110 @ 1.60GHz</u>	600	3892	17.14
<u>Intel Xeon 3085 @ 3.00GHz</u>	1,070	3381	NA
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,096	3351	3.13
<u>Intel Xeon 3070 @ 2.66GHz</u>	1,025	3422	35.78
<u>Intel Xeon 3065 @ 2.33GHz</u>	867	3582	41.49
<u>Intel Xeon 3060 @ 2.40GHz</u>	983	3478	42.74
<u>Intel Xeon 3050 @ 2.13GHz</u>	841	3612	5.32
<u>Intel Xeon 3040 @ 1.86GHz</u>	790	3672	31.53
<u>Intel Xeon 3.80GHz</u>	393	4129	0.46
<u>Intel Xeon 3.73GHz</u>	901	3551	NA
<u>Intel Xeon 3.60GHz</u>	403	4109	0.47
<u>Intel Xeon 3.40GHz</u>	375	4143	NA
<u>Intel Xeon 3.20GHz</u>	478	4033	NA
<u>Intel Xeon 3.00GHz</u>	425	4083	NA
<u>Intel Xeon 2.80GHz</u>	260	4299	NA
<u>Intel Xeon 2.40GHz</u>	180	4420	19.73
<u>Intel XEON 2.20GHz</u>	164	4439	NA
<u>Intel Xeon 2.00GHz</u>	152	4460	NA
<u>Intel U4100 @ 1.30GHz</u>	610	3880	NA
<u>Intel U300</u>	9,368	1014	48.54
<u>Intel T2050 @ 2.00GHz</u>	516	3996	NA
<u>Intel T1500 @ 1.86GHz</u>	548	3963	NA
<u>Intel T1400 @ 1.73GHz</u>	548	3961	36.56
<u>Intel Pentium U5600 @ 1.33GHz</u>	624	3866	NA
<u>Intel Pentium U5400 @ 1.20GHz</u>	538	3973	NA
<u>Intel Pentium T4500 @ 2.30GHz</u>	821	3639	27.41
<u>Intel Pentium T4400 @ 2.20GHz</u>	765	3700	6.96
<u>Intel Pentium T4300 @ 2.10GHz</u>	771	3693	7.80
<u>Intel Pentium T4200 @ 2.00GHz</u>	718	3759	7.25
<u>Intel Pentium T3400 @ 2.16GHz</u>	660	3830	8.26
<u>Intel Pentium T3200 @ 2.00GHz</u>	623	3867	51.91
<u>Intel Pentium T2410 @ 2.00GHz</u>	565	3940	NA
<u>Intel Pentium T2390 @ 1.86GHz</u>	568	3935	NA
<u>Intel Pentium T2370 @ 1.73GHz</u>	543	3968	21.71
<u>Intel Pentium T2330 @ 1.60GHz</u>	538	3974	3.59
<u>Intel Pentium T2310 @ 1.46GHz</u>	536	3975	NA

<u>Intel Pentium T2130 @ 1.86GHz</u>	382	4138	NA
<u>Intel Pentium T2080 @ 1.73GHz</u>	339	4177	2.26
<u>Intel Pentium T2060 @ 1.60GHz</u>	330	4201	NA
<u>Intel Pentium SU4100 @ 1.30GHz</u>	485	4030	NA
<u>Intel Pentium SU2700 @ 1.30GHz</u>	266	4291	NA
<u>Intel Pentium Silver N6005 @ 2.00GHz</u>	5,382	1570	NA
<u>Intel Pentium Silver N6000 @ 1.10GHz</u>	3,089	2151	NA
<u>Intel Pentium Silver N5030 @ 1.10GHz</u>	2,621	2348	NA
<u>Intel Pentium Silver N5020 @ 1.10GHz</u>	3,404	2019	NA
<u>Intel Pentium Silver N5000 @ 1.10GHz</u>	2,594	2359	16.11
<u>Intel Pentium Silver J5040 @ 2.00GHz</u>	3,489	1992	NA
<u>Intel Pentium Silver J5005 @ 1.50GHz</u>	3,098	2147	5.94
<u>Intel Pentium P6300 @ 2.27GHz</u>	834	3626	NA
<u>Intel Pentium P6200 @ 2.13GHz</u>	904	3549	36.25
<u>Intel Pentium P6100 @ 2.00GHz</u>	869	3581	47.13
<u>Intel Pentium P6000 @ 1.87GHz</u>	787	3678	NA
<u>Intel Pentium N6415 @ 1.20GHz</u>	3,760	1913	47.00
<u>Intel Pentium N4200 @ 1.10GHz</u>	2,170	2604	9.49
<u>Intel Pentium N3710 @ 1.60GHz</u>	1,382	3111	NA
<u>Intel Pentium N3700 @ 1.60GHz</u>	1,244	3211	2.80
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,209	3247	4.82
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,201	3253	NA
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,147	3305	NA
<u>Intel Pentium N3510 @ 1.99GHz</u>	878	3572	NA
<u>Intel Pentium M 1700MHz</u>	237	4333	NA
<u>Intel Pentium M 1600MHz</u>	193	4399	NA
<u>Intel Pentium M 1500MHz</u>	188	4406	NA
<u>Intel Pentium M 1400MHz</u>	208	4370	NA
<u>Intel Pentium M 1300MHz</u>	197	4386	NA
<u>Intel Pentium M 1200MHz</u>	155	4454	NA
<u>Intel Pentium M 1000MHz</u>	156	4453	NA
<u>Intel Pentium M 900MHz</u>	141	4473	NA
<u>Intel Pentium M 2.26GHz</u>	227	4349	NA
<u>Intel Pentium M 2.13GHz</u>	271	4280	NA
<u>Intel Pentium M 2.10GHz</u>	292	4256	NA
<u>Intel Pentium M 2.00GHz</u>	270	4282	NA
<u>Intel Pentium M 1.86GHz</u>	222	4356	NA
<u>Intel Pentium M 1.80GHz</u>	280	4269	NA
<u>Intel Pentium M 1.73GHz</u>	205	4377	NA
<u>Intel Pentium M 1.70GHz</u>	239	4326	NA
<u>Intel Pentium M 1.60GHz</u>	194	4395	NA

<u>Intel Pentium M 1.50GHz</u>	240	4325	NA
<u>Intel Pentium M 1.40GHz</u>	225	4353	NA
<u>Intel Pentium M 1.30GHz</u>	196	4389	NA
<u>Intel Pentium M 1.20GHz</u>	199	4381	NA
<u>Intel Pentium M 1.10GHz</u>	184	4411	NA
<u>Intel Pentium J6426 @ 2.00GHz</u>	4,173	1802	52.16
<u>Intel Pentium J4205 @ 1.50GHz</u>	2,426	2444	NA
<u>Intel Pentium J3710 @ 1.60GHz</u>	1,467	3047	NA
<u>Intel Pentium J2900 @ 2.41GHz</u>	1,250	3207	NA
<u>Intel Pentium J2850 @ 2.41GHz</u>	1,016	3433	NA
<u>Intel Pentium III Mobile 1200MHz</u>	156	4452	NA
<u>Intel Pentium III Mobile 1133MHz</u>	164	4443	NA
<u>Intel Pentium III Mobile 1066MHz</u>	160	4445	NA
<u>Intel Pentium III Mobile 866MHz</u>	99	4515	NA
<u>Intel Pentium III Mobile 800MHz</u>	119	4500	1.51
<u>Intel Pentium III 1400S @ 1400MHz</u>	194	4394	NA
<u>Intel Pentium III 1400 @ 1400MHz</u>	193	4398	NA
<u>Intel Pentium Gold G7400T</u>	5,688	1501	88.88
<u>Intel Pentium Gold G7400</u>	6,757	1314	75.08
<u>Intel Pentium Gold G6605 @ 4.30GHz</u>	4,484	1729	30.90
<u>Intel Pentium Gold G6600 @ 4.20GHz</u>	4,226	1791	17.62
<u>Intel Pentium Gold G6505T @ 3.60GHz</u>	3,698	1934	41.08
<u>Intel Pentium Gold G6505 @ 4.20GHz</u>	4,378	1761	58.37
<u>Intel Pentium Gold G6500T @ 3.50GHz</u>	4,005	1850	53.40
<u>Intel Pentium Gold G6500 @ 4.10GHz</u>	4,145	1809	47.11
<u>Intel Pentium Gold G6405T @ 3.50GHz</u>	3,746	1921	58.53
<u>Intel Pentium Gold G6405 @ 4.10GHz</u>	4,254	1784	59.16
<u>Intel Pentium Gold G6400T @ 3.40GHz</u>	3,588	1963	56.07
<u>Intel Pentium Gold G6400 @ 4.00GHz</u>	4,132	1813	66.70
<u>Intel Pentium Gold G5620 @ 4.00GHz</u>	4,102	1823	23.53
<u>Intel Pentium Gold G5600T @ 3.30GHz</u>	3,601	1961	NA
<u>Intel Pentium Gold G5600F @ 3.90GHz</u>	4,122	1814	58.89
<u>Intel Pentium Gold G5600 @ 3.90GHz</u>	3,825	1896	46.48
<u>Intel Pentium Gold G5500T @ 3.20GHz</u>	3,259	2079	43.45
<u>Intel Pentium Gold G5500 @ 3.80GHz</u>	3,840	1891	70.27
<u>Intel Pentium Gold G5420T @ 3.20GHz</u>	3,452	2000	53.94
<u>Intel Pentium Gold G5420 @ 3.80GHz</u>	3,683	1937	64.51
<u>Intel Pentium Gold G5400T @ 3.10GHz</u>	3,185	2111	35.41
<u>Intel Pentium Gold G5400 @ 3.70GHz</u>	3,721	1928	70.87
<u>Intel Pentium Gold 8505</u>	9,339	1019	NA
<u>Intel Pentium Gold 7505 @ 2.00GHz</u>	5,216	1608	NA

<u>Intel Pentium GOLD 6500Y @ 1.10GHz</u>	3,022	2178	NA
<u>Intel Pentium G6960 @ 2.93GHz</u>	1,293	3169	NA
<u>Intel Pentium G6951 @ 2.80GHz</u>	1,383	3110	18.68
<u>Intel Pentium G6950 @ 2.80GHz</u>	1,217	3239	24.83
<u>Intel Pentium G4620 @ 3.70GHz</u>	3,755	1915	73.87
<u>Intel Pentium G4600T @ 3.00GHz</u>	3,055	2166	25.89
<u>Intel Pentium G4600 @ 3.60GHz</u>	3,621	1956	60.94
<u>Intel Pentium G4560T @ 2.90GHz</u>	2,929	2226	36.62
<u>Intel Pentium G4560 @ 3.50GHz</u>	3,522	1983	88.00
<u>Intel Pentium G4520 @ 3.60GHz</u>	2,707	2310	52.43
<u>Intel Pentium G4500T @ 3.00GHz</u>	2,391	2467	NA
<u>Intel Pentium G4500 @ 3.50GHz</u>	2,770	2284	30.78
<u>Intel Pentium G4400TE @ 2.40GHz</u>	2,190	2596	34.23
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,332	2505	15.76
<u>Intel Pentium G4400 @ 3.30GHz</u>	2,582	2372	92.26
<u>Intel Pentium G3470 @ 3.60GHz</u>	2,428	2443	7.73
<u>Intel Pentium G3460 @ 3.50GHz</u>	2,216	2583	34.37
<u>Intel Pentium G3450T @ 2.90GHz</u>	2,016	2685	NA
<u>Intel Pentium G3450 @ 3.40GHz</u>	2,167	2605	40.20
<u>Intel Pentium G3440T @ 2.80GHz</u>	2,107	2637	NA
<u>Intel Pentium G3440 @ 3.30GHz</u>	2,224	2578	14.83
<u>Intel Pentium G3430 @ 3.30GHz</u>	2,127	2626	21.70
<u>Intel Pentium G3420T @ 2.70GHz</u>	1,912	2749	11.95
<u>Intel Pentium G3420 @ 3.20GHz</u>	1,926	2740	36.33
<u>Intel Pentium G3320TE @ 2.30GHz</u>	1,570	2971	NA
<u>Intel Pentium G3260T @ 2.90GHz</u>	1,755	2856	35.10
<u>Intel Pentium G3260 @ 3.30GHz</u>	2,078	2650	17.60
<u>Intel Pentium G3258 @ 3.20GHz</u>	2,068	2658	38.82
<u>Intel Pentium G3250T @ 2.80GHz</u>	1,754	2857	35.10
<u>Intel Pentium G3250 @ 3.20GHz</u>	1,970	2711	34.94
<u>Intel Pentium G3240T @ 2.70GHz</u>	1,603	2945	NA
<u>Intel Pentium G3240 @ 3.10GHz</u>	1,943	2725	26.26
<u>Intel Pentium G3220T @ 2.60GHz</u>	1,593	2952	39.55
<u>Intel Pentium G3220 @ 3.00GHz</u>	1,899	2764	31.17
<u>Intel Pentium G2140 @ 3.30GHz</u>	2,092	2643	46.48
<u>Intel Pentium G2130 @ 3.20GHz</u>	1,915	2747	44.85
<u>Intel Pentium G2120T @ 2.70GHz</u>	1,613	2933	NA
<u>Intel Pentium G2120 @ 3.10GHz</u>	1,892	2768	25.23
<u>Intel Pentium G2100T @ 2.60GHz</u>	1,691	2890	NA
<u>Intel Pentium G2030T @ 2.60GHz</u>	1,581	2961	12.12
<u>Intel Pentium G2030 @ 3.00GHz</u>	1,741	2863	29.24

<u>Intel Pentium G2020T @ 2.50GHz</u>	1,430	3074	30.04
<u>Intel Pentium G2020 @ 2.90GHz</u>	1,679	2894	57.70
<u>Intel Pentium G2010 @ 2.80GHz</u>	1,611	2936	70.12
<u>Intel Pentium G870 @ 3.10GHz</u>	1,523	3014	19.78
<u>Intel Pentium G860 @ 3.00GHz</u>	1,466	3049	20.08
<u>Intel Pentium G850 @ 2.90GHz</u>	1,424	3083	42.77
<u>Intel Pentium G840 @ 2.80GHz</u>	1,238	3214	21.48
<u>Intel Pentium G645T @ 2.50GHz</u>	1,201	3251	5.37
<u>Intel Pentium G645 @ 2.90GHz</u>	1,378	3113	16.60
<u>Intel Pentium G640T @ 2.40GHz</u>	1,139	3314	12.25
<u>Intel Pentium G640 @ 2.80GHz</u>	1,348	3132	44.95
<u>Intel Pentium G630T @ 2.30GHz</u>	1,090	3359	12.97
<u>Intel Pentium G630 @ 2.70GHz</u>	1,314	3154	35.06
<u>Intel Pentium G620T @ 2.20GHz</u>	896	3556	44.84
<u>Intel Pentium G620 @ 2.60GHz</u>	1,221	3235	101.77
<u>Intel Pentium Extreme Edition 965 @ 3.73GHz</u>	987	3475	NA
<u>Intel Pentium Extreme Edition 955 @ 3.46GHz</u>	469	4043	15.02
<u>Intel Pentium E6800 @ 3.33GHz</u>	1,151	3303	46.12
<u>Intel Pentium E6700 @ 3.20GHz</u>	1,178	3277	40.61
<u>Intel Pentium E6600 @ 3.06GHz</u>	1,133	3318	37.82
<u>Intel Pentium E6500 @ 2.93GHz</u>	1,139	3313	33.51
<u>Intel Pentium E6300 @ 2.80GHz</u>	1,044	3407	24.94
<u>Intel Pentium E5800 @ 3.20GHz</u>	1,170	3283	11.68
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,074	3378	35.80
<u>Intel Pentium E5500 @ 2.80GHz</u>	1,020	3427	63.80
<u>Intel Pentium E5400 @ 2.70GHz</u>	962	3499	11.35
<u>Intel Pentium E5300 @ 2.60GHz</u>	925	3534	15.56
<u>Intel Pentium E5200 @ 2.50GHz</u>	899	3555	17.99
<u>Intel Pentium E2220 @ 2.40GHz</u>	826	3632	37.54
<u>Intel Pentium E2210 @ 2.20GHz</u>	702	3778	NA
<u>Intel Pentium E2200 @ 2.20GHz</u>	718	3758	13.29
<u>Intel Pentium E2180 @ 2.00GHz</u>	685	3799	35.11
<u>Intel Pentium E2160 @ 1.80GHz</u>	641	3851	32.04
<u>Intel Pentium E2140 @ 1.60GHz</u>	561	3949	3.53
<u>Intel Pentium Dual T2390 @ 1.86GHz</u>	745	3726	NA
<u>Intel Pentium D 960 @ 3.60GHz</u>	743	3730	NA
<u>Intel Pentium D 950 @ 3.40GHz</u>	677	3810	NA
<u>Intel Pentium D 940 @ 3.20GHz</u>	540	3970	NA
<u>Intel Pentium D 915 @ 2.80GHz</u>	443	4065	NA
<u>Intel Pentium D 830 @ 3.00GHz</u>	562	3944	NA
<u>Intel Pentium D 805 @ 2.66GHz</u>	374	4144	NA

<u>Intel Pentium D 3.40GHz</u>	736	3736	NA
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,240	2086	25.12
<u>Intel Pentium B980 @ 2.40GHz</u>	1,068	3383	29.81
<u>Intel Pentium B970 @ 2.30GHz</u>	1,090	3358	21.38
<u>Intel Pentium B960 @ 2.20GHz</u>	961	3500	24.84
<u>Intel Pentium B950 @ 2.10GHz</u>	996	3464	NA
<u>Intel Pentium B940 @ 2.00GHz</u>	847	3603	12.39
<u>Intel Pentium A1020 @ 2.41GHz</u>	1,249	3208	NA
<u>Intel Pentium A1018 @ 2.10GHz</u>	1,193	3264	NA
<u>Intel Pentium 6805 @ 1.10GHz</u>	4,424	1745	27.48
<u>Intel Pentium 6405U @ 2.40GHz</u>	2,346	2499	14.57
<u>Intel Pentium 5405U @ 2.30GHz</u>	2,271	2544	14.11
<u>Intel Pentium 4425Y @ 1.70GHz</u>	1,696	2887	10.54
<u>Intel Pentium 4417U @ 2.30GHz</u>	2,264	2546	14.06
<u>Intel Pentium 4415Y @ 1.60GHz</u>	1,591	2953	9.88
<u>Intel Pentium 4415U @ 2.30GHz</u>	2,225	2576	NA
<u>Intel Pentium 4410Y @ 1.50GHz</u>	1,444	3067	8.97
<u>Intel Pentium 4405Y @ 1.50GHz</u>	1,526	3011	NA
<u>Intel Pentium 4405U @ 2.10GHz</u>	2,090	2644	NA
<u>Intel Pentium 3825U @ 1.90GHz</u>	1,359	3125	NA
<u>Intel Pentium 3805U @ 1.90GHz</u>	1,180	3274	NA
<u>Intel Pentium 3560Y @ 1.20GHz</u>	849	3601	NA
<u>Intel Pentium 3560M @ 2.40GHz</u>	1,499	3030	NA
<u>Intel Pentium 3558U @ 1.70GHz</u>	1,035	3416	NA
<u>Intel Pentium 3556U @ 1.70GHz</u>	1,055	3397	NA
<u>Intel Pentium 3550M @ 2.30GHz</u>	1,325	3144	6.14
<u>Intel Pentium 2129Y @ 1.10GHz</u>	587	3914	4.38
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,062	3387	7.93
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,018	3430	7.60
<u>Intel Pentium 2030M @ 2.50GHz</u>	1,413	3091	10.54
<u>Intel Pentium 2020M @ 2.40GHz</u>	1,371	3118	10.23
<u>Intel Pentium 1403 v2 @ 2.60GHz</u>	2,284	2537	NA
<u>Intel Pentium 1403 @ 2.60GHz</u>	1,851	2788	NA
<u>Intel Pentium 997 @ 1.60GHz</u>	809	3644	NA
<u>Intel Pentium 987 @ 1.50GHz</u>	655	3837	NA
<u>Intel Pentium 967 @ 1.30GHz</u>	643	3848	NA
<u>Intel Pentium 957 @ 1.20GHz</u>	622	3868	4.64
<u>Intel Pentium 4 Mobile 2.00GHz</u>	132	4484	NA
<u>Intel Pentium 4 Mobile 1.90GHz</u>	136	4479	NA
<u>Intel Pentium 4 Mobile 1.80GHz</u>	114	4505	NA
<u>Intel Pentium 4 Mobile 1.60GHz</u>	116	4502	NA

<u>Intel Pentium 4 1800MHz</u>	114	4506	NA
<u>Intel Pentium 4 1700MHz</u>	100	4514	1.00
<u>Intel Pentium 4 1500MHz</u>	81	4523	NA
<u>Intel Pentium 4 1400MHz</u>	83	4522	NA
<u>Intel Pentium 4 1300MHz</u>	77	4525	NA
<u>Intel Pentium 4 3.83GHz</u>	154	4455	NA
<u>Intel Pentium 4 3.80GHz</u>	358	4155	NA
<u>Intel Pentium 4 3.73GHz</u>	385	4136	NA
<u>Intel Pentium 4 3.60GHz</u>	315	4220	NA
<u>Intel Pentium 4 3.46GHz</u>	295	4247	NA
<u>Intel Pentium 4 3.40GHz</u>	295	4249	NA
<u>Intel Pentium 4 3.20GHz</u>	331	4198	NA
<u>Intel Pentium 4 3.06GHz</u>	249	4311	NA
<u>Intel Pentium 4 3.00GHz</u>	318	4215	NA
<u>Intel Pentium 4 2.93GHz</u>	150	4462	NA
<u>Intel Pentium 4 2.80GHz</u>	237	4337	NA
<u>Intel Pentium 4 2.66GHz</u>	157	4450	NA
<u>Intel Pentium 4 2.60GHz</u>	215	4364	NA
<u>Intel Pentium 4 2.53GHz</u>	162	4444	NA
<u>Intel Pentium 4 2.50GHz</u>	160	4446	NA
<u>Intel Pentium 4 2.40GHz</u>	131	4485	NA
<u>Intel Pentium 4 2.26GHz</u>	151	4461	NA
<u>Intel Pentium 4 2.20GHz</u>	157	4451	NA
<u>Intel Pentium 4 2.00GHz</u>	133	4482	NA
<u>Intel Pentium 4 1.90GHz</u>	104	4511	NA
<u>Intel Pentium 4 1.80GHz</u>	115	4504	NA
<u>Intel Pentium 4 1.70GHz</u>	86	4519	NA
<u>Intel Pentium 4 1.60GHz</u>	84	4521	NA
<u>Intel Pentium 4 1.50GHz</u>	86	4520	NA
<u>Intel N200</u>	5,455	1551	28.26
<u>Intel N100</u>	5,631	1513	43.99
<u>Intel N97</u>	5,761	1486	45.01
<u>Intel N95</u>	5,435	1558	NA
<u>Intel N50</u>	2,350	2492	NA
<u>Intel Core Ultra 7 155H</u>	21,359	453	NA
<u>Intel Core Ultra 5 125H</u>	18,825	544	NA
<u>Intel Core Solo U1500 @ 1.33GHz</u>	164	4442	NA
<u>Intel Core Solo U1400 @ 1.20GHz</u>	130	4486	NA
<u>Intel Core Solo U1300 @ 1.06GHz</u>	127	4489	NA
<u>Intel Core Solo T1400 @ 1.83GHz</u>	253	4304	NA
<u>Intel Core Solo T1350 @ 1.86GHz</u>	194	4396	NA

<u>Intel Core Solo T1300 @ 1.66GHz</u>	210	4368	NA
<u>Intel Core M-5Y71 @ 1.20GHz</u>	2,022	2681	7.19
<u>Intel Core M-5Y70 @ 1.10GHz</u>	1,823	2806	NA
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,130	2623	NA
<u>Intel Core M-5Y31 @ 0.90GHz</u>	1,929	2738	NA
<u>Intel Core M-5Y10c @ 0.80GHz</u>	1,906	2755	6.78
<u>Intel Core M-5Y10a @ 0.80GHz</u>	1,905	2757	NA
<u>Intel Core M-5Y10 @ 0.80GHz</u>	1,628	2927	NA
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	2,302	2530	NA
<u>Intel Core m5-7Y54 @ 1.20GHz</u>	1,475	3042	NA
<u>Intel Core m5-6Y57 @ 1.10GHz</u>	2,341	2502	NA
<u>Intel Core m5-6Y54 @ 1.10GHz</u>	2,307	2522	NA
<u>Intel Core m3-8100Y @ 1.10GHz</u>	2,881	2242	10.25
<u>Intel Core m3-7Y32 @ 1.10GHz</u>	2,711	2307	NA
<u>Intel Core m3-7Y30 @ 1.00GHz</u>	2,585	2369	NA
<u>Intel Core m3-6Y30 @ 0.90GHz</u>	2,163	2607	7.70
<u>Intel Core i9-14900KF</u>	61,093	53	NA
<u>Intel Core i9-14900K</u>	61,357	51	104.17
<u>Intel Core i9-13980HX</u>	48,054	102	71.94
<u>Intel Core i9-13950HX</u>	45,077	120	76.40
<u>Intel Core i9-13905H</u>	31,882	218	45.74
<u>Intel Core i9-13900T</u>	44,159	124	80.43
<u>Intel Core i9-13900KS</u>	61,917	50	61.92
<u>Intel Core i9-13900KF</u>	58,829	64	107.65
<u>Intel Core i9-13900K</u>	59,530	60	104.44
<u>Intel Core i9-13900HX</u>	44,863	121	67.16
<u>Intel Core i9-13900HK</u>	32,267	215	46.29
<u>Intel Core i9-13900H</u>	29,704	243	48.14
<u>Intel Core i9-13900F</u>	52,505	83	99.81
<u>Intel Core i9-13900E</u>	35,075	177	63.31
<u>Intel Core i9-13900</u>	47,851	104	87.00
<u>Intel Core i9-12950HX</u>	33,045	199	56.01
<u>Intel Core i9-12900TE</u>	35,057	178	64.44
<u>Intel Core i9-12900T</u>	30,315	237	61.99
<u>Intel Core i9-12900KS</u>	44,198	122	110.50
<u>Intel Core i9-12900KF</u>	41,245	138	103.37
<u>Intel Core i9-12900K</u>	41,403	137	117.29
<u>Intel Core i9-12900HX</u>	34,780	181	57.39
<u>Intel Core i9-12900HK</u>	28,078	269	44.22
<u>Intel Core i9-12900H</u>	28,553	263	46.28
<u>Intel Core i9-12900F</u>	37,072	167	87.23

<u>Intel Core i9-12900E</u>	26,055	316	NA
<u>Intel Core i9-12900</u>	34,312	188	76.25
<u>Intel Core i9-11980HK @ 2.60GHz</u>	23,010	393	39.47
<u>Intel Core i9-11950H @ 2.60GHz</u>	21,455	448	38.59
<u>Intel Core i9-11900T @ 1.50GHz</u>	18,968	536	43.21
<u>Intel Core i9-11900KF @ 3.50GHz</u>	25,318	334	60.86
<u>Intel Core i9-11900KB @ 3.30GHz</u>	23,055	389	42.77
<u>Intel Core i9-11900K @ 3.50GHz</u>	25,387	333	79.61
<u>Intel Core i9-11900H @ 2.50GHz</u>	20,910	468	38.30
<u>Intel Core i9-11900F @ 2.50GHz</u>	22,675	407	54.12
<u>Intel Core i9-11900 @ 2.50GHz</u>	22,997	394	54.76
<u>Intel Core i9-10980XE @ 3.00GHz</u>	32,862	202	29.30
<u>Intel Core i9-10980HK @ 2.40GHz</u>	15,674	670	26.89
<u>Intel Core i9-10940X @ 3.30GHz</u>	27,860	277	31.06
<u>Intel Core i9-10920X @ 3.50GHz</u>	26,290	309	34.69
<u>Intel Core i9-10910 @ 3.60GHz</u>	21,667	438	NA
<u>Intel Core i9-10900X @ 3.70GHz</u>	22,473	413	37.15
<u>Intel Core i9-10900TE @ 1.80GHz</u>	16,914	621	38.09
<u>Intel Core i9-10900T @ 1.90GHz</u>	15,030	702	42.95
<u>Intel Core i9-10900KF @ 3.70GHz</u>	22,810	400	72.37
<u>Intel Core i9-10900K @ 3.70GHz</u>	23,076	387	72.11
<u>Intel Core i9-10900F @ 2.80GHz</u>	20,248	496	60.84
<u>Intel Core i9-10900E @ 2.80GHz</u>	19,595	513	44.13
<u>Intel Core i9-10900 @ 2.80GHz</u>	19,996	499	50.12
<u>Intel Core i9-10885H @ 2.40GHz</u>	15,244	691	27.42
<u>Intel Core i9-10880H @ 2.30GHz</u>	14,736	712	NA
<u>Intel Core i9-10850K @ 3.60GHz</u>	22,556	411	84.80
<u>Intel Core i9-9990XE @ 4.00GHz</u>	30,162	239	13.94
<u>Intel Core i9-9980XE @ 3.00GHz</u>	32,081	216	29.51
<u>Intel Core i9-9980HK @ 2.40GHz</u>	14,256	747	24.45
<u>Intel Core i9-9960X @ 3.10GHz</u>	30,637	228	21.91
<u>Intel Core i9-9940X @ 3.30GHz</u>	28,095	268	32.25
<u>Intel Core i9-9920X @ 3.50GHz</u>	25,192	337	41.28
<u>Intel Core i9-9900X @ 3.50GHz</u>	21,808	435	39.41
<u>Intel Core i9-9900T @ 2.10GHz</u>	13,224	798	30.12
<u>Intel Core i9-9900KS @ 4.00GHz</u>	19,531	516	20.40
<u>Intel Core i9-9900KF @ 3.60GHz</u>	18,377	566	49.01
<u>Intel Core i9-9900K @ 3.60GHz</u>	18,379	565	32.53
<u>Intel Core i9-9900 @ 3.10GHz</u>	16,605	634	33.28
<u>Intel Core i9-9880H @ 2.30GHz</u>	13,867	763	24.94
<u>Intel Core i9-9820X @ 3.30GHz</u>	19,949	503	40.15

<u>Intel Core i9-8950HK @ 2.90GHz</u>	10,563	931	18.12
<u>Intel Core i9-7980XE @ 2.60GHz</u>	30,292	238	39.17
<u>Intel Core i9-7960X @ 2.80GHz</u>	28,807	259	78.28
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,245	313	52.49
<u>Intel Core i9-7920X @ 2.90GHz</u>	23,588	375	104.34
<u>Intel Core i9-7900X @ 3.30GHz</u>	21,236	455	89.39
<u>Intel Core i7-14700KF</u>	53,464	79	139.23
<u>Intel Core i7-14700K</u>	53,237	80	130.16
<u>Intel Core i7-14700HX</u>	37,546	163	NA
<u>Intel Core i7-13850HX</u>	38,366	155	89.64
<u>Intel Core i7-13800H</u>	27,398	290	59.95
<u>Intel Core i7-13790F</u>	46,110	114	NA
<u>Intel Core i7-13705H</u>	23,753	369	47.32
<u>Intel Core i7-13700TE</u>	27,933	275	71.62
<u>Intel Core i7-13700T</u>	28,855	257	75.14
<u>Intel Core i7-13700KF</u>	46,458	113	118.83
<u>Intel Core i7-13700K</u>	46,699	110	114.46
<u>Intel Core i7-13700HX</u>	34,077	191	70.26
<u>Intel Core i7-13700H</u>	28,101	267	55.98
<u>Intel Core i7-13700F</u>	39,541	148	109.54
<u>Intel Core i7-13700</u>	38,316	156	109.48
<u>Intel Core i7-13650HX</u>	32,311	214	66.62
<u>Intel Core i7-13620H</u>	26,400	306	52.59
<u>Intel Core i7-12850HX</u>	30,440	235	71.12
<u>Intel Core i7-12800HX</u>	32,699	207	71.55
<u>Intel Core i7-12800HE</u>	29,805	242	58.90
<u>Intel Core i7-12800H</u>	24,959	342	54.62
<u>Intel Core i7-12700TE</u>	15,616	675	45.40
<u>Intel Core i7-12700T</u>	21,832	432	64.40
<u>Intel Core i7-12700KF</u>	34,461	187	124.86
<u>Intel Core i7-12700K</u>	34,713	183	84.87
<u>Intel Core i7-12700H</u>	26,425	305	57.82
<u>Intel Core i7-12700F</u>	30,902	223	108.43
<u>Intel Core i7-12700E</u>	29,289	250	85.14
<u>Intel Core i7-12700</u>	30,877	224	94.86
<u>Intel Core i7-12650H</u>	23,276	383	50.93
<u>Intel Core i7-11850HE @ 2.60GHz</u>	16,409	644	37.29
<u>Intel Core i7-11850H @ 2.50GHz</u>	20,750	476	52.53
<u>Intel Core i7-11800H @ 2.30GHz</u>	20,760	475	52.56
<u>Intel Core i7-11700T @ 1.40GHz</u>	16,228	650	50.24
<u>Intel Core i7-11700KF @ 3.60GHz</u>	24,051	363	91.45

<u>Intel Core i7-11700K @ 3.60GHz</u>	24,676	349	89.37
<u>Intel Core i7-11700F @ 2.50GHz</u>	21,129	459	93.50
<u>Intel Core i7-11700B @ 3.20GHz</u>	22,851	399	NA
<u>Intel Core i7-11700 @ 2.50GHz</u>	19,964	502	102.39
<u>Intel Core i7-11600H @ 2.90GHz</u>	16,162	656	40.92
<u>Intel Core i7-11390H @ 3.40GHz</u>	10,327	948	24.24
<u>Intel Core i7-11375H @ 3.30GHz</u>	11,963	858	24.82
<u>Intel Core i7-11370H @ 3.30GHz</u>	11,766	865	27.62
<u>Intel Core i7-10875H @ 2.30GHz</u>	15,032	701	33.41
<u>Intel Core i7-10870H @ 2.20GHz</u>	14,611	723	35.04
<u>Intel Core i7-10850H @ 2.70GHz</u>	11,873	859	30.06
<u>Intel Core i7-10810U @ 1.10GHz</u>	8,223	1114	18.56
<u>Intel Core i7-10750H @ 2.60GHz</u>	12,018	855	NA
<u>Intel Core i7-10710U @ 1.10GHz</u>	9,718	990	15.07
<u>Intel Core i7-10700TE @ 2.00GHz</u>	16,332	647	49.49
<u>Intel Core i7-10700T @ 2.00GHz</u>	12,861	818	31.07
<u>Intel Core i7-10700KF @ 3.80GHz</u>	18,742	547	68.16
<u>Intel Core i7-10700K @ 3.80GHz</u>	18,922	539	72.45
<u>Intel Core i7-10700F @ 2.90GHz</u>	16,583	635	87.28
<u>Intel Core i7-10700E @ 2.90GHz</u>	16,418	642	49.75
<u>Intel Core i7-10700 @ 2.90GHz</u>	16,550	636	72.64
<u>Intel Core i7-10610U @ 1.80GHz</u>	6,840	1294	16.72
<u>Intel Core i7-10510Y @ 1.20GHz</u>	5,100	1624	12.65
<u>Intel Core i7-10510U @ 1.80GHz</u>	6,653	1323	16.27
<u>Intel Core i7-9850HL @ 1.90GHz</u>	9,112	1040	23.07
<u>Intel Core i7-9850H @ 2.60GHz</u>	11,204	893	8.58
<u>Intel Core i7-9800X @ 3.80GHz</u>	18,097	576	60.59
<u>Intel Core i7-9750HF @ 2.60GHz</u>	10,670	925	27.01
<u>Intel Core i7-9750H @ 2.60GHz</u>	10,940	913	11.40
<u>Intel Core i7-9700TE @ 1.80GHz</u>	10,280	951	31.83
<u>Intel Core i7-9700T @ 2.00GHz</u>	10,737	923	33.24
<u>Intel Core i7-9700KF @ 3.60GHz</u>	14,381	736	59.92
<u>Intel Core i7-9700K @ 3.60GHz</u>	14,512	727	55.70
<u>Intel Core i7-9700F @ 3.00GHz</u>	13,272	793	65.67
<u>Intel Core i7-9700E @ 2.60GHz</u>	12,881	816	39.88
<u>Intel Core i7-9700 @ 3.00GHz</u>	13,264	794	79.29
<u>Intel Core i7-8850H @ 2.60GHz</u>	10,295	950	26.06
<u>Intel Core i7-8809G @ 3.10GHz</u>	8,554	1078	NA
<u>Intel Core i7-8750H @ 2.20GHz</u>	9,947	973	25.18
<u>Intel Core i7-8709G @ 3.10GHz</u>	7,926	1150	NA
<u>Intel Core i7-8706G @ 3.10GHz</u>	8,095	1128	NA

<u>Intel Core i7-8705G @ 3.10GHz</u>	7,720	1166	5.03
<u>Intel Core i7-8700T @ 2.40GHz</u>	10,219	954	26.21
<u>Intel Core i7-8700K @ 3.70GHz</u>	13,686	769	54.75
<u>Intel Core i7-8700B @ 3.20GHz</u>	11,982	856	39.54
<u>Intel Core i7-8700 @ 3.20GHz</u>	12,901	815	92.16
<u>Intel Core i7-8665UE @ 1.70GHz</u>	5,170	1612	12.64
<u>Intel Core i7-8665U @ 1.90GHz</u>	6,256	1399	8.88
<u>Intel Core i7-8650U @ 1.90GHz</u>	6,295	1395	6.00
<u>Intel Core i7-8569U @ 2.80GHz</u>	8,208	1118	19.04
<u>Intel Core i7-8565UC @ 1.80GHz</u>	6,187	1414	NA
<u>Intel Core i7-8565U @ 1.80GHz</u>	6,136	1426	9.98
<u>Intel Core i7-8559U @ 2.70GHz</u>	8,502	1084	13.78
<u>Intel Core i7-8557U @ 1.70GHz</u>	7,565	1185	17.55
<u>Intel Core i7-8550U @ 1.80GHz</u>	5,927	1461	NA
<u>Intel Core i7-8500Y @ 1.50GHz</u>	2,484	2419	6.32
<u>Intel Core i7-8086K @ 4.00GHz</u>	14,338	742	39.07
<u>Intel Core i7-7920HQ @ 3.10GHz</u>	7,435	1205	13.09
<u>Intel Core i7-7900X @ 3.30GHz</u>	21,008	462	NA
<u>Intel Core i7-7820X @ 3.60GHz</u>	17,225	607	52.22
<u>Intel Core i7-7820HQ @ 2.90GHz</u>	7,174	1243	18.98
<u>Intel Core i7-7820HK @ 2.90GHz</u>	7,401	1214	19.58
<u>Intel Core i7-7820EQ @ 3.00GHz</u>	7,453	1200	19.72
<u>Intel Core i7-7800X @ 3.50GHz</u>	12,829	821	73.52
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,893	977	44.97
<u>Intel Core i7-7700T @ 2.90GHz</u>	7,559	1186	52.24
<u>Intel Core i7-7700K @ 4.20GHz</u>	9,655	993	60.70
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,924	1287	18.32
<u>Intel Core i7-7700 @ 3.60GHz</u>	8,658	1069	78.17
<u>Intel Core i7-7660U @ 2.50GHz</u>	4,108	1818	NA
<u>Intel Core i7-7600U @ 2.80GHz</u>	3,723	1926	NA
<u>Intel Core i7-7567U @ 3.50GHz</u>	4,133	1811	5.63
<u>Intel Core i7-7560U @ 2.40GHz</u>	3,761	1912	NA
<u>Intel Core i7-7500U @ 2.70GHz</u>	3,653	1945	6.78
<u>Intel Core i7-6970HQ @ 2.80GHz</u>	4,632	1697	NA
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,486	597	61.69
<u>Intel Core i7-6920HQ @ 2.90GHz</u>	7,303	1225	12.86
<u>Intel Core i7-6900K @ 3.20GHz</u>	14,568	724	91.05
<u>Intel Core i7-6850K @ 3.60GHz</u>	11,448	881	91.40
<u>Intel Core i7-6822EQ @ 2.00GHz</u>	5,241	1600	NA
<u>Intel Core i7-6820HQ @ 2.70GHz</u>	6,835	1295	NA
<u>Intel Core i7-6820HK @ 2.70GHz</u>	7,037	1261	18.62

<u>Intel Core i7-6820EQ @ 2.80GHz</u>	7,001	1269	NA
<u>Intel Core i7-6800K @ 3.40GHz</u>	10,759	921	80.78
<u>Intel Core i7-6770HQ @ 2.60GHz</u>	7,105	1252	11.48
<u>Intel Core i7-6700TE @ 2.40GHz</u>	6,801	1301	NA
<u>Intel Core i7-6700T @ 2.80GHz</u>	7,234	1237	36.17
<u>Intel Core i7-6700K @ 4.00GHz</u>	8,938	1055	66.21
<u>Intel Core i7-6700HQ @ 2.60GHz</u>	6,522	1346	17.26
<u>Intel Core i7-6700 @ 3.40GHz</u>	8,089	1129	67.41
<u>Intel Core i7-6660U @ 2.40GHz</u>	3,549	1974	8.55
<u>Intel Core i7-6650U @ 2.20GHz</u>	3,607	1960	NA
<u>Intel Core i7-6600U @ 2.60GHz</u>	3,454	1998	NA
<u>Intel Core i7-6567U @ 3.30GHz</u>	3,750	1919	NA
<u>Intel Core i7-6560U @ 2.20GHz</u>	3,339	2048	NA
<u>Intel Core i7-6500U @ 2.50GHz</u>	3,273	2075	8.33
<u>Intel Core i7-6498DU @ 2.50GHz</u>	3,454	1997	NA
<u>Intel Core i7-5960X @ 3.00GHz</u>	12,740	827	120.15
<u>Intel Core i7-5950HQ @ 2.90GHz</u>	7,696	1169	NA
<u>Intel Core i7-5930K @ 3.50GHz</u>	10,338	947	46.49
<u>Intel Core i7-5850HQ @ 2.70GHz</u>	6,866	1292	15.82
<u>Intel Core i7-5850EQ @ 2.70GHz</u>	7,036	1262	16.17
<u>Intel Core i7-5820K @ 3.30GHz</u>	9,859	979	82.16
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,788	1159	NA
<u>Intel Core i7-5775C @ 3.30GHz</u>	7,694	1170	35.79
<u>Intel Core i7-5700HQ @ 2.70GHz</u>	6,063	1442	NA
<u>Intel Core i7-5700EQ @ 2.60GHz</u>	5,803	1479	NA
<u>Intel Core i7-5675C @ 3.10GHz</u>	6,089	1435	NA
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,014	2182	NA
<u>Intel Core i7-5600U @ 2.60GHz</u>	3,033	2174	NA
<u>Intel Core i7-5557U @ 3.10GHz</u>	3,093	2149	5.10
<u>Intel Core i7-5550U @ 2.00GHz</u>	2,864	2250	NA
<u>Intel Core i7-5500U @ 2.40GHz</u>	2,775	2282	NA
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	6,642	1324	NA
<u>Intel Core i7-4960X @ 3.60GHz</u>	10,089	959	8.07
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	6,611	1329	10.61
<u>Intel Core i7-4940MX @ 3.10GHz</u>	7,086	1255	10.12
<u>Intel Core i7-4930MX @ 3.00GHz</u>	6,491	1351	5.92
<u>Intel Core i7-4930K @ 3.40GHz</u>	9,422	1010	54.78
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	6,318	1391	13.74
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	6,157	1420	11.07
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,371	1374	NA
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	6,242	1403	NA

<u>Intel Core i7-4860EQ @ 1.80GHz</u>	5,500	1540	NA
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	6,152	1421	14.18
<u>Intel Core i7-4820K @ 3.70GHz</u>	6,522	1347	80.97
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	6,060	1445	33.67
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	5,811	1478	24.21
<u>Intel Core i7-4790T @ 2.70GHz</u>	6,359	1377	25.45
<u>Intel Core i7-4790S @ 3.20GHz</u>	7,001	1270	75.29
<u>Intel Core i7-4790K @ 4.00GHz</u>	8,064	1134	71.37
<u>Intel Core i7-4790 @ 3.60GHz</u>	7,263	1232	86.14
<u>Intel Core i7-4785T @ 2.20GHz</u>	5,497	1541	NA
<u>Intel Core i7-4771 @ 3.50GHz</u>	7,124	1250	55.02
<u>Intel Core i7-4770TE @ 2.30GHz</u>	4,557	1714	NA
<u>Intel Core i7-4770T @ 2.50GHz</u>	5,917	1463	78.91
<u>Intel Core i7-4770S @ 3.10GHz</u>	6,776	1307	90.34
<u>Intel Core i7-4770R @ 3.20GHz</u>	6,570	1336	NA
<u>Intel Core i7-4770K @ 3.50GHz</u>	7,126	1249	73.54
<u>Intel Core i7-4770HQ @ 2.20GHz</u>	6,086	1437	NA
<u>Intel Core i7-4770 @ 3.40GHz</u>	7,051	1258	94.03
<u>Intel Core i7-4765T @ 2.00GHz</u>	5,105	1622	10.23
<u>Intel Core i7-4760HQ @ 2.10GHz</u>	6,300	1393	NA
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	5,627	1515	NA
<u>Intel Core i7-4722HQ @ 2.40GHz</u>	5,620	1517	NA
<u>Intel Core i7-4720HQ @ 2.60GHz</u>	5,763	1485	NA
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	5,279	1590	NA
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	5,354	1576	NA
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	5,829	1474	21.46
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	5,512	1537	14.58
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	5,196	1611	14.76
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	5,393	1569	NA
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	5,361	1574	28.51
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	5,641	1511	14.73
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	4,941	1650	NA
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,397	2464	NA
<u>Intel Core i7-4610Y @ 1.70GHz</u>	2,446	2436	NA
<u>Intel Core i7-4610M @ 3.00GHz</u>	3,164	2118	NA
<u>Intel Core i7-4600U @ 2.10GHz</u>	2,702	2312	NA
<u>Intel Core i7-4600M @ 2.90GHz</u>	3,174	2115	NA
<u>Intel Core i7-4578U @ 3.00GHz</u>	3,079	2155	NA
<u>Intel Core i7-4560U @ 1.60GHz</u>	2,950	2215	NA
<u>Intel Core i7-4558U @ 2.80GHz</u>	3,043	2168	NA
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,272	2543	NA

<u>Intel Core i7-4510U @ 2.00GHz</u>	2,585	2367	NA
<u>Intel Core i7-4500U @ 1.80GHz</u>	2,482	2421	NA
<u>Intel Core i7-3970X @ 3.50GHz</u>	8,408	1095	44.28
<u>Intel Core i7-3960X @ 3.30GHz</u>	8,381	1098	4.64
<u>Intel Core i7-3940XM @ 3.00GHz</u>	5,819	1476	16.91
<u>Intel Core i7-3930K @ 3.20GHz</u>	8,202	1121	20.55
<u>Intel Core i7-3920XM @ 2.90GHz</u>	5,651	1509	5.16
<u>Intel Core i7-3840QM @ 2.80GHz</u>	5,895	1464	10.74
<u>Intel Core i7-3820QM @ 2.70GHz</u>	5,696	1500	10.38
<u>Intel Core i7-3820 @ 3.60GHz</u>	5,744	1488	58.03
<u>Intel Core i7-3770T @ 2.50GHz</u>	5,444	1553	34.77
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,185	1415	82.46
<u>Intel Core i7-3770K @ 3.50GHz</u>	6,466	1355	61.58
<u>Intel Core i7-3770 @ 3.40GHz</u>	6,401	1370	128.05
<u>Intel Core i7-3740QM @ 2.70GHz</u>	5,706	1498	26.17
<u>Intel Core i7-3720QM @ 2.60GHz</u>	5,654	1507	56.57
<u>Intel Core i7-3689Y @ 1.50GHz</u>	1,967	2713	NA
<u>Intel Core i7-3687U @ 2.10GHz</u>	2,638	2341	NA
<u>Intel Core i7-3667U @ 2.00GHz</u>	2,414	2454	NA
<u>Intel Core i7-3635QM @ 2.40GHz</u>	4,726	1679	NA
<u>Intel Core i7-3632QM @ 2.20GHz</u>	4,679	1687	66.94
<u>Intel Core i7-3630QM @ 2.40GHz</u>	5,118	1620	22.35
<u>Intel Core i7-3615QM @ 2.30GHz</u>	5,223	1606	NA
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,548	1529	NA
<u>Intel Core i7-3612QM @ 2.10GHz</u>	4,649	1693	NA
<u>Intel Core i7-3612QE @ 2.10GHz</u>	4,929	1652	NA
<u>Intel Core i7-3610QM @ 2.30GHz</u>	5,110	1621	17.04
<u>Intel Core i7-3610QE @ 2.30GHz</u>	5,026	1635	NA
<u>Intel Core i7-3555LE @ 2.50GHz</u>	2,238	2565	NA
<u>Intel Core i7-3540M @ 3.00GHz</u>	2,955	2213	23.08
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,315	2518	NA
<u>Intel Core i7-3520M @ 2.90GHz</u>	2,865	2249	23.48
<u>Intel Core i7-3517UE @ 1.70GHz</u>	2,320	2516	NA
<u>Intel Core i7-3517U @ 1.90GHz</u>	2,052	2666	NA
<u>Intel Core i7-2960XM @ 2.70GHz</u>	4,760	1672	17.09
<u>Intel Core i7-2920XM @ 2.50GHz</u>	4,384	1758	36.53
<u>Intel Core i7-2860QM @ 2.50GHz</u>	4,564	1712	45.64
<u>Intel Core i7-2840QM @ 2.40GHz</u>	3,842	1890	NA
<u>Intel Core i7-2820QM @ 2.30GHz</u>	4,400	1751	11.89
<u>Intel Core i7-2760QM @ 2.40GHz</u>	4,421	1746	36.23
<u>Intel Core i7-2720QM @ 2.20GHz</u>	4,032	1846	22.40

<u>Intel Core i7-2715QE @ 2.10GHz</u>	3,221	2096	NA
<u>Intel Core i7-2710QE @ 2.10GHz</u>	4,044	1844	NA
<u>Intel Core i7-2700K @ 3.50GHz</u>	5,751	1487	58.09
<u>Intel Core i7-2677M @ 1.80GHz</u>	1,934	2732	NA
<u>Intel Core i7-2675QM @ 2.20GHz</u>	3,885	1875	NA
<u>Intel Core i7-2670QM @ 2.20GHz</u>	3,766	1910	29.20
<u>Intel Core i7-2655LE @ 2.20GHz</u>	1,999	2695	NA
<u>Intel Core i7-2640M @ 2.80GHz</u>	2,495	2411	25.20
<u>Intel Core i7-2637M @ 1.70GHz</u>	1,807	2819	NA
<u>Intel Core i7-2635QM @ 2.00GHz</u>	3,323	2056	NA
<u>Intel Core i7-2630UM @ 1.60GHz</u>	400	4113	NA
<u>Intel Core i7-2630QM @ 2.00GHz</u>	3,553	1972	18.71
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,442	2437	21.00
<u>Intel Core i7-2617M @ 1.50GHz</u>	1,687	2893	NA
<u>Intel Core i7-2610UE @ 1.50GHz</u>	1,409	3093	NA
<u>Intel Core i7-2600S @ 2.80GHz</u>	4,602	1701	18.48
<u>Intel Core i7-2600K @ 3.40GHz</u>	5,486	1545	93.02
<u>Intel Core i7-2600 @ 3.40GHz</u>	5,331	1579	66.65
<u>Intel Core i7-1370P</u>	21,368	452	NA
<u>Intel Core i7-1365U</u>	15,497	681	36.38
<u>Intel Core i7-1360P</u>	19,265	524	40.14
<u>Intel Core i7-1355U</u>	15,273	689	32.56
<u>Intel Core i7-1280P</u>	20,442	489	42.41
<u>Intel Core i7-1270PE</u>	17,960	581	40.73
<u>Intel Core i7-1270P</u>	17,578	591	NA
<u>Intel Core i7-1265UE</u>	9,195	1029	19.48
<u>Intel Core i7-1265U</u>	14,044	754	32.97
<u>Intel Core i7-1260U</u>	13,563	777	NA
<u>Intel Core i7-1260P</u>	17,208	609	NA
<u>Intel Core i7-1255U</u>	13,777	767	32.34
<u>Intel Core i7-1250U</u>	12,421	838	29.16
<u>Intel Core i7-1195G7 @ 2.90GHz</u>	11,071	903	25.99
<u>Intel Core i7-1185GRE @ 2.80GHz</u>	8,203	1119	NA
<u>Intel Core i7-1185G7E @ 2.80GHz</u>	10,444	940	24.23
<u>Intel Core i7-1185G7 @ 3.00GHz</u>	10,551	934	24.77
<u>Intel Core i7-1180G7 @ 1.30GHz</u>	8,270	1109	19.41
<u>Intel Core i7-1165G7 @ 2.80GHz</u>	10,347	946	24.29
<u>Intel Core i7-1160G7 @ 1.20GHz</u>	9,173	1033	21.53
<u>Intel Core i7-1068NG7 @ 2.30GHz</u>	9,576	1001	22.48
<u>Intel Core i7-1065G7 @ 1.30GHz</u>	8,409	1094	19.74
<u>Intel Core i7-1060NG7 @ 1.20GHz</u>	6,658	1322	NA

<u>Intel Core i7-995X @ 3.60GHz</u>	7,862	1152	NA
<u>Intel Core i7-990X @ 3.47GHz</u>	7,092	1254	40.53
<u>Intel Core i7-985 @ 3.47GHz</u>	3,928	1863	NA
<u>Intel Core i7-980X @ 3.33GHz</u>	6,834	1296	62.13
<u>Intel Core i7-980 @ 3.33GHz</u>	6,926	1285	23.81
<u>Intel Core i7-975 @ 3.33GHz</u>	3,428	2008	7.48
<u>Intel Core i7-970 @ 3.20GHz</u>	6,534	1343	12.56
<u>Intel Core i7-965 @ 3.20GHz</u>	3,424	2012	3.04
<u>Intel Core i7-960 @ 3.20GHz</u>	3,310	2063	67.54
<u>Intel Core i7-950 @ 3.07GHz</u>	3,200	2106	12.85
<u>Intel Core i7-940XM @ 2.13GHz</u>	2,248	2555	NA
<u>Intel Core i7-940 @ 2.93GHz</u>	2,947	2217	8.47
<u>Intel Core i7-930 @ 2.80GHz</u>	2,950	2214	114.85
<u>Intel Core i7-920XM @ 2.00GHz</u>	1,885	2771	4.72
<u>Intel Core i7-920 @ 2.67GHz</u>	2,814	2269	28.43
<u>Intel Core i7-880 @ 3.07GHz</u>	3,105	2144	44.36
<u>Intel Core i7-875K @ 2.93GHz</u>	3,057	2165	15.30
<u>Intel Core i7-870S @ 2.67GHz</u>	2,786	2278	NA
<u>Intel Core i7-870 @ 2.93GHz</u>	3,120	2138	31.20
<u>Intel Core i7-860S @ 2.53GHz</u>	2,403	2461	17.17
<u>Intel Core i7-860 @ 2.80GHz</u>	2,979	2204	82.77
<u>Intel Core i7-840QM @ 1.87GHz</u>	1,937	2728	5.72
<u>Intel Core i7-820QM @ 1.73GHz</u>	1,774	2839	13.75
<u>Intel Core i7-740QM @ 1.73GHz</u>	1,819	2808	9.58
<u>Intel Core i7-720QM @ 1.60GHz</u>	1,664	2901	7.56
<u>Intel Core i7-680UM @ 1.47GHz</u>	1,196	3258	NA
<u>Intel Core i7-660UM @ 1.33GHz</u>	1,284	3175	NA
<u>Intel Core i7-640UM @ 1.20GHz</u>	1,183	3271	NA
<u>Intel Core i7-640M @ 2.80GHz</u>	2,057	2663	14.50
<u>Intel Core i7-640LM @ 2.13GHz</u>	1,495	3032	NA
<u>Intel Core i7-620UM @ 1.07GHz</u>	1,010	3446	NA
<u>Intel Core i7-620M @ 2.67GHz</u>	1,982	2704	7.31
<u>Intel Core i7-620LM @ 2.00GHz</u>	1,440	3070	NA
<u>Intel Core i7-610E @ 2.53GHz</u>	1,818	2810	NA
<u>Intel Core i7-7Y75 @ 1.30GHz</u>	2,618	2350	NA
<u>Intel Core i5-L16G7 @ 1.40GHz</u>	3,449	2001	12.28
<u>Intel Core i5-24050S @ 2.50GHz</u>	3,061	2163	NA
<u>Intel Core i5-14600KF</u>	38,894	152	132.29
<u>Intel Core i5-14600K</u>	39,732	147	124.55
<u>Intel Core i5-13600T</u>	26,876	301	105.40
<u>Intel Core i5-13600KF</u>	38,116	159	130.09

<u>Intel Core i5-13600K</u>	38,278	157	123.48
<u>Intel Core i5-13600HX</u>	29,567	244	104.11
<u>Intel Core i5-13600H</u>	25,569	326	82.22
<u>Intel Core i5-13600</u>	32,745	205	128.41
<u>Intel Core i5-13500T</u>	24,094	361	103.85
<u>Intel Core i5-13500HX</u>	28,024	271	85.96
<u>Intel Core i5-13500H</u>	23,350	380	NA
<u>Intel Core i5-13500</u>	32,318	213	130.32
<u>Intel Core i5-13490F</u>	27,783	280	105.37
<u>Intel Core i5-13450HX</u>	25,513	329	78.26
<u>Intel Core i5-13420H</u>	18,668	550	54.58
<u>Intel Core i5-13400T</u>	21,493	447	97.25
<u>Intel Core i5-13400F</u>	25,430	331	154.13
<u>Intel Core i5-13400</u>	25,257	336	110.65
<u>Intel Core i5-12600T</u>	17,547	593	NA
<u>Intel Core i5-12600KF</u>	27,479	285	124.94
<u>Intel Core i5-12600K</u>	27,792	279	138.97
<u>Intel Core i5-12600HX</u>	24,039	364	84.64
<u>Intel Core i5-12600HE</u>	24,599	351	78.09
<u>Intel Core i5-12600H</u>	23,062	388	74.16
<u>Intel Core i5-12600</u>	21,392	451	82.28
<u>Intel Core i5-12500TE</u>	14,501	728	70.74
<u>Intel Core i5-12500T</u>	16,707	628	82.71
<u>Intel Core i5-12500H</u>	21,576	443	69.38
<u>Intel Core i5-12500E</u>	20,699	478	92.00
<u>Intel Core i5-12500</u>	19,985	501	98.94
<u>Intel Core i5-12490F</u>	20,650	479	113.47
<u>Intel Core i5-12450HX</u>	19,032	530	NA
<u>Intel Core i5-12450H</u>	17,496	595	56.26
<u>Intel Core i5-12400T</u>	16,226	651	108.18
<u>Intel Core i5-12400F</u>	19,588	514	130.60
<u>Intel Core i5-12400</u>	19,456	520	101.33
<u>Intel Core i5-11600T @ 1.70GHz</u>	14,713	715	69.08
<u>Intel Core i5-11600KF @ 3.90GHz</u>	19,681	509	91.62
<u>Intel Core i5-11600K @ 3.90GHz</u>	19,670	510	110.21
<u>Intel Core i5-11600 @ 2.80GHz</u>	18,106	575	73.01
<u>Intel Core i5-11500T @ 1.50GHz</u>	13,075	805	68.10
<u>Intel Core i5-11500H @ 2.90GHz</u>	16,211	652	64.84
<u>Intel Core i5-11500B @ 3.30GHz</u>	17,860	583	NA
<u>Intel Core i5-11500 @ 2.70GHz</u>	17,449	600	83.69
<u>Intel Core i5-11400T @ 1.30GHz</u>	13,644	772	74.97

<u>Intel Core i5-11400H @ 2.70GHz</u>	15,824	666	63.29
<u>Intel Core i5-11400F @ 2.60GHz</u>	17,116	614	142.64
<u>Intel Core i5-11400 @ 2.60GHz</u>	17,103	618	122.69
<u>Intel Core i5-11320H @ 3.20GHz</u>	10,959	911	35.47
<u>Intel Core i5-11300H @ 3.10GHz</u>	10,989	907	35.56
<u>Intel Core i5-11260H @ 2.60GHz</u>	15,812	668	63.25
<u>Intel Core i5-10600T @ 2.40GHz</u>	11,234	891	52.74
<u>Intel Core i5-10600KF @ 4.10GHz</u>	14,358	740	81.59
<u>Intel Core i5-10600K @ 4.10GHz</u>	14,358	741	90.25
<u>Intel Core i5-10600 @ 3.30GHz</u>	13,676	770	62.68
<u>Intel Core i5-10505 @ 3.20GHz</u>	12,241	845	NA
<u>Intel Core i5-10500TE @ 2.30GHz</u>	8,449	1091	43.33
<u>Intel Core i5-10500T @ 2.30GHz</u>	10,073	961	100.74
<u>Intel Core i5-10500H @ 2.50GHz</u>	11,297	888	45.19
<u>Intel Core i5-10500E @ 3.10GHz</u>	10,827	920	55.52
<u>Intel Core i5-10500 @ 3.10GHz</u>	12,784	823	55.83
<u>Intel Core i5-10400T @ 2.00GHz</u>	9,947	972	54.66
<u>Intel Core i5-10400H @ 2.60GHz</u>	8,561	1077	34.25
<u>Intel Core i5-10400F @ 2.90GHz</u>	12,230	846	112.20
<u>Intel Core i5-10400 @ 2.90GHz</u>	12,169	849	105.83
<u>Intel Core i5-10310U @ 1.70GHz</u>	6,452	1359	21.72
<u>Intel Core i5-10300H @ 2.50GHz</u>	8,481	1087	33.92
<u>Intel Core i5-10210Y @ 1.00GHz</u>	4,464	1732	NA
<u>Intel Core i5-10210U @ 1.60GHz</u>	6,230	1407	8.87
<u>Intel Core i5-10200H @ 2.40GHz</u>	8,209	1117	32.84
<u>Intel Core i5-9600T @ 2.30GHz</u>	9,576	1002	44.96
<u>Intel Core i5-9600KF @ 3.70GHz</u>	10,741	922	67.13
<u>Intel Core i5-9600K @ 3.70GHz</u>	10,721	924	53.16
<u>Intel Core i5-9600 @ 3.10GHz</u>	10,304	949	59.80
<u>Intel Core i5-9500TE @ 2.20GHz</u>	9,848	980	51.29
<u>Intel Core i5-9500T @ 2.20GHz</u>	8,176	1123	42.58
<u>Intel Core i5-9500F @ 3.00GHz</u>	10,212	955	76.06
<u>Intel Core i5-9500 @ 3.00GHz</u>	9,795	982	61.57
<u>Intel Core i5-9400T @ 1.80GHz</u>	8,421	1093	46.27
<u>Intel Core i5-9400H @ 2.50GHz</u>	7,975	1144	31.90
<u>Intel Core i5-9400F @ 2.90GHz</u>	9,494	1006	63.30
<u>Intel Core i5-9400 @ 2.90GHz</u>	9,386	1012	68.41
<u>Intel Core i5-9300HF @ 2.40GHz</u>	7,466	1197	29.87
<u>Intel Core i5-9300H @ 2.40GHz</u>	7,646	1176	30.58
<u>Intel Core i5-8600T @ 2.30GHz</u>	9,299	1023	46.50
<u>Intel Core i5-8600K @ 3.60GHz</u>	10,203	956	86.03

<u>Intel Core i5-8600 @ 3.10GHz</u>	9,978	967	86.34
<u>Intel Core i5-8500T @ 2.10GHz</u>	7,746	1163	29.12
<u>Intel Core i5-8500B @ 3.00GHz</u>	9,009	1051	46.92
<u>Intel Core i5-8500 @ 3.00GHz</u>	9,590	999	72.37
<u>Intel Core i5-8400T @ 1.70GHz</u>	7,449	1201	31.06
<u>Intel Core i5-8400H @ 2.50GHz</u>	7,728	1164	30.91
<u>Intel Core i5-8400 @ 2.80GHz</u>	9,251	1028	65.02
<u>Intel Core i5-8365UE @ 1.60GHz</u>	5,711	1496	19.23
<u>Intel Core i5-8365U @ 1.60GHz</u>	6,252	1401	11.60
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,229	1408	20.97
<u>Intel Core i5-8305G @ 2.80GHz</u>	6,951	1281	NA
<u>Intel Core i5-8300H @ 2.30GHz</u>	7,461	1199	29.84
<u>Intel Core i5-8279U @ 2.40GHz</u>	7,608	1182	23.78
<u>Intel Core i5-8269U @ 2.60GHz</u>	8,055	1135	25.17
<u>Intel Core i5-8265UC @ 1.60GHz</u>	5,988	1456	NA
<u>Intel Core i5-8265U @ 1.60GHz</u>	6,023	1453	12.05
<u>Intel Core i5-8260U @ 1.60GHz</u>	7,727	1165	17.56
<u>Intel Core i5-8259U @ 2.30GHz</u>	7,940	1147	15.27
<u>Intel Core i5-8257U @ 1.40GHz</u>	7,609	1181	23.78
<u>Intel Core i5-8250U @ 1.60GHz</u>	5,894	1465	NA
<u>Intel Core i5-8210Y @ 1.60GHz</u>	2,789	2276	NA
<u>Intel Core i5-8200Y @ 1.30GHz</u>	2,327	2510	8.00
<u>Intel Core i5-7640X @ 4.00GHz</u>	6,791	1303	71.55
<u>Intel Core i5-7600T @ 2.80GHz</u>	5,844	1472	39.51
<u>Intel Core i5-7600K @ 3.80GHz</u>	6,806	1300	69.45
<u>Intel Core i5-7600 @ 3.50GHz</u>	6,564	1337	66.31
<u>Intel Core i5-7500T @ 2.70GHz</u>	5,254	1594	32.97
<u>Intel Core i5-7500 @ 3.40GHz</u>	6,027	1451	73.34
<u>Intel Core i5-7442EQ @ 2.10GHz</u>	4,834	1665	19.34
<u>Intel Core i5-7440HQ @ 2.80GHz</u>	5,542	1534	NA
<u>Intel Core i5-7440EQ @ 2.90GHz</u>	5,711	1497	22.84
<u>Intel Core i5-7400T @ 2.40GHz</u>	4,727	1678	25.54
<u>Intel Core i5-7400 @ 3.00GHz</u>	5,487	1544	64.56
<u>Intel Core i5-7360U @ 2.30GHz</u>	3,896	1872	NA
<u>Intel Core i5-7300U @ 2.60GHz</u>	3,681	1938	5.87
<u>Intel Core i5-7300HQ @ 2.50GHz</u>	5,096	1625	NA
<u>Intel Core i5-7287U @ 3.30GHz</u>	3,854	1887	NA
<u>Intel Core i5-7267U @ 3.10GHz</u>	3,640	1950	NA
<u>Intel Core i5-7260U @ 2.20GHz</u>	3,976	1853	8.46
<u>Intel Core i5-7200U @ 2.50GHz</u>	3,395	2022	6.80
<u>Intel Core i5-6600T @ 2.70GHz</u>	5,666	1505	50.06

<u>Intel Core i5-6600K @ 3.50GHz</u>	6,328	1385	95.90
<u>Intel Core i5-6600 @ 3.30GHz</u>	6,038	1450	191.75
<u>Intel Core i5-6500TE @ 2.30GHz</u>	4,724	1680	9.64
<u>Intel Core i5-6500T @ 2.50GHz</u>	4,769	1671	21.53
<u>Intel Core i5-6500 @ 3.20GHz</u>	5,632	1512	66.96
<u>Intel Core i5-6442EQ @ 1.90GHz</u>	4,548	1715	18.19
<u>Intel Core i5-6440HQ @ 2.60GHz</u>	5,093	1626	NA
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,419	1563	NA
<u>Intel Core i5-6402P @ 2.80GHz</u>	5,460	1549	52.00
<u>Intel Core i5-6400T @ 2.20GHz</u>	4,295	1773	26.85
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,167	1613	64.75
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,121	2137	NA
<u>Intel Core i5-6350HQ @ 2.30GHz</u>	4,255	1783	13.90
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,239	2087	NA
<u>Intel Core i5-6300HQ @ 2.30GHz</u>	4,692	1686	NA
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,822	1897	12.57
<u>Intel Core i5-6267U @ 2.90GHz</u>	3,425	2011	NA
<u>Intel Core i5-6260U @ 1.80GHz</u>	3,213	2100	6.44
<u>Intel Core i5-6200U @ 2.30GHz</u>	2,998	2192	NA
<u>Intel Core i5-6198DU @ 2.30GHz</u>	3,161	2120	NA
<u>Intel Core i5-5675R @ 3.10GHz</u>	5,492	1542	NA
<u>Intel Core i5-5675C @ 3.10GHz</u>	5,546	1532	34.96
<u>Intel Core i5-5575R @ 2.80GHz</u>	5,059	1632	NA
<u>Intel Core i5-5350U @ 1.80GHz</u>	2,583	2371	NA
<u>Intel Core i5-5300U @ 2.30GHz</u>	2,736	2295	9.44
<u>Intel Core i5-5287U @ 2.90GHz</u>	3,100	2145	NA
<u>Intel Core i5-5257U @ 2.70GHz</u>	2,858	2252	NA
<u>Intel Core i5-5250U @ 1.60GHz</u>	2,464	2428	4.65
<u>Intel Core i5-5200U @ 2.20GHz</u>	2,500	2405	8.90
<u>Intel Core i5-4690T @ 2.50GHz</u>	4,667	1690	NA
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,501	1539	91.70
<u>Intel Core i5-4690K @ 3.50GHz</u>	5,683	1503	89.55
<u>Intel Core i5-4690 @ 3.50GHz</u>	5,584	1522	91.80
<u>Intel Core i5-4670T @ 2.30GHz</u>	4,428	1743	17.10
<u>Intel Core i5-4670S @ 3.10GHz</u>	5,123	1619	24.05
<u>Intel Core i5-4670R @ 3.00GHz</u>	5,233	1603	18.96
<u>Intel Core i5-4670K CPT @ 3.40GHz</u>	5,034	1633	NA
<u>Intel Core i5-4670K @ 3.40GHz</u>	5,555	1528	59.73
<u>Intel Core i5-4670 @ 3.40GHz</u>	5,527	1536	92.11
<u>Intel Core i5-4590T @ 2.00GHz</u>	4,073	1834	43.25
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,126	1617	366.38

<u>Intel Core i5-4590 @ 3.30GHz</u>	5,366	1573	92.51
<u>Intel Core i5-4570TE @ 2.70GHz</u>	3,074	2156	8.99
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,204	2102	24.87
<u>Intel Core i5-4570S @ 2.90GHz</u>	4,993	1641	49.93
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,586	1704	NA
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,222	1607	86.91
<u>Intel Core i5-4470S @ 3.00GHz</u>	4,742	1676	NA
<u>Intel Core i5-4470 @ 3.30GHz</u>	3,971	1854	NA
<u>Intel Core i5-4460T @ 1.90GHz</u>	3,637	1952	NA
<u>Intel Core i5-4460S @ 2.90GHz</u>	4,565	1711	28.54
<u>Intel Core i5-4460 @ 3.20GHz</u>	4,874	1657	162.51
<u>Intel Core i5-4440S @ 2.80GHz</u>	4,434	1739	35.80
<u>Intel Core i5-4440 @ 3.10GHz</u>	4,752	1674	53.51
<u>Intel Core i5-4430S @ 2.70GHz</u>	4,304	1771	22.71
<u>Intel Core i5-4430 @ 3.00GHz</u>	4,652	1692	96.01
<u>Intel Core i5-4422E @ 1.80GHz</u>	1,907	2754	7.17
<u>Intel Core i5-4402E @ 1.60GHz</u>	2,681	2323	NA
<u>Intel Core i5-4400E @ 2.70GHz</u>	3,251	2084	12.22
<u>Intel Core i5-4350U @ 1.40GHz</u>	2,425	2448	NA
<u>Intel Core i5-4340M @ 2.90GHz</u>	3,471	1995	NA
<u>Intel Core i5-4330M @ 2.80GHz</u>	3,203	2104	11.65
<u>Intel Core i5-4310U @ 2.00GHz</u>	2,539	2388	NA
<u>Intel Core i5-4310M @ 2.70GHz</u>	3,123	2135	NA
<u>Intel Core i5-4308U @ 2.80GHz</u>	3,005	2187	NA
<u>Intel Core i5-4302Y @ 1.60GHz</u>	2,028	2676	NA
<u>Intel Core i5-4300Y @ 1.60GHz</u>	1,466	3048	NA
<u>Intel Core i5-4300U @ 1.90GHz</u>	2,499	2408	NA
<u>Intel Core i5-4300M @ 2.60GHz</u>	2,989	2197	NA
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,654	2334	NA
<u>Intel Core i5-4278U @ 2.60GHz</u>	2,831	2262	NA
<u>Intel Core i5-4260U @ 1.40GHz</u>	2,326	2511	NA
<u>Intel Core i5-4258U @ 2.40GHz</u>	2,585	2368	NA
<u>Intel Core i5-4250U @ 1.30GHz</u>	2,157	2611	6.18
<u>Intel Core i5-4230U @ 1.90GHz</u>	1,853	2787	NA
<u>Intel Core i5-4220Y @ 1.60GHz</u>	1,591	2954	NA
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,577	2965	NA
<u>Intel Core i5-4210U @ 1.70GHz</u>	2,303	2527	NA
<u>Intel Core i5-4210M @ 2.60GHz</u>	2,882	2240	32.74
<u>Intel Core i5-4210H @ 2.90GHz</u>	3,040	2173	NA
<u>Intel Core i5-4202Y @ 1.60GHz</u>	1,498	3031	NA
<u>Intel Core i5-4200Y @ 1.40GHz</u>	1,558	2981	NA

<u>Intel Core i5-4200U @ 1.60GHz</u>	2,188	2598	NA
<u>Intel Core i5-4200M @ 2.50GHz</u>	2,808	2274	31.57
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,108	2142	NA
<u>Intel Core i5-3610ME @ 2.70GHz</u>	2,666	2329	NA
<u>Intel Core i5-3570T @ 2.30GHz</u>	4,107	1819	NA
<u>Intel Core i5-3570S @ 3.10GHz</u>	4,630	1698	77.19
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,955	1648	103.29
<u>Intel Core i5-3570 @ 3.40GHz</u>	4,918	1653	37.22
<u>Intel Core i5-3550S @ 3.00GHz</u>	4,475	1730	13.56
<u>Intel Core i5-3550 @ 3.30GHz</u>	4,795	1669	14.30
<u>Intel Core i5-3475S @ 2.90GHz</u>	4,250	1786	17.00
<u>Intel Core i5-3470T @ 2.90GHz</u>	2,983	2201	11.05
<u>Intel Core i5-3470S @ 2.90GHz</u>	4,395	1753	61.02
<u>Intel Core i5-3470 @ 3.20GHz</u>	4,673	1688	133.55
<u>Intel Core i5-3450S @ 2.80GHz</u>	4,375	1762	46.05
<u>Intel Core i5-3450 @ 3.10GHz</u>	4,489	1727	18.30
<u>Intel Core i5-3439Y @ 1.50GHz</u>	1,907	2753	NA
<u>Intel Core i5-3437U @ 1.90GHz</u>	2,323	2513	NA
<u>Intel Core i5-3427U @ 1.80GHz</u>	2,247	2556	5.35
<u>Intel Core i5-3380M @ 2.90GHz</u>	2,933	2223	NA
<u>Intel Core i5-3360M @ 2.80GHz</u>	2,881	2241	36.93
<u>Intel Core i5-3350P @ 3.10GHz</u>	4,262	1780	19.10
<u>Intel Core i5-3340S @ 2.80GHz</u>	3,914	1868	12.26
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,696	2315	38.54
<u>Intel Core i5-3340 @ 3.10GHz</u>	4,249	1787	32.69
<u>Intel Core i5-3339Y @ 1.50GHz</u>	1,589	2955	NA
<u>Intel Core i5-3337U @ 1.80GHz</u>	2,100	2639	9.33
<u>Intel Core i5-3335S @ 2.70GHz</u>	4,074	1833	NA
<u>Intel Core i5-3330S @ 2.70GHz</u>	3,866	1879	19.33
<u>Intel Core i5-3330 @ 3.00GHz</u>	4,086	1828	40.89
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,655	2333	60.30
<u>Intel Core i5-3317U @ 1.70GHz</u>	2,010	2688	8.93
<u>Intel Core i5-3230M @ 2.60GHz</u>	2,553	2383	25.53
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,470	2426	47.49
<u>Intel Core i5-3170K @ 3.20GHz</u>	8,882	1058	NA
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,397	2465	NA
<u>Intel Core i5-2557M @ 1.70GHz</u>	1,713	2875	NA
<u>Intel Core i5-2550K @ 3.40GHz</u>	4,099	1825	80.74
<u>Intel Core i5-2540M @ 2.60GHz</u>	2,350	2493	29.39
<u>Intel Core i5-2537M @ 1.40GHz</u>	1,202	3250	NA
<u>Intel Core i5-2520M @ 2.50GHz</u>	2,229	2571	34.30

<u>Intel Core i5-2515E @ 2.50GHz</u>	1,882	2777	NA
<u>Intel Core i5-2510E @ 2.50GHz</u>	1,889	2770	NA
<u>Intel Core i5-2500T @ 2.30GHz</u>	2,929	2227	32.55
<u>Intel Core i5-2500S @ 2.70GHz</u>	3,380	2029	61.08
<u>Intel Core i5-2500K @ 3.30GHz</u>	4,115	1816	90.48
<u>Intel Core i5-2500 @ 3.30GHz</u>	4,117	1815	316.93
<u>Intel Core i5-2467M @ 1.60GHz</u>	1,446	3064	NA
<u>Intel Core i5-2450P @ 3.20GHz</u>	4,203	1795	32.33
<u>Intel Core i5-2450M @ 2.50GHz</u>	2,071	2654	27.98
<u>Intel Core i5-2435M @ 2.40GHz</u>	2,044	2670	NA
<u>Intel Core i5-2430M @ 2.40GHz</u>	2,003	2693	32.29
<u>Intel Core i5-2415M @ 2.30GHz</u>	2,012	2686	NA
<u>Intel Core i5-2410M @ 2.30GHz</u>	1,934	2733	39.39
<u>Intel Core i5-2405S @ 2.50GHz</u>	3,157	2121	14.60
<u>Intel Core i5-2400S @ 2.50GHz</u>	3,149	2127	28.58
<u>Intel Core i5-2400 @ 3.10GHz</u>	3,858	1883	94.09
<u>Intel Core i5-2390T @ 2.70GHz</u>	2,410	2456	24.13
<u>Intel Core i5-2380P @ 3.10GHz</u>	3,797	1902	45.84
<u>Intel Core i5-2320 @ 3.00GHz</u>	3,656	1944	27.02
<u>Intel Core i5-2310 @ 2.90GHz</u>	3,642	1947	76.52
<u>Intel Core i5-2300 @ 2.80GHz</u>	3,406	2016	154.90
<u>Intel Core i5-1350P</u>	21,058	460	65.81
<u>Intel Core i5-1345U</u>	15,337	686	49.63
<u>Intel Core i5-1340P</u>	20,343	492	57.63
<u>Intel Core i5-1335U</u>	17,115	615	50.34
<u>Intel Core i5-1334U</u>	12,802	822	37.65
<u>Intel Core i5-1250PE</u>	17,738	587	49.97
<u>Intel Core i5-1250P</u>	20,536	483	NA
<u>Intel Core i5-1245UE</u>	9,283	1027	29.75
<u>Intel Core i5-1245U</u>	13,501	780	43.69
<u>Intel Core i5-1240U</u>	14,323	743	NA
<u>Intel Core i5-1240P</u>	17,322	604	NA
<u>Intel Core i5-1235U</u>	13,577	775	43.94
<u>Intel Core i5-1230U</u>	10,840	918	35.08
<u>Intel Core i5-1155G7 @ 2.50GHz</u>	10,253	953	33.18
<u>Intel Core i5-1145GRE @ 2.60GHz</u>	9,428	1009	26.05
<u>Intel Core i5-1145G7E @ 2.60GHz</u>	9,908	975	31.76
<u>Intel Core i5-1145G7 @ 2.60GHz</u>	9,948	971	NA
<u>Intel Core i5-1140G7 @ 1.10GHz</u>	9,606	997	NA
<u>Intel Core i5-1135G7 @ 2.40GHz</u>	9,897	976	32.03
<u>Intel Core i5-1130G7 @ 1.10GHz</u>	8,641	1071	27.96

<u>Intel Core i5-1038NG7 @ 2.00GHz</u>	9,122	1039	28.51
<u>Intel Core i5-1035G7 @ 1.20GHz</u>	8,300	1102	25.94
<u>Intel Core i5-1035G4 @ 1.10GHz</u>	7,975	1143	25.81
<u>Intel Core i5-1035G1 @ 1.00GHz</u>	7,463	1198	25.13
<u>Intel Core i5-1030NG7 @ 1.10GHz</u>	5,775	1483	NA
<u>Intel Core i5-760S @ 2.53GHz</u>	5,440	1556	NA
<u>Intel Core i5-760 @ 2.80GHz</u>	2,608	2356	26.08
<u>Intel Core i5-750 @ 2.67GHz</u>	2,520	2400	22.91
<u>Intel Core i5-680 @ 3.60GHz</u>	2,618	2351	68.90
<u>Intel Core i5-670 @ 3.47GHz</u>	2,533	2392	9.31
<u>Intel Core i5-661 @ 3.33GHz</u>	2,459	2430	59.99
<u>Intel Core i5-660 @ 3.33GHz</u>	2,382	2473	103.60
<u>Intel Core i5-655K @ 3.20GHz</u>	2,017	2683	26.24
<u>Intel Core i5-650 @ 3.20GHz</u>	2,242	2560	29.91
<u>Intel Core i5-580M @ 2.67GHz</u>	1,931	2735	19.32
<u>Intel Core i5-560UM @ 1.33GHz</u>	1,015	3437	NA
<u>Intel Core i5-560M @ 2.67GHz</u>	1,901	2760	23.77
<u>Intel Core i5-540UM @ 1.20GHz</u>	1,002	3458	NA
<u>Intel Core i5-540M @ 2.53GHz</u>	1,792	2828	11.94
<u>Intel Core i5-520UM @ 1.07GHz</u>	908	3547	NA
<u>Intel Core i5-520M @ 2.40GHz</u>	1,721	2869	61.41
<u>Intel Core i5-480M @ 2.67GHz</u>	1,323	3147	16.42
<u>Intel Core i5-470UM @ 1.33GHz</u>	778	3684	NA
<u>Intel Core i5-460M @ 2.53GHz</u>	1,299	3165	10.00
<u>Intel Core i5-450M @ 2.40GHz</u>	1,233	3220	38.59
<u>Intel Core i5-430UM @ 1.20GHz</u>	627	3863	NA
<u>Intel Core i5-430M @ 2.27GHz</u>	1,196	3259	9.20
<u>Intel Core i5-7Y57 @ 1.20GHz</u>	2,609	2355	NA
<u>Intel Core i5-7Y54 @ 1.20GHz</u>	2,736	2296	NA
<u>Intel Core i5 E 520 @ 2.40GHz</u>	1,619	2930	NA
<u>Intel Core i5 750S @ 2.40GHz</u>	1,326	3143	9.47
<u>Intel Core i3-N305</u>	9,950	969	32.20
<u>Intel Core i3-N300</u>	8,475	1088	27.43
<u>Intel Core i3-21050 @ 3.10GHz</u>	2,193	2592	NA
<u>Intel Core i3-13100T</u>	13,281	792	99.11
<u>Intel Core i3-13100F</u>	14,643	722	131.93
<u>Intel Core i3-13100E</u>	11,650	871	85.03
<u>Intel Core i3-13100</u>	14,717	714	114.38
<u>Intel Core i3-12300T</u>	13,251	796	84.40
<u>Intel Core i3-12300</u>	14,720	713	102.93
<u>Intel Core i3-12100TE</u>	12,961	812	103.68

<u>Intel Core i3-12100T</u>	12,749	826	104.50
<u>Intel Core i3-12100F</u>	14,207	750	103.71
<u>Intel Core i3-12100E</u>	14,250	749	103.26
<u>Intel Core i3-12100</u>	13,497	781	110.63
<u>Intel Core i3-11100HE @ 2.40GHz</u>	11,289	889	48.45
<u>Intel Core i3-11100B @ 3.60GHz</u>	11,357	883	NA
<u>Intel Core i3-10325 @ 3.90GHz</u>	10,354	944	54.47
<u>Intel Core i3-10320 @ 3.80GHz</u>	10,052	963	71.81
<u>Intel Core i3-10305T @ 3.00GHz</u>	8,136	1126	56.90
<u>Intel Core i3-10305 @ 3.80GHz</u>	9,108	1041	54.50
<u>Intel Core i3-10300T @ 3.00GHz</u>	8,036	1139	41.43
<u>Intel Core i3-10300 @ 3.70GHz</u>	9,290	1025	92.91
<u>Intel Core i3-10110Y @ 1.00GHz</u>	3,269	2076	11.39
<u>Intel Core i3-10110U @ 2.10GHz</u>	3,920	1866	9.03
<u>Intel Core i3-10105T @ 3.00GHz</u>	8,022	1140	65.75
<u>Intel Core i3-10105F @ 3.70GHz</u>	9,008	1052	121.72
<u>Intel Core i3-10105 @ 3.70GHz</u>	8,647	1070	82.58
<u>Intel Core i3-10100Y @ 1.30GHz</u>	2,935	2221	NA
<u>Intel Core i3-10100TE @ 2.30GHz</u>	6,237	1405	45.19
<u>Intel Core i3-10100T @ 3.00GHz</u>	7,319	1222	59.99
<u>Intel Core i3-10100F @ 3.60GHz</u>	8,778	1063	126.30
<u>Intel Core i3-10100E @ 3.20GHz</u>	8,365	1100	66.92
<u>Intel Core i3-10100 @ 3.60GHz</u>	8,689	1067	90.50
<u>Intel Core i3-9350KF @ 4.00GHz</u>	7,573	1184	72.80
<u>Intel Core i3-9350K @ 4.00GHz</u>	7,700	1168	26.26
<u>Intel Core i3-9320 @ 3.70GHz</u>	7,358	1219	34.12
<u>Intel Core i3-9300T @ 3.20GHz</u>	6,164	1418	43.11
<u>Intel Core i3-9300 @ 3.70GHz</u>	7,171	1244	28.19
<u>Intel Core i3-9100TE @ 2.20GHz</u>	4,501	1724	36.89
<u>Intel Core i3-9100T @ 3.10GHz</u>	5,593	1521	45.84
<u>Intel Core i3-9100HL @ 1.60GHz</u>	3,065	2160	13.62
<u>Intel Core i3-9100F @ 3.60GHz</u>	6,750	1316	102.29
<u>Intel Core i3-9100E @ 3.10GHz</u>	6,868	1291	NA
<u>Intel Core i3-9100 @ 3.60GHz</u>	6,624	1328	62.85
<u>Intel Core i3-8350K @ 4.00GHz</u>	6,932	1284	76.03
<u>Intel Core i3-8300T @ 3.20GHz</u>	5,733	1491	36.07
<u>Intel Core i3-8300 @ 3.70GHz</u>	6,343	1381	53.08
<u>Intel Core i3-8145UE @ 2.20GHz</u>	4,099	1824	14.59
<u>Intel Core i3-8145U @ 2.10GHz</u>	3,809	1900	13.55
<u>Intel Core i3-8140U @ 2.10GHz</u>	4,227	1790	NA
<u>Intel Core i3-8130U @ 2.20GHz</u>	3,591	1962	12.78

<u>Intel Core i3-8121U @ 2.20GHz</u>	4,388	1757	15.13
<u>Intel Core i3-8109U @ 3.00GHz</u>	4,245	1788	8.49
<u>Intel Core i3-8100T @ 3.10GHz</u>	5,345	1577	24.40
<u>Intel Core i3-8100B @ 3.60GHz</u>	6,062	1444	45.58
<u>Intel Core i3-8100 @ 3.60GHz</u>	6,144	1423	95.64
<u>Intel Core i3-7350K @ 4.20GHz</u>	4,943	1649	82.39
<u>Intel Core i3-7320 @ 4.10GHz</u>	4,844	1661	45.28
<u>Intel Core i3-7300T @ 3.50GHz</u>	4,211	1793	23.19
<u>Intel Core i3-7300 @ 4.00GHz</u>	4,529	1721	77.20
<u>Intel Core i3-7167U @ 2.80GHz</u>	3,368	2037	NA
<u>Intel Core i3-7130U @ 2.70GHz</u>	3,022	2177	6.57
<u>Intel Core i3-7102E @ 2.10GHz</u>	2,521	2399	11.21
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,949	1859	33.75
<u>Intel Core i3-7101E @ 3.90GHz</u>	4,430	1741	37.87
<u>Intel Core i3-7100U @ 2.40GHz</u>	2,720	2302	5.89
<u>Intel Core i3-7100T @ 3.40GHz</u>	3,780	1907	37.81
<u>Intel Core i3-7100H @ 3.00GHz</u>	3,430	2007	15.25
<u>Intel Core i3-7100 @ 3.90GHz</u>	4,345	1767	71.00
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,573	2377	9.16
<u>Intel Core i3-6320 @ 3.90GHz</u>	4,494	1726	46.52
<u>Intel Core i3-6300T @ 3.30GHz</u>	3,999	1852	44.42
<u>Intel Core i3-6300 @ 3.80GHz</u>	4,349	1766	66.67
<u>Intel Core i3-6167U @ 2.70GHz</u>	3,255	2083	NA
<u>Intel Core i3-6157U @ 2.40GHz</u>	2,766	2286	NA
<u>Intel Core i3-6102E @ 1.90GHz</u>	2,349	2495	10.44
<u>Intel Core i3-6100U @ 2.30GHz</u>	2,637	2343	4.98
<u>Intel Core i3-6100TE @ 2.70GHz</u>	3,152	2125	NA
<u>Intel Core i3-6100T @ 3.20GHz</u>	3,657	1943	33.24
<u>Intel Core i3-6100H @ 2.70GHz</u>	3,041	2172	NA
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,315	2060	NA
<u>Intel Core i3-6100 @ 3.70GHz</u>	4,157	1807	38.67
<u>Intel Core i3-6098P @ 3.60GHz</u>	4,048	1841	57.83
<u>Intel Core i3-6006U @ 2.00GHz</u>	2,283	2538	NA
<u>Intel Core i3-5157U @ 2.50GHz</u>	2,593	2360	NA
<u>Intel Core i3-5020U @ 2.20GHz</u>	2,173	2601	4.74
<u>Intel Core i3-5015U @ 2.10GHz</u>	1,842	2799	NA
<u>Intel Core i3-5010U @ 2.10GHz</u>	2,192	2594	7.31
<u>Intel Core i3-5005U @ 2.00GHz</u>	2,019	2682	6.56
<u>Intel Core i3-4570T @ 2.90GHz</u>	3,244	2085	NA
<u>Intel Core i3-4370T @ 3.30GHz</u>	3,361	2043	24.35
<u>Intel Core i3-4370 @ 3.80GHz</u>	3,845	1889	81.83

<u>Intel Core i3-4360T @ 3.20GHz</u>	3,265	2077	NA
<u>Intel Core i3-4360 @ 3.70GHz</u>	3,623	1955	42.48
<u>Intel Core i3-4350T @ 3.10GHz</u>	3,142	2129	NA
<u>Intel Core i3-4350 @ 3.60GHz</u>	3,501	1989	87.54
<u>Intel Core i3-4340 @ 3.60GHz</u>	3,545	1975	29.70
<u>Intel Core i3-4330TE @ 2.40GHz</u>	2,022	2679	NA
<u>Intel Core i3-4330T @ 3.00GHz</u>	3,105	2143	NA
<u>Intel Core i3-4330 @ 3.50GHz</u>	3,553	1971	36.65
<u>Intel Core i3-4170T @ 3.20GHz</u>	3,201	2105	16.01
<u>Intel Core i3-4170 @ 3.70GHz</u>	3,586	1964	138.35
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,122	2136	52.04
<u>Intel Core i3-4160 @ 3.60GHz</u>	3,506	1986	487.63
<u>Intel Core i3-4158U @ 2.00GHz</u>	1,718	2872	NA
<u>Intel Core i3-4150T @ 3.00GHz</u>	2,923	2232	7.00
<u>Intel Core i3-4150 @ 3.50GHz</u>	3,386	2025	159.05
<u>Intel Core i3-4130T @ 2.90GHz</u>	2,877	2246	143.92
<u>Intel Core i3-4130 @ 3.40GHz</u>	3,323	2057	116.71
<u>Intel Core i3-4120U @ 2.00GHz</u>	1,948	2722	NA
<u>Intel Core i3-4110U @ 1.90GHz</u>	1,860	2785	NA
<u>Intel Core i3-4110M @ 2.60GHz</u>	2,678	2325	NA
<u>Intel Core i3-4100M @ 2.50GHz</u>	2,504	2403	11.46
<u>Intel Core i3-4100E @ 2.40GHz</u>	1,848	2792	8.22
<u>Intel Core i3-4030Y @ 1.60GHz</u>	1,654	2913	NA
<u>Intel Core i3-4030U @ 1.90GHz</u>	1,876	2778	NA
<u>Intel Core i3-4025U @ 1.90GHz</u>	1,959	2717	NA
<u>Intel Core i3-4020Y @ 1.50GHz</u>	1,456	3055	NA
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,260	3199	NA
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,358	3127	NA
<u>Intel Core i3-4010U @ 1.70GHz</u>	1,655	2912	13.24
<u>Intel Core i3-4005U @ 1.70GHz</u>	1,655	2910	NA
<u>Intel Core i3-4000M @ 2.40GHz</u>	1,776	2837	30.57
<u>Intel Core i3-3250T @ 3.00GHz</u>	2,650	2335	NA
<u>Intel Core i3-3250 @ 3.50GHz</u>	2,426	2445	34.66
<u>Intel Core i3-3245 @ 3.40GHz</u>	2,337	2503	29.21
<u>Intel Core i3-3240T @ 2.90GHz</u>	2,044	2671	NA
<u>Intel Core i3-3240 @ 3.40GHz</u>	2,314	2519	65.89
<u>Intel Core i3-3229Y @ 1.40GHz</u>	1,004	3456	NA
<u>Intel Core i3-3227U @ 1.90GHz</u>	1,286	3174	NA
<u>Intel Core i3-3225 @ 3.30GHz</u>	2,236	2567	13.39
<u>Intel Core i3-3220T @ 2.80GHz</u>	1,933	2734	14.31
<u>Intel Core i3-3220 @ 3.30GHz</u>	2,267	2545	92.14

<u>Intel Core i3-3217UE @ 1.60GHz</u>	1,362	3123	NA
<u>Intel Core i3-3217U @ 1.80GHz</u>	1,218	3237	6.12
<u>Intel Core i3-3210 @ 3.20GHz</u>	2,223	2579	19.33
<u>Intel Core i3-3130M @ 2.60GHz</u>	1,900	2761	NA
<u>Intel Core i3-3120M @ 2.50GHz</u>	1,687	2892	6.41
<u>Intel Core i3-3110M @ 2.40GHz</u>	1,638	2921	23.42
<u>Intel Core i3-2377M @ 1.50GHz</u>	834	3625	NA
<u>Intel Core i3-2375M @ 1.50GHz</u>	900	3553	NA
<u>Intel Core i3-2370M @ 2.40GHz</u>	1,364	3122	36.89
<u>Intel Core i3-2367M @ 1.40GHz</u>	833	3627	NA
<u>Intel Core i3-2365M @ 1.40GHz</u>	828	3628	NA
<u>Intel Core i3-2357M @ 1.30GHz</u>	788	3675	NA
<u>Intel Core i3-2350M @ 2.30GHz</u>	1,254	3203	46.76
<u>Intel Core i3-2348M @ 2.30GHz</u>	1,277	3183	NA
<u>Intel Core i3-2340UE @ 1.30GHz</u>	976	3485	NA
<u>Intel Core i3-2332M @ 2.20GHz</u>	1,353	3130	NA
<u>Intel Core i3-2330M @ 2.20GHz</u>	1,225	3228	30.67
<u>Intel Core i3-2330E @ 2.20GHz</u>	1,823	2805	NA
<u>Intel Core i3-2328M @ 2.20GHz</u>	1,233	3222	8.21
<u>Intel Core i3-2312M @ 2.10GHz</u>	1,120	3329	NA
<u>Intel Core i3-2310M @ 2.10GHz</u>	1,221	3234	30.57
<u>Intel Core i3-2310E @ 2.10GHz</u>	1,845	2794	8.20
<u>Intel Core i3-2140 @ 3.50GHz</u>	2,307	2523	NA
<u>Intel Core i3-2130 @ 3.40GHz</u>	2,035	2672	72.39
<u>Intel Core i3-2125 @ 3.30GHz</u>	2,085	2647	13.45
<u>Intel Core i3-2120T @ 2.60GHz</u>	1,520	3016	25.33
<u>Intel Core i3-2120 @ 3.30GHz</u>	1,958	2718	150.75
<u>Intel Core i3-2105 @ 3.10GHz</u>	1,883	2773	16.67
<u>Intel Core i3-2102 @ 3.10GHz</u>	2,029	2675	34.98
<u>Intel Core i3-2100T @ 2.50GHz</u>	1,488	3036	69.29
<u>Intel Core i3-2100 @ 3.10GHz</u>	1,850	2790	77.06
<u>Intel Core i3-1315UE</u>	8,294	1104	26.58
<u>Intel Core i3-1315U</u>	13,020	808	42.14
<u>Intel Core i3-1305U</u>	9,724	989	31.47
<u>Intel Core i3-1220PE</u>	16,146	657	54.73
<u>Intel Core i3-1220P</u>	14,397	735	51.24
<u>Intel Core i3-1215UL</u>	6,161	1419	21.62
<u>Intel Core i3-1215UE</u>	9,643	994	30.81
<u>Intel Core i3-1215U</u>	11,021	905	NA
<u>Intel Core i3-1210U</u>	10,641	927	NA
<u>Intel Core i3-1125G4 @ 2.00GHz</u>	9,737	987	NA

<u>Intel Core i3-1115GRE @ 3.00GHz</u>	4,220	1792	12.48
<u>Intel Core i3-1115G4E @ 3.00GHz</u>	5,826	1475	20.44
<u>Intel Core i3-1115G4 @ 3.00GHz</u>	6,133	1427	21.83
<u>Intel Core i3-1110G4 @ 1.80GHz</u>	4,390	1755	15.62
<u>Intel Core i3-1005G1 @ 1.20GHz</u>	4,981	1643	17.73
<u>Intel Core i3-1000NG4 @ 1.10GHz</u>	3,663	1940	NA
<u>Intel Core i3-560 @ 3.33GHz</u>	1,665	2900	27.75
<u>Intel Core i3-550 @ 3.20GHz</u>	1,608	2938	13.40
<u>Intel Core i3-540 @ 3.07GHz</u>	1,532	3004	13.93
<u>Intel Core i3-530 @ 2.93GHz</u>	1,484	3037	29.68
<u>Intel Core i3-390M @ 2.67GHz</u>	1,237	3218	31.76
<u>Intel Core i3-380UM @ 1.33GHz</u>	734	3743	NA
<u>Intel Core i3-380M @ 2.53GHz</u>	1,202	3249	24.06
<u>Intel Core i3-370M @ 2.40GHz</u>	1,142	3311	38.11
<u>Intel Core i3-350M @ 2.27GHz</u>	1,075	3374	37.07
<u>Intel Core i3-330UM @ 1.20GHz</u>	515	4000	NA
<u>Intel Core i3-330M @ 2.13GHz</u>	1,015	3434	6.77
<u>Intel Core i3-330E @ 2.13GHz</u>	1,260	3198	NA
<u>Intel Core Duo U2500 @ 1.20GHz</u>	220	4358	NA
<u>Intel Core Duo U2400 @ 1.06GHz</u>	255	4302	NA
<u>Intel Core Duo T2700 @ 2.33GHz</u>	498	4017	NA
<u>Intel Core Duo T2600 @ 2.16GHz</u>	450	4062	NA
<u>Intel Core Duo T2500 @ 2.00GHz</u>	408	4103	3.40
<u>Intel Core Duo T2450 @ 2.00GHz</u>	411	4101	NA
<u>Intel Core Duo T2400 @ 1.83GHz</u>	361	4153	22.55
<u>Intel Core Duo T2350 @ 1.86GHz</u>	385	4135	NA
<u>Intel Core Duo T2300 @ 1.66GHz</u>	326	4204	NA
<u>Intel Core Duo T2250 @ 1.73GHz</u>	350	4164	NA
<u>Intel Core Duo T2050 @ 1.60GHz</u>	320	4210	NA
<u>Intel Core Duo L2500 @ 1.83GHz</u>	404	4108	NA
<u>Intel Core Duo L2400 @ 1.66GHz</u>	348	4166	NA
<u>Intel Core Duo L2300 @ 1.50GHz</u>	387	4134	NA
<u>Intel Core 860 @ 2.80GHz</u>	2,754	2292	10.20
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	252	4307	NA
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	233	4340	NA
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	2,455	2434	45.09
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	2,331	2507	7.22
<u>Intel Core2 Quad Q9505 @ 2.83GHz</u>	2,084	2648	41.69
<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	2,211	2585	45.11
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	2,177	2599	60.99
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	2,109	2634	55.49

<u>Intel Core2 Quad Q9300 @ 2.50GHz</u>	1,962	2714	51.58
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	1,764	2849	4.57
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	1,579	2962	13.08
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	2,071	2655	16.07
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,883	2774	14.48
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	1,774	2840	27.72
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,094	2640	20.95
<u>Intel Core2 Quad Q6600 @ 2.40GHz</u>	1,809	2816	47.73
<u>Intel Core2 Extreme X9775 @ 3.20GHz</u>	2,780	2280	1.54
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	2,736	2297	1.70
<u>Intel Core2 Extreme X9750 @ 3.16GHz</u>	2,348	2496	NA
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	2,376	2477	2.76
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	1,164	3291	1.37
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,099	3349	2.68
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,108	3341	6.92
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,138	3315	NA
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	823	3636	3.12
<u>Intel Core2 Extreme Q9300 @ 2.53GHz</u>	1,918	2746	NA
<u>Intel Core2 Extreme Q9200 @ 2.40GHz</u>	2,011	2687	NA
<u>Intel Core2 Extreme Q6850 @ 3.00GHz</u>	2,304	2526	1.54
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	2,145	2615	1.91
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	578	3922	NA
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	440	4067	NA
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	429	4075	NA
<u>Intel Core2 Duo U7600 @ 1.20GHz</u>	347	4167	NA
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	392	4131	NA
<u>Intel Core2 Duo U7300 @ 1.30GHz</u>	508	4007	NA
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	1,180	3276	2.96
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	1,211	3245	2.86
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,071	3379	19.50
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	964	3495	3.22
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,038	3412	9.60
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	989	3474	28.28
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	978	3482	10.30
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	879	3570	8.07
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	746	3724	0.75
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	976	3486	1.60
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	945	3518	7.27
<u>Intel Core2 Duo T7600 @ 2.33GHz</u>	801	3663	8.01
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	822	3638	13.93
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	750	3719	5.00

<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	676	3811	7.52
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	704	3773	3.49
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	738	3732	16.23
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	604	3885	40.28
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	801	3662	NA
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	778	3685	19.45
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	756	3713	19.63
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	736	3735	49.13
<u>Intel Core2 Duo T6400 @ 2.00GHz</u>	715	3761	47.73
<u>Intel Core2 Duo T5900 @ 2.20GHz</u>	652	3839	NA
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	689	3794	NA
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	687	3795	24.73
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	628	3862	NA
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	681	3804	68.16
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	577	3924	NA
<u>Intel Core2 Duo T5600 @ 1.83GHz</u>	657	3834	NA
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	634	3860	NA
<u>Intel Core2 Duo T5500 @ 1.66GHz</u>	516	3998	NA
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	590	3912	NA
<u>Intel Core2 Duo T5450 @ 1.66GHz</u>	564	3942	NA
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	569	3932	NA
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	427	4080	NA
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	545	3966	6.06
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	459	4052	NA
<u>Intel Core2 Duo SU9400 @ 1.40GHz</u>	520	3991	NA
<u>Intel Core2 Duo SP9400 @ 2.40GHz</u>	866	3584	3.05
<u>Intel Core2 Duo SL9400 @ 1.86GHz</u>	763	3704	3.02
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,131	3320	NA
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,086	3364	NA
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,040	3408	10.51
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	993	3467	0.99
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	952	3513	NA
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	949	3514	16.65
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	974	3487	11.46
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	850	3600	17.28
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	841	3613	2.83
<u>Intel Core2 Duo P7570 @ 2.26GHz</u>	804	3654	NA
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	862	3587	3.75
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	788	3676	19.71
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	790	3673	NA
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	766	3699	38.34

<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	788	3677	NA
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	690	3790	NA
<u>Intel Core2 Duo L7800 @ 2.00GHz</u>	680	3806	NA
<u>Intel Core2 Duo L7700 @ 1.80GHz</u>	607	3883	NA
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	641	3849	NA
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	516	3999	NA
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	513	4001	NA
<u>Intel Core2 Duo L7100 @ 1.20GHz</u>	467	4045	NA
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	1,368	3119	17.89
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	1,253	3204	30.07
<u>Intel Core2 Duo E8435 @ 3.06GHz</u>	1,057	3393	17.61
<u>Intel Core2 Duo E8400 @ 3.00GHz</u>	1,194	3260	15.51
<u>Intel Core2 Duo E8335 @ 2.93GHz</u>	1,075	3375	NA
<u>Intel Core2 Duo E8335 @ 2.66GHz</u>	1,057	3392	NA
<u>Intel Core2 Duo E8300 @ 2.83GHz</u>	997	3462	49.86
<u>Intel Core2 Duo E8290 @ 2.83GHz</u>	1,408	3095	NA
<u>Intel Core2 Duo E8235 @ 2.80GHz</u>	1,020	3429	NA
<u>Intel Core2 Duo E8200 @ 2.66GHz</u>	1,107	3342	14.57
<u>Intel Core2 Duo E8135 @ 2.66GHz</u>	1,112	3337	NA
<u>Intel Core2 Duo E8135 @ 2.40GHz</u>	973	3488	NA
<u>Intel Core2 Duo E7600 @ 3.06GHz</u>	1,154	3300	9.62
<u>Intel Core2 Duo E7500 @ 2.93GHz</u>	1,128	3321	11.32
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	1,017	3431	20.76
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	967	3492	19.36
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	996	3465	21.19
<u>Intel Core2 Duo E6850 @ 3.00GHz</u>	1,118	3330	21.84
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,010	3443	98.04
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	990	3472	33.02
<u>Intel Core2 Duo E6600 @ 2.40GHz</u>	941	3521	5.01
<u>Intel Core2 Duo E6550 @ 2.33GHz</u>	889	3563	66.85
<u>Intel Core2 Duo E6540 @ 2.33GHz</u>	808	3646	NA
<u>Intel Core2 Duo E6420 @ 2.13GHz</u>	760	3708	19.00
<u>Intel Core2 Duo E6400 @ 2.13GHz</u>	767	3696	25.63
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	717	3760	17.94
<u>Intel Core2 Duo E6300 @ 1.86GHz</u>	625	3865	4.90
<u>Intel Core2 Duo E4700 @ 2.60GHz</u>	862	3588	31.94
<u>Intel Core2 Duo E4600 @ 2.40GHz</u>	860	3590	5.44
<u>Intel Core2 Duo E4500 @ 2.20GHz</u>	743	3729	67.55
<u>Intel Core2 Duo E4400 @ 2.00GHz</u>	660	3831	15.52
<u>Intel Core2 Duo E4300 @ 1.80GHz</u>	593	3904	13.95
<u>Intel Celeron U3600 @ 1.20GHz</u>	579	3921	NA

<u>Intel Celeron U3400 @ 1.07GHz</u>	516	3997	NA
<u>Intel Celeron U1900 @ 1.99GHz</u>	1,028	3420	NA
<u>Intel Celeron T1600 @ 1.66GHz</u>	562	3946	28.09
<u>Intel Celeron SU2300 @ 1.20GHz</u>	460	4051	NA
<u>Intel Celeron P4600 @ 2.00GHz</u>	870	3578	NA
<u>Intel Celeron P4505 @ 1.87GHz</u>	689	3791	NA
<u>Intel Celeron P4500 @ 1.87GHz</u>	848	3602	NA
<u>Intel Celeron N6211 @ 1.20GHz</u>	2,245	2558	41.57
<u>Intel Celeron N6210 @ 1.20GHz</u>	1,900	2762	35.19
<u>Intel Celeron N5105 @ 2.00GHz</u>	4,066	1836	13.60
<u>Intel Celeron N5100 @ 1.10GHz</u>	3,327	2054	NA
<u>Intel Celeron N5095A @ 2.00GHz</u>	4,133	1812	NA
<u>Intel Celeron N5095 @ 2.00GHz</u>	4,105	1820	NA
<u>Intel Celeron N4505 @ 2.00GHz</u>	2,241	2561	NA
<u>Intel Celeron N4500 @ 1.10GHz</u>	1,996	2696	NA
<u>Intel Celeron N4120 @ 1.10GHz</u>	2,527	2396	NA
<u>Intel Celeron N4100 @ 1.10GHz</u>	2,425	2447	22.66
<u>Intel Celeron N4020C @ 1.10GHz</u>	1,581	2960	NA
<u>Intel Celeron N4020 @ 1.10GHz</u>	1,555	2983	NA
<u>Intel Celeron N4000C @ 1.10GHz</u>	1,397	3103	NA
<u>Intel Celeron N4000 @ 1.10GHz</u>	1,417	3086	13.24
<u>Intel Celeron N3450 @ 1.10GHz</u>	1,988	2701	10.74
<u>Intel Celeron N3350 @ 1.10GHz</u>	1,108	3340	4.02
<u>Intel Celeron N3160 @ 1.60GHz</u>	1,180	3275	3.38
<u>Intel Celeron N3150 @ 1.60GHz</u>	1,199	3254	NA
<u>Intel Celeron N3060 @ 1.60GHz</u>	658	3833	2.33
<u>Intel Celeron N3050 @ 1.60GHz</u>	592	3907	3.48
<u>Intel Celeron N3010 @ 1.04GHz</u>	612	3877	NA
<u>Intel Celeron N3000 @ 1.04GHz</u>	616	3875	NA
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,050	3404	NA
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,009	3447	NA
<u>Intel Celeron N2920 @ 1.86GHz</u>	948	3515	NA
<u>Intel Celeron N2910 @ 1.60GHz</u>	773	3691	NA
<u>Intel Celeron N2840 @ 2.16GHz</u>	590	3910	NA
<u>Intel Celeron N2830 @ 2.16GHz</u>	550	3960	3.67
<u>Intel Celeron N2820 @ 2.13GHz</u>	502	4012	2.23
<u>Intel Celeron N2815 @ 1.86GHz</u>	495	4021	NA
<u>Intel Celeron N2810 @ 2.00GHz</u>	420	4088	3.00
<u>Intel Celeron N2808 @ 1.58GHz</u>	510	4004	NA
<u>Intel Celeron N2807 @ 1.58GHz</u>	500	4015	NA
<u>Intel Celeron N2806 @ 1.60GHz</u>	485	4029	NA

<u>Intel Celeron N2805 @ 1.46GHz</u>	335	4189	NA
<u>Intel Celeron M 1500MHz</u>	217	4361	NA
<u>Intel Celeron M 1300MHz</u>	197	4387	NA
<u>Intel Celeron M 900MHz</u>	123	4494	NA
<u>Intel Celeron M 723 @ 1.20GHz</u>	267	4290	NA
<u>Intel Celeron M 530 @ 1.73GHz</u>	291	4258	NA
<u>Intel Celeron M 520 @ 1.60GHz</u>	215	4363	NA
<u>Intel Celeron M 450 @ 2.00GHz</u>	230	4348	NA
<u>Intel Celeron M 443 @ 1.20GHz</u>	125	4490	NA
<u>Intel Celeron M 440 @ 1.86GHz</u>	169	4432	NA
<u>Intel Celeron M 430 @ 1.73GHz</u>	169	4434	NA
<u>Intel Celeron M 420 @ 1.60GHz</u>	139	4476	NA
<u>Intel Celeron M 410 @ 1.46GHz</u>	123	4493	NA
<u>Intel Celeron M 360 1.40GHz</u>	221	4357	NA
<u>Intel Celeron M 1.70GHz</u>	252	4306	NA
<u>Intel Celeron M 1.60GHz</u>	190	4402	NA
<u>Intel Celeron M 1.50GHz</u>	216	4362	NA
<u>Intel Celeron M 1.30GHz</u>	205	4375	NA
<u>Intel Celeron M 1.00GHz</u>	149	4464	10.65
<u>Intel Celeron J6413 @ 1.80GHz</u>	4,378	1760	NA
<u>Intel Celeron J6412 @ 2.00GHz</u>	3,839	1892	71.10
<u>Intel Celeron J4125 @ 2.00GHz</u>	2,964	2209	NA
<u>Intel Celeron J4115 @ 1.80GHz</u>	2,687	2321	NA
<u>Intel Celeron J4105 @ 1.50GHz</u>	2,917	2233	27.26
<u>Intel Celeron J4025 @ 2.00GHz</u>	1,708	2880	NA
<u>Intel Celeron J4005 @ 2.00GHz</u>	1,585	2957	9.40
<u>Intel Celeron J3455E @ 1.50GHz</u>	2,193	2591	NA
<u>Intel Celeron J3455 @ 1.50GHz</u>	2,254	2550	6.46
<u>Intel Celeron J3355 @ 2.00GHz</u>	1,197	3256	NA
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,258	3200	NA
<u>Intel Celeron J3060 @ 1.60GHz</u>	665	3827	NA
<u>Intel Celeron J1900 @ 1.99GHz</u>	1,151	3302	NA
<u>Intel Celeron J1850 @ 1.99GHz</u>	942	3520	NA
<u>Intel Celeron J1800 @ 2.41GHz</u>	590	3911	NA
<u>Intel Celeron J1750 @ 2.41GHz</u>	595	3900	NA
<u>Intel Celeron G6900TE</u>	2,373	2478	NA
<u>Intel Celeron G6900T</u>	4,003	1851	95.32
<u>Intel Celeron G6900</u>	4,578	1706	57.29
<u>Intel Celeron G5925 @ 3.60GHz</u>	2,809	2271	62.61
<u>Intel Celeron G5920 @ 3.50GHz</u>	2,482	2422	62.19
<u>Intel Celeron G5905T @ 3.30GHz</u>	2,070	2656	49.28

<u>Intel Celeron G5905 @ 3.50GHz</u>	2,809	2272	97.24
<u>Intel Celeron G5900T @ 3.20GHz</u>	2,620	2349	62.39
<u>Intel Celeron G5900 @ 3.40GHz</u>	2,696	2314	62.71
<u>Intel Celeron G4950 @ 3.30GHz</u>	2,714	2305	22.62
<u>Intel Celeron G4930T @ 3.00GHz</u>	2,297	2533	54.68
<u>Intel Celeron G4930 @ 3.20GHz</u>	2,577	2376	40.21
<u>Intel Celeron G4920 @ 3.20GHz</u>	2,500	2406	57.90
<u>Intel Celeron G4900T @ 2.90GHz</u>	2,254	2551	32.69
<u>Intel Celeron G4900 @ 3.10GHz</u>	2,434	2440	74.58
<u>Intel Celeron G3950 @ 3.00GHz</u>	2,322	2514	16.24
<u>Intel Celeron G3930TE @ 2.70GHz</u>	2,218	2581	52.82
<u>Intel Celeron G3930T @ 2.70GHz</u>	2,051	2667	120.73
<u>Intel Celeron G3930 @ 2.90GHz</u>	2,233	2570	82.09
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,358	2490	2.18
<u>Intel Celeron G3900TE @ 2.30GHz</u>	1,850	2791	30.86
<u>Intel Celeron G3900T @ 2.60GHz</u>	2,089	2646	18.57
<u>Intel Celeron G3900E @ 2.40GHz</u>	2,034	2673	19.01
<u>Intel Celeron G3900 @ 2.80GHz</u>	2,172	2602	135.81
<u>Intel Celeron G1850 @ 2.90GHz</u>	1,899	2763	32.18
<u>Intel Celeron G1840T @ 2.50GHz</u>	1,576	2966	NA
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,763	2850	35.80
<u>Intel Celeron G1830 @ 2.80GHz</u>	1,560	2979	21.37
<u>Intel Celeron G1820TE @ 2.20GHz</u>	1,020	3428	NA
<u>Intel Celeron G1820T @ 2.40GHz</u>	1,631	2925	38.84
<u>Intel Celeron G1820 @ 2.70GHz</u>	1,700	2884	37.89
<u>Intel Celeron G1630 @ 2.80GHz</u>	1,707	2881	15.53
<u>Intel Celeron G1620T @ 2.40GHz</u>	1,541	3000	36.69
<u>Intel Celeron G1620 @ 2.70GHz</u>	1,550	2992	34.44
<u>Intel Celeron G1610T @ 2.30GHz</u>	1,379	3112	92.08
<u>Intel Celeron G1610 @ 2.60GHz</u>	1,526	3009	41.25
<u>Intel Celeron G1101 @ 2.27GHz</u>	1,086	3365	54.92
<u>Intel Celeron G555 @ 2.70GHz</u>	1,268	3190	16.91
<u>Intel Celeron G550T @ 2.20GHz</u>	1,102	3347	NA
<u>Intel Celeron G550 @ 2.60GHz</u>	1,250	3206	25.51
<u>Intel Celeron G540T @ 2.10GHz</u>	1,137	3317	NA
<u>Intel Celeron G540 @ 2.50GHz</u>	1,172	3280	106.27
<u>Intel Celeron G530T @ 2.00GHz</u>	1,056	3395	62.15
<u>Intel Celeron G530 @ 2.40GHz</u>	1,117	3332	13.97
<u>Intel Celeron G470 @ 2.00GHz</u>	568	3934	16.17
<u>Intel Celeron G465 @ 1.90GHz</u>	547	3964	14.81
<u>Intel Celeron G460 @ 1.80GHz</u>	469	4042	8.85

<u>Intel Celeron G440 @ 1.60GHz</u>	425	4082	4.25
<u>Intel Celeron E3500 @ 2.70GHz</u>	935	3525	62.36
<u>Intel Celeron E3400 @ 2.60GHz</u>	844	3606	42.20
<u>Intel Celeron E3300 @ 2.50GHz</u>	839	3619	12.95
<u>Intel Celeron E3200 @ 2.40GHz</u>	839	3617	41.96
<u>Intel Celeron E1600 @ 2.40GHz</u>	840	3614	NA
<u>Intel Celeron E1500 @ 2.20GHz</u>	626	3864	31.86
<u>Intel Celeron E1400 @ 2.00GHz</u>	735	3740	9.19
<u>Intel Celeron E1200 @ 1.60GHz</u>	551	3958	5.51
<u>Intel Celeron D 420 @ 1.60GHz</u>	313	4224	NA
<u>Intel Celeron D 360 @ 3.46GHz</u>	372	4145	NA
<u>Intel Celeron D 356 @ 3.33GHz</u>	251	4309	NA
<u>Intel Celeron D 352 @ 3.20GHz</u>	274	4279	NA
<u>Intel Celeron D 347 @ 3.06GHz</u>	232	4343	NA
<u>Intel Celeron B840 @ 1.90GHz</u>	1,015	3435	NA
<u>Intel Celeron B830 @ 1.80GHz</u>	843	3608	16.87
<u>Intel Celeron B820 @ 1.70GHz</u>	810	3643	27.65
<u>Intel Celeron B815 @ 1.60GHz</u>	723	3755	NA
<u>Intel Celeron B810 @ 1.60GHz</u>	775	3687	9.69
<u>Intel Celeron B800 @ 1.50GHz</u>	645	3847	25.80
<u>Intel Celeron B710 @ 1.60GHz</u>	106	4509	NA
<u>Intel Celeron @ 1.30GHz</u>	572	3929	NA
<u>Intel Celeron 7305</u>	2,385	2471	22.29
<u>Intel Celeron 6600HE @ 2.60GHz</u>	3,286	2072	27.85
<u>Intel Celeron 6305E @ 1.80GHz</u>	1,981	2705	18.51
<u>Intel Celeron 6305 @ 1.80GHz</u>	2,089	2645	NA
<u>Intel Celeron 5205U @ 1.90GHz</u>	1,458	3053	13.63
<u>Intel Celeron 4305UE @ 2.00GHz</u>	1,699	2886	NA
<u>Intel Celeron 4305U @ 2.20GHz</u>	1,807	2818	16.89
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,358	3126	12.70
<u>Intel Celeron 3965Y @ 1.50GHz</u>	1,194	3262	11.16
<u>Intel Celeron 3965U @ 2.20GHz</u>	1,743	2860	16.29
<u>Intel Celeron 3955U @ 2.00GHz</u>	1,507	3022	NA
<u>Intel Celeron 3867U @ 1.80GHz</u>	1,483	3038	13.86
<u>Intel Celeron 3865U @ 1.80GHz</u>	1,307	3157	NA
<u>Intel Celeron 3855U @ 1.60GHz</u>	1,274	3186	NA
<u>Intel Celeron 3765U @ 1.90GHz</u>	1,252	3205	NA
<u>Intel Celeron 3755U @ 1.70GHz</u>	1,182	3273	NA
<u>Intel Celeron 3215U @ 1.70GHz</u>	1,117	3333	NA
<u>Intel Celeron 3205U @ 1.50GHz</u>	946	3516	3.30
<u>Intel Celeron 2981U @ 1.60GHz</u>	991	3468	NA

<u>Intel Celeron 2980U @ 1.60GHz</u>	1,056	3396	NA
<u>Intel Celeron 2970M @ 2.20GHz</u>	1,501	3029	NA
<u>Intel Celeron 2961Y @ 1.10GHz</u>	684	3800	NA
<u>Intel Celeron 2957U @ 1.40GHz</u>	858	3591	NA
<u>Intel Celeron 2955U @ 1.40GHz</u>	870	3579	NA
<u>Intel Celeron 2950M @ 2.00GHz</u>	1,212	3243	NA
<u>Intel Celeron 2002E @ 1.50GHz</u>	1,091	3355	12.68
<u>Intel Celeron 2000E @ 2.20GHz</u>	1,607	2940	NA
<u>Intel Celeron 1200MHz</u>	159	4448	NA
<u>Intel Celeron 1100MHz</u>	113	4507	7.55
<u>Intel Celeron 1047UE @ 1.40GHz</u>	748	3721	NA
<u>Intel Celeron 1037U @ 1.80GHz</u>	978	3483	NA
<u>Intel Celeron 1020M @ 2.10GHz</u>	1,275	3184	NA
<u>Intel Celeron 1020E @ 2.20GHz</u>	1,406	3098	NA
<u>Intel Celeron 1019Y @ 1.00GHz</u>	576	3926	NA
<u>Intel Celeron 1017U @ 1.60GHz</u>	889	3564	NA
<u>Intel Celeron 1007U @ 1.50GHz</u>	835	3624	4.51
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,104	3346	NA
<u>Intel Celeron 1000MHz</u>	139	4475	NA
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,074	3376	NA
<u>Intel Celeron 925 @ 2.30GHz</u>	477	4036	NA
<u>Intel Celeron 900 @ 2.20GHz</u>	395	4124	20.78
<u>Intel Celeron 887 @ 1.50GHz</u>	754	3714	NA
<u>Intel Celeron 877 @ 1.40GHz</u>	675	3814	NA
<u>Intel Celeron 867 @ 1.30GHz</u>	562	3947	10.08
<u>Intel Celeron 857 @ 1.20GHz</u>	569	3933	NA
<u>Intel Celeron 847E @ 1.10GHz</u>	584	3916	NA
<u>Intel Celeron 847 @ 1.10GHz</u>	486	4027	1.54
<u>Intel Celeron 827E @ 1.40GHz</u>	371	4146	NA
<u>Intel Celeron 807UE @ 1.00GHz</u>	241	4324	NA
<u>Intel Celeron 807 @ 1.50GHz</u>	392	4132	NA
<u>Intel Celeron 743 @ 1.30GHz</u>	275	4277	NA
<u>Intel Celeron 723 @ 1.20GHz</u>	213	4366	NA
<u>Intel Celeron 570 @ 2.26GHz</u>	344	4171	NA
<u>Intel Celeron 560 @ 2.13GHz</u>	339	4179	4.84
<u>Intel Celeron 550 @ 2.00GHz</u>	319	4213	5.80
<u>Intel Celeron 540 @ 1.86GHz</u>	305	4233	14.56
<u>Intel Celeron 530 @ 1.73GHz</u>	268	4287	20.62
<u>Intel Celeron 450 @ 2.20GHz</u>	415	4096	1.39
<u>Intel Celeron 440 @ 2.00GHz</u>	368	4148	10.53
<u>Intel Celeron 430 @ 1.80GHz</u>	280	4270	9.34

<u>Intel Celeron 420 @ 1.60GHz</u>	235	4338	4.71
<u>Intel Celeron 220 @ 1.20GHz</u>	209	4369	NA
<u>Intel Celeron 215 @ 1.33GHz</u>	174	4430	NA
<u>Intel Celeron 3.33GHz</u>	263	4294	NA
<u>Intel Celeron 3.20GHz</u>	267	4289	NA
<u>Intel Celeron 3.06GHz</u>	307	4231	NA
<u>Intel Celeron 2.93GHz</u>	230	4347	NA
<u>Intel Celeron 2.80GHz</u>	190	4403	NA
<u>Intel Celeron 2.70GHz</u>	159	4447	NA
<u>Intel Celeron 2.66GHz</u>	154	4457	NA
<u>Intel Celeron 2.60GHz</u>	143	4470	NA
<u>Intel Celeron 2.53GHz</u>	222	4355	NA
<u>Intel Celeron 2.50GHz</u>	164	4440	NA
<u>Intel Celeron 2.40GHz</u>	143	4471	NA
<u>Intel Celeron 2.30GHz</u>	148	4465	NA
<u>Intel Celeron 2.26GHz</u>	182	4418	NA
<u>Intel Celeron 2.20GHz</u>	139	4477	NA
<u>Intel Celeron 2.13GHz</u>	166	4437	NA
<u>Intel Celeron 2.00GHz</u>	125	4491	NA
<u>Intel Celeron 1.80GHz</u>	96	4516	NA
<u>Intel Celeron 1.70GHz</u>	101	4513	NA
<u>Intel CC150 @ 3.50GHz</u>	11,745	867	NA
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,188	3265	NA
<u>Intel Atom Z3775D @ 1.49GHz</u>	794	3670	NA
<u>Intel Atom Z3775 @ 1.46GHz</u>	703	3777	1.41
<u>Intel Atom Z3770D @ 1.49GHz</u>	488	4024	NA
<u>Intel Atom Z3770 @ 1.46GHz</u>	736	3738	4.93
<u>Intel Atom Z3745D @ 1.33GHz</u>	599	3897	NA
<u>Intel Atom Z3745 @ 1.33GHz</u>	621	3870	20.72
<u>Intel Atom Z3740D @ 1.33GHz</u>	614	3876	NA
<u>Intel Atom Z3740 @ 1.33GHz</u>	634	3859	NA
<u>Intel Atom Z3736F @ 1.33GHz</u>	503	4011	NA
<u>Intel Atom Z3735G @ 1.33GHz</u>	772	3692	NA
<u>Intel Atom Z3735F @ 1.33GHz</u>	542	3969	1.08
<u>Intel Atom Z3735E @ 1.33GHz</u>	557	3953	4.76
<u>Intel Atom Z3735D @ 1.33GHz</u>	761	3707	NA
<u>Intel Atom Z3580 @ 1.33GHz</u>	802	3659	NA
<u>Intel Atom Z3560 @ 1.83GHz</u>	690	3789	NA
<u>Intel Atom Z3560 @ 1.00GHz</u>	749	3720	NA
<u>Intel Atom Z3530 @ 1.33GHz</u>	565	3938	NA
<u>Intel Atom Z2760 @ 1.80GHz</u>	298	4244	NA

<u>Intel Atom Z670 @ 1.50GHz</u>	158	4449	NA
<u>Intel Atom Z530 @ 1.60GHz</u>	183	4415	NA
<u>Intel Atom Z520 @ 1.33GHz</u>	122	4495	NA
<u>Intel Atom x7425E</u>	5,777	1481	NA
<u>Intel Atom x6427FE @ 1.90GHz</u>	3,196	2107	38.51
<u>Intel Atom x6425RE @ 1.90GHz</u>	2,987	2198	50.62
<u>Intel Atom x6425E @ 2.00GHz</u>	4,044	1843	72.22
<u>Intel Atom x6414RE @ 1.50GHz</u>	1,544	2998	28.07
<u>Intel Atom x6413E @ 1.50GHz</u>	3,864	1881	89.86
<u>Intel Atom x6214RE @ 1.40GHz</u>	1,109	3339	23.59
<u>Intel Atom x6211E @ 1.30GHz</u>	1,833	2803	52.36
<u>Intel Atom x6211E @ 1.20GHz</u>	1,695	2888	48.43
<u>Intel Atom x7-Z8750 @ 1.60GHz</u>	1,335	3137	NA
<u>Intel Atom x7-Z8700 @ 1.60GHz</u>	1,334	3138	18.11
<u>Intel Atom x5-Z8550 @ 1.44GHz</u>	1,160	3294	NA
<u>Intel Atom x5-Z8500 @ 1.44GHz</u>	1,237	3217	19.78
<u>Intel Atom x5-Z8350 @ 1.44GHz</u>	896	3557	42.68
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	806	3650	NA
<u>Intel Atom x5-Z8300 @ 1.44GHz</u>	807	3648	6.07
<u>Intel Atom x5-E8000 @ 1.04GHz</u>	1,008	3449	NA
<u>Intel Atom x5-E3930 @ 1.30GHz</u>	928	3531	NA
<u>Intel Atom T5700 @ 1.70GHz</u>	2,363	2485	NA
<u>Intel Atom S1260 @ 2.00GHz</u>	526	3987	8.22
<u>Intel Atom N2800 @ 1.86GHz</u>	444	4064	NA
<u>Intel Atom N2600 @ 1.60GHz</u>	323	4207	NA
<u>Intel Atom N2100 @ 1.60GHz</u>	188	4405	NA
<u>Intel Atom N570 @ 1.66GHz</u>	341	4174	3.96
<u>Intel Atom N550 @ 1.50GHz</u>	283	4265	3.29
<u>Intel Atom N475 @ 1.83GHz</u>	179	4421	NA
<u>Intel Atom N470 @ 1.83GHz</u>	224	4354	NA
<u>Intel Atom N455 @ 1.66GHz</u>	188	4404	NA
<u>Intel Atom N450 @ 1.66GHz</u>	203	4380	NA
<u>Intel Atom N435 @ 1.33GHz</u>	153	4459	NA
<u>Intel Atom N280 @ 1.66GHz</u>	175	4427	NA
<u>Intel Atom N270 @ 1.60GHz</u>	175	4426	NA
<u>Intel Atom E3950 @ 1.60GHz</u>	2,124	2627	NA
<u>Intel Atom E3940 @ 1.60GHz</u>	1,973	2709	NA
<u>Intel Atom E3900 @ 1.60GHz</u>	1,953	2720	NA
<u>Intel Atom E3845 @ 1.91GHz</u>	1,058	3390	NA
<u>Intel Atom E3840 @ 1.91GHz</u>	704	3776	NA
<u>Intel Atom E3827 @ 1.74GHz</u>	463	4050	NA

<u>Intel Atom E3826 @ 1.46GHz</u>	304	4236	NA
<u>Intel Atom E3825 @ 1.33GHz</u>	378	4141	5.37
<u>Intel Atom E3815 @ 1.46GHz</u>	184	4409	1.36
<u>Intel Atom E3805 @ 1.33GHz</u>	406	4105	20.31
<u>Intel Atom D2701 @ 2.13GHz</u>	511	4002	NA
<u>Intel Atom D2700 @ 2.13GHz</u>	467	4046	NA
<u>Intel Atom D2560 @ 2.00GHz</u>	433	4071	NA
<u>Intel Atom D2550 @ 1.86GHz</u>	434	4070	NA
<u>Intel Atom D2500 @ 1.86GHz</u>	233	4342	NA
<u>Intel Atom D525 @ 1.80GHz</u>	398	4119	NA
<u>Intel Atom D510 @ 1.66GHz</u>	406	4106	4.18
<u>Intel Atom D425 @ 1.80GHz</u>	199	4384	0.20
<u>Intel Atom D410 @ 1.66GHz</u>	180	4419	0.28
<u>Intel Atom C5125</u>	8,631	1072	28.87
<u>Intel Atom C3958 @ 2.00GHz</u>	4,281	1776	9.53
<u>Intel Atom C3858 @ 2.00GHz</u>	4,707	1683	14.18
<u>Intel Atom C3758 @ 2.20GHz</u>	4,614	1699	23.91
<u>Intel Atom C3558 @ 2.20GHz</u>	2,417	2453	28.11
<u>Intel Atom C3538 @ 2.10GHz</u>	1,960	2716	26.13
<u>Intel Atom C3338 @ 1.50GHz</u>	1,028	3419	NA
<u>Intel Atom C2758 @ 2.40GHz</u>	2,258	2548	10.51
<u>Intel Atom C2750 @ 2.41GHz</u>	2,174	2600	NA
<u>Intel Atom C2750 @ 2.40GHz</u>	2,767	2285	11.93
<u>Intel Atom C2558 @ 2.40GHz</u>	1,424	3081	10.47
<u>Intel Atom C2550 @ 2.40GHz</u>	1,422	3085	NA
<u>Intel Atom C2538 @ 2.40GHz</u>	960	3502	9.23
<u>Intel Atom C2358 @ 1.74GHz</u>	578	3923	NA
<u>Intel Atom C2350 @ 1.74GHz</u>	520	3990	12.10
<u>Intel Atom C2338 @ 1.74GHz</u>	584	3917	NA
<u>Intel Atom 330 @ 1.60GHz</u>	363	4151	NA
<u>Intel Atom 230 @ 1.60GHz</u>	169	4433	NA
<u>Intel 2.80GHz</u>	341	4172	NA
<u>Hygon C86 7255 16-core</u>	18,831	543	NA
<u>Hygon C86 3250 8-core</u>	11,114	897	NA
<u>Hygon C86 3185 8-core</u>	9,627	996	NA
<u>HP Hexa-Core 2.0GHz</u>	1,741	2862	3.45
<u>Hisilicon Kirin 990</u>	3,855	1885	NA
<u>HiSilicon Kirin 970</u>	2,908	2237	NA
<u>HiSilicon Kirin 960</u>	2,809	2273	NA
<u>Hisilicon Kirin 955</u>	2,936	2219	NA
<u>HiSilicon Kirin 950</u>	2,457	2433	NA

Hisilicon Kirin 935	1,291	3172	NA
Hisilicon Kirin 930	1,415	3089	NA
HiSilicon Kirin 659	1,893	2767	NA
Hisilicon Kirin9000	5,083	1628	NA
Hisilicon Kirin985	4,162	1805	NA
Hisilicon Kirin980	4,353	1764	NA
Hisilicon Kirin970	2,675	2327	NA
Hisilicon Kirin820	3,893	1873	NA
Hisilicon Kirin810	2,945	2218	NA
Hisilicon Kirin710	2,428	2442	NA
HiSilicon Kirin	6,283	1397	NA
High Performance Datacenter v	1,501	3028	NA
hi6210sft	796	3666	NA
Haydn based on Qualcomm Technologies, Inc SM8350	5,359	1575	NA
Hardkernel ODROID-N2Plus	2,115	2631	NA
Grandstream GXV3480 Video Phone	1,078	3373	NA
Google Tensor G3	7,958	1145	NA
Google Tensor	6,790	1304	NA
Google R11 BtWifi Evt1.1	187	4408	NA
Google GS201	7,391	1215	NA
Giada JHS558 (Android)	2,022	2680	NA
Generic DT based system	600	3893	NA
Dual-Core AMD Opteron 1220 SE	748	3723	NA
DO-Regular	1,010	3441	NA
DG1301SML87HY	3,624	1954	NA
CentaurHauls @2500MHz	8,046	1136	NA
CentaurHauls @2000MHz	6,549	1341	NA
Celeron Dual-Core T3500 @ 2.10GHz	764	3703	NA
Celeron Dual-Core T3300 @ 2.00GHz	620	3872	41.38
Celeron Dual-Core T3100 @ 1.90GHz	599	3895	18.73
Celeron Dual-Core T3000 @ 1.80GHz	687	3796	NA
Broadcom STB (Flattened Device Tree)	646	3846	NA
BCM2835	1,239	3213	NA
BCM2711	852	3598	NA
Athlon Dual Core 4850e	769	3695	NA
Athlon Dual Core 4450e	681	3805	NA
Athlon Dual Core 4050e	670	3819	NA
Athlon 64 Dual Core 5600+	875	3575	NA
Athlon 64 Dual Core 5000+	850	3599	NA
Athlon 64 Dual Core 3800+	736	3737	NA

<u>ASUS Tinker Board 2/2S</u>	1,771	2842	NA
<u>ARM X-Gene 32 Core 3300 MHz</u>	8,684	1068	NA
<u>ARM X-Gene 32 Core 3000 MHz</u>	8,202	1120	NA
<u>ARM Phytium,FT-2000/4 8 Core 2300 MHz</u>	2,720	2301	NA
<u>ARM Phytium,D2000/8 E8C 8 Core 2300 MHz</u>	2,156	2612	NA
<u>ARM Phytium,D2000/8 8 Core 2300 MHz</u>	2,705	2311	NA
<u>ARM Phytium,D2000/8 8 Core 2000 MHz</u>	2,409	2458	NA
<u>ARM phytium FT1500a 4 Core 2000 MHz</u>	1,579	2963	NA
<u>ARM Neoverse-N1 128 Core 3000 MHz</u>	46,480	112	NA
<u>ARM Neoverse-N1 128 Core 2800 MHz</u>	43,111	126	NA
<u>ARM Neoverse-N1 80 Core 3000 MHz</u>	36,435	171	NA
<u>ARM Neoverse-N1 80 Core 2800 MHz</u>	11,755	866	NA
<u>ARM Neoverse-N1 80 Core 2600 MHz</u>	18,823	545	NA
<u>ARM Neoverse-N1 64 Core 2200 MHz</u>	18,652	552	NA
<u>ARM Neoverse-N1 64 Core 0 MHz</u>	28,064	270	NA
<u>ARM Neoverse-N1 32 Core 1700 MHz</u>	11,820	862	NA
<u>ARM Kryo-4XX-Gold 8 Core 1804 MHz</u>	2,531	2393	NA
<u>ARM FT-2000/4 4 Core 2200 MHz</u>	881	3569	NA
<u>ARM Firestorm 8 Core 2064 MHz</u>	6,775	1308	NA
<u>ARM Firestorm 4 Core 2064 MHz</u>	7,804	1158	NA
<u>ARM Falkor V1/Kryo 8 Core 1900 MHz</u>	1,652	2915	NA
<u>ARM D2000/8 8 Core 2300 MHz</u>	2,674	2328	NA
<u>ARM Cortex-A78 4 Core 2000 MHz</u>	3,089	2150	NA
<u>ARM Cortex-A76 4 Core 3400 MHz</u>	2,580	2373	NA
<u>ARM Cortex-A76 4 Core 3300 MHz</u>	2,493	2414	NA
<u>ARM Cortex-A76 4 Core 3000 MHz</u>	2,522	2397	NA
<u>ARM Cortex-A76 4 Core 2900 MHz</u>	2,490	2415	NA
<u>ARM Cortex-A76 4 Core 2800 MHz</u>	2,435	2439	NA
<u>ARM Cortex-A76 4 Core 2400 MHz</u>	2,140	2618	NA
<u>ARM Cortex-A73 6 Core 2016 MHz</u>	1,428	3076	NA
<u>ARM Cortex-A73 6 Core 1992 MHz</u>	1,311	3156	NA
<u>ARM Cortex-A72 16 Core 2200 MHz</u>	5,470	1548	NA
<u>ARM Cortex-A72 6 Core 1512 MHz</u>	1,183	3272	NA
<u>ARM Cortex-A72 6 Core 1416 MHz</u>	1,059	3388	NA
<u>ARM Cortex-A72 6 Core 1008 MHz</u>	712	3764	NA
<u>ARM Cortex-A72 4 Core 2800 MHz</u>	314	4223	NA
<u>ARM Cortex-A72 4 Core 2400 MHz</u>	1,295	3167	NA
<u>ARM Cortex-A72 4 Core 2394 MHz</u>	1,254	3202	NA
<u>ARM Cortex-A72 4 Core 2300 MHz</u>	891	3561	NA
<u>ARM Cortex-A72 4 Core 2200 MHz</u>	839	3615	NA
<u>ARM Cortex-A72 4 Core 2100 MHz</u>	672	3817	NA

<u>ARM Cortex-A72 4 Core 2000 MHz</u>	767	3697	NA
<u>ARM Cortex-A72 4 Core 1900 MHz</u>	805	3652	NA
<u>ARM Cortex-A72 4 Core 1850 MHz</u>	199	4382	NA
<u>ARM Cortex-A72 4 Core 1800 MHz</u>	723	3754	NA
<u>ARM Cortex-A72 4 Core 1750 MHz</u>	335	4188	NA
<u>ARM Cortex-A72 4 Core 1700 MHz</u>	574	3927	NA
<u>ARM Cortex-A72 4 Core 1600 MHz</u>	667	3824	NA
<u>ARM Cortex-A72 4 Core 1500 MHz</u>	649	3842	NA
<u>ARM Cortex-A72 4 Core 1416 MHz</u>	927	3533	NA
<u>ARM Cortex-A72 4 Core 1200 MHz</u>	174	4429	NA
<u>ARM Cortex-A72 4 Core 1000 MHz</u>	608	3882	NA
<u>ARM Cortex-A72 4 Core 800 MHz</u>	279	4271	NA
<u>ARM Cortex-A57 8 Core 1766 MHz</u>	3,766	1911	NA
<u>ARM Cortex-A57 8 Core 1500 MHz</u>	1,022	3425	NA
<u>ARM Cortex-A57 4 Core 2091 MHz</u>	1,307	3158	NA
<u>ARM Cortex-A57 4 Core 2014 MHz</u>	1,216	3240	NA
<u>ARM Cortex-A57 4 Core 1912 MHz</u>	1,007	3450	NA
<u>ARM Cortex-A57 4 Core 1734 MHz</u>	1,170	3284	NA
<u>ARM Cortex-A57 4 Core 1479 MHz</u>	960	3501	NA
<u>ARM Cortex-A57 2 Core 1479 MHz</u>	318	4214	NA
<u>ARM Cortex-A55 4 Core 2124 MHz</u>	742	3731	NA
<u>ARM Cortex-A55 4 Core 2100 MHz</u>	707	3771	NA
<u>ARM Cortex-A55 4 Core 1992 MHz</u>	704	3775	NA
<u>ARM Cortex-A55 4 Core 1800 MHz</u>	632	3861	NA
<u>ARM Cortex-A55 4 Core 1416 MHz</u>	500	4016	NA
<u>ARM Cortex-A53 8 Core 1512 MHz</u>	648	3845	NA
<u>ARM Cortex-A53 6 Core 1896 MHz</u>	1,851	2789	NA
<u>ARM Cortex-A53 4 Core 2016 MHz</u>	500	4014	NA
<u>ARM Cortex-A53 4 Core 1908 MHz</u>	638	3853	NA
<u>ARM Cortex-A53 4 Core 1800 MHz</u>	508	4005	NA
<u>ARM Cortex-A53 4 Core 1704 MHz</u>	556	3954	NA
<u>ARM Cortex-A53 4 Core 1600 MHz</u>	453	4059	NA
<u>ARM Cortex-A53 4 Core 1536 MHz</u>	208	4371	NA
<u>ARM Cortex-A53 4 Core 1512 MHz</u>	469	4044	NA
<u>ARM Cortex-A53 4 Core 1500 MHz</u>	457	4054	NA
<u>ARM Cortex-A53 4 Core 1400 MHz</u>	300	4241	NA
<u>ARM Cortex-A53 4 Core 1392 MHz</u>	417	4091	NA
<u>ARM Cortex-A53 4 Core 1368 MHz</u>	322	4208	NA
<u>ARM Cortex-A53 4 Core 1333 MHz</u>	207	4372	NA
<u>ARM Cortex-A53 4 Core 1300 MHz</u>	464	4048	NA
<u>ARM Cortex-A53 4 Core 1296 MHz</u>	426	4081	NA

<u>ARM Cortex-A53 4 Core 1200 MHz</u>	300	4242	NA
<u>ARM Cortex-A53 4 Core 1199 MHz</u>	407	4104	NA
<u>ARM Cortex-A53 4 Core 1152 MHz</u>	344	4169	NA
<u>ARM Cortex-A53 4 Core 1008 MHz</u>	308	4230	NA
<u>ARM Cortex-A53 4 Core 1000 MHz</u>	248	4312	NA
<u>ARM Cortex-A53 4 Core 600 MHz</u>	220	4359	NA
<u>ARM Cortex-A35 4 Core 1296 MHz</u>	334	4191	NA
<u>ARM Cortex-A35 4 Core 1200 MHz</u>	329	4202	NA
<u>ARM Cortex-A17 4 Core 1800 MHz</u>	732	3745	NA
<u>ARM Cortex-A15 8 Core 1400 MHz</u>	1,160	3295	NA
<u>ARM Cortex-A15 4 Core 2000 MHz</u>	923	3537	NA
<u>ARM Cortex-A15 4 Core 1500 MHz</u>	1,304	3160	NA
<u>ARM Cortex-A15 4 Core 1400 MHz</u>	1,227	3226	NA
<u>ARM Cortex-A7 4 Core 1368 MHz</u>	353	4162	NA
<u>ARM Cortex-A7 4 Core 1300 MHz</u>	341	4173	NA
<u>ARM Cortex-A7 4 Core 1296 MHz</u>	225	4351	NA
<u>ARM Cortex-A7 4 Core 1200 MHz</u>	270	4281	NA
<u>ARM Cortex-A7 4 Core 1008 MHz</u>	269	4285	NA
<u>ARM Cortex-A7 4 Core 900 MHz</u>	239	4327	NA
<u>ARM Cortex-A7 2 Core 1080 MHz</u>	142	4472	NA
<u>ARM Cortex-A7 2 Core 996 MHz</u>	133	4481	NA
<u>ARM Cortex-A7 2 Core 960 MHz</u>	106	4510	NA
<u>ARM ARMv8 rev 1 (v8l) 6 Core 1510 MHz</u>	2,572	2378	NA
<u>ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz</u>	399	4118	NA
<u>ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz</u>	396	4122	NA
<u>ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz</u>	984	3476	NA
<u>ARM ARMv7 rev 1 (v7l) 4 Core 1800 MHz</u>	843	3609	NA
<u>ARM - 8 Core 2424 MHz</u>	8,610	1074	NA
<u>ARM - 8 Core 1766 MHz</u>	4,080	1829	NA
<u>Apple M3 Pro 12 Core</u>	27,056	298	NA
<u>Apple M3 Pro 11 Core</u>	23,777	368	NA
<u>Apple M3 Max 16 Core</u>	39,951	146	NA
<u>Apple M3 Max 14 Core</u>	35,269	175	NA
<u>Apple M3 8 Core</u>	18,869	541	NA
<u>Apple M2 Ultra 24 Core</u>	48,735	100	NA
<u>Apple M2 Pro 12 Core 3480 MHz</u>	26,246	311	NA
<u>Apple M2 Pro 10 Core 3480 MHz</u>	21,539	445	NA
<u>Apple M2 Max 12 Core 3680 MHz</u>	26,245	312	NA
<u>Apple M2 8 Core 3500 MHz</u>	15,405	683	NA
<u>Apple M1 Ultra 20 Core</u>	40,886	140	NA
<u>Apple M1 Pro 10 Core 3200 MHz</u>	21,808	434	NA

<u>Apple M1 Pro 8 Core 3200 MHz</u>	17,148	612	NA
<u>Apple M1 Max 10 Core 3200 MHz</u>	22,030	426	NA
<u>Apple M1 8 Core 3200 MHz</u>	14,195	751	NA
<u>Apple A17 Pro</u>	12,242	844	NA
<u>Apple A16 Bionic</u>	11,125	896	NA
<u>Apple A15 Bionic</u>	9,884	978	NA
<u>Apple A14 Bionic</u>	8,538	1080	NA
<u>Apple A13 Bionic</u>	5,611	1520	NA
<u>Apple A12Z Bionic</u>	9,365	1015	NA
<u>Apple A12X Bionic</u>	10,973	909	NA
<u>Apple A12 Bionic</u>	4,911	1655	NA
<u>Apple A11 Bionic</u>	4,397	1752	NA
<u>Apple A9X</u>	2,515	2401	NA
<u>Apple A9</u>	2,056	2664	NA
<u>Apple A8X</u>	2,367	2483	NA
<u>Apple A8</u>	1,536	3003	NA
<u>Amlogic</u>	601	3890	NA
<u>AMD Z-60 APU</u>	262	4296	NA
<u>AMD Z-01</u>	305	4235	NA
<u>AMD V160</u>	337	4184	NA
<u>AMD V140</u>	397	4120	9.94
<u>AMD V120</u>	352	4163	NA
<u>AMD V105</u>	184	4412	NA
<u>AMD TurionX2 Ultra DualCore Mobile ZM-87</u>	599	3894	NA
<u>AMD TurionX2 Ultra DualCore Mobile ZM-85</u>	841	3611	NA
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	471	4040	NA
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	536	3976	NA
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	689	3792	17.25
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	695	3783	11.39
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	828	3629	18.39
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	802	3660	16.05
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	733	3744	NA
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	506	4009	10.14
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	635	3856	NA
<u>AMD Turion X2 Dual-Core Mobile RM-75</u>	708	3769	NA
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	655	3836	43.83
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	653	3838	2.91
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	612	3878	NA
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	691	3787	NA
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	497	4019	3.75
<u>AMD Turion X2 Dual Core L510</u>	603	3888	NA

<u>AMD Turion Neo X2 Dual Core L625</u>	432	4073	NA
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,011	3439	NA
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,034	3417	NA
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	814	3641	NA
<u>AMD Turion II Ultra Dual-Core Mobile M600</u>	955	3509	56.97
<u>AMD Turion II P560 Dual-Core</u>	978	3480	NA
<u>AMD Turion II P540 Dual-Core</u>	960	3503	19.21
<u>AMD Turion II P520 Dual-Core</u>	801	3661	NA
<u>AMD Turion II Neo N54L Dual-Core</u>	853	3597	NA
<u>AMD Turion II Neo N40L Dual-Core</u>	602	3889	NA
<u>AMD Turion II Neo K685 Dual-Core</u>	684	3801	NA
<u>AMD Turion II Neo K625 Dual-Core</u>	565	3939	NA
<u>AMD Turion II N550 Dual-Core</u>	877	3574	NA
<u>AMD Turion II N530 Dual-Core</u>	855	3595	28.51
<u>AMD Turion II Dual-Core Mobile M540</u>	912	3542	NA
<u>AMD Turion II Dual-Core Mobile M520</u>	843	3607	12.21
<u>AMD Turion II Dual-Core Mobile M500</u>	735	3741	NA
<u>AMD Turion Dual-Core RM-75</u>	659	3832	30.65
<u>AMD Turion Dual-Core RM-74</u>	588	3913	NA
<u>AMD Turion Dual-Core RM-72</u>	649	3843	21.69
<u>AMD Turion Dual-Core RM-70</u>	561	3948	22.46
<u>AMD Turion 64 X2 Mobile TL-68</u>	866	3585	9.62
<u>AMD Turion 64 X2 Mobile TL-66</u>	696	3781	7.82
<u>AMD Turion 64 X2 Mobile TL-64</u>	675	3813	17.14
<u>AMD Turion 64 X2 Mobile TL-62</u>	649	3840	22.39
<u>AMD Turion 64 X2 Mobile TL-60</u>	639	3852	40.06
<u>AMD Turion 64 X2 Mobile TL-58</u>	436	4068	NA
<u>AMD Turion 64 X2 Mobile TL-56</u>	487	4025	7.45
<u>AMD Turion 64 X2 Mobile TL-52</u>	534	3977	NA
<u>AMD Turion 64 X2 Mobile TL-50</u>	474	4038	24.97
<u>AMD Turion 64 Mobile MT-37</u>	315	4219	NA
<u>AMD Turion 64 Mobile MT-34</u>	279	4272	NA
<u>AMD Turion 64 Mobile MT-32</u>	286	4262	NA
<u>AMD Turion 64 Mobile MT-30</u>	246	4315	NA
<u>AMD Turion 64 Mobile ML-44</u>	384	4137	NA
<u>AMD Turion 64 Mobile ML-42</u>	400	4114	NA
<u>AMD Turion 64 Mobile ML-40</u>	336	4186	NA
<u>AMD Turion 64 Mobile ML-37</u>	334	4190	12.86
<u>AMD Turion 64 Mobile ML-34</u>	319	4211	NA
<u>AMD Turion 64 Mobile ML-32</u>	285	4264	NA
<u>AMD Turion 64 Mobile ML-30</u>	277	4275	NA

<u>AMD Turion 64 Mobile ML-28</u>	254	4303	NA
<u>AMD Turion 64 Mobile MK-38</u>	362	4152	NA
<u>AMD Turion 64 Mobile MK-36</u>	334	4192	NA
<u>AMD Sempron X2 198 Dual-Core</u>	930	3530	NA
<u>AMD Sempron X2 190</u>	879	3571	10.53
<u>AMD Sempron X2 180</u>	826	3633	11.90
<u>AMD Sempron SI-42</u>	245	4317	8.15
<u>AMD Sempron SI-40</u>	288	4261	24.02
<u>AMD Sempron M120</u>	247	4314	NA
<u>AMD Sempron M100</u>	338	4183	28.15
<u>AMD Sempron LE-1300</u>	417	4092	15.44
<u>AMD Sempron LE-1250</u>	301	4239	3.01
<u>AMD Sempron LE-1200</u>	349	4165	23.32
<u>AMD Sempron LE-1150</u>	251	4308	16.82
<u>AMD Sempron LE-1100</u>	315	4218	9.02
<u>AMD Sempron Dual Core 2300</u>	555	3956	13.22
<u>AMD Sempron Dual Core 2200</u>	563	3943	14.09
<u>AMD Sempron Dual Core 2100</u>	533	3979	14.04
<u>AMD Sempron 3850 APU</u>	1,142	3309	24.01
<u>AMD Sempron 3800+</u>	360	4154	24.03
<u>AMD Sempron 3600+</u>	364	4150	24.24
<u>AMD Sempron 3500+</u>	232	4345	9.28
<u>AMD Sempron 3400+</u>	292	4254	3.37
<u>AMD Sempron 3300+</u>	315	4222	15.74
<u>AMD Sempron 3200+</u>	251	4310	2.01
<u>AMD Sempron 3100+</u>	298	4245	4.58
<u>AMD Sempron 3000+</u>	286	4263	8.18
<u>AMD Sempron 2800+</u>	243	4320	8.11
<u>AMD Sempron 2650 APU</u>	561	3950	3.33
<u>AMD Sempron 2600+</u>	253	4305	7.23
<u>AMD Sempron 2500+</u>	207	4373	3.45
<u>AMD Sempron 2400+</u>	205	4378	15.74
<u>AMD Sempron 2300+</u>	207	4374	4.60
<u>AMD Sempron 2200+</u>	184	4413	4.60
<u>AMD Sempron 240</u>	1,278	3181	35.39
<u>AMD Sempron 210U</u>	267	4288	NA
<u>AMD Sempron 200U</u>	125	4492	1.43
<u>AMD Sempron 150</u>	597	3898	39.96
<u>AMD Sempron 145</u>	506	4010	12.66
<u>AMD Sempron 140</u>	486	4026	40.69
<u>AMD Sempron 130</u>	501	4013	16.69

<u>AMD Ryzen Z1 Extreme</u>	26,006	318	NA
<u>AMD Ryzen Z1</u>	17,107	616	NA
<u>AMD Ryzen Threadripper PRO 7995WX</u>	153,096	1	15.31
<u>AMD Ryzen Threadripper PRO 7985WX</u>	136,854	3	NA
<u>AMD Ryzen Threadripper PRO 7975WX</u>	100,760	8	NA
<u>AMD Ryzen Threadripper PRO 7965WX</u>	84,785	17	NA
<u>AMD Ryzen Threadripper PRO 7955WX</u>	61,073	54	NA
<u>AMD Ryzen Threadripper PRO 7945WX</u>	50,835	88	NA
<u>AMD Ryzen Threadripper PRO 5995WX</u>	94,808	11	16.63
<u>AMD Ryzen Threadripper PRO 5975WX</u>	75,908	28	28.11
<u>AMD Ryzen Threadripper PRO 5965WX</u>	66,026	41	33.01
<u>AMD Ryzen Threadripper PRO 5955WX</u>	50,199	92	45.64
<u>AMD Ryzen Threadripper PRO 5945WX</u>	40,595	142	NA
<u>AMD Ryzen Threadripper PRO 3995WX</u>	83,562	18	12.17
<u>AMD Ryzen Threadripper PRO 3975WX</u>	62,848	46	20.97
<u>AMD Ryzen Threadripper PRO 3955WX</u>	40,365	143	40.74
<u>AMD Ryzen Threadripper PRO 3945WX</u>	33,504	195	NA
<u>AMD Ryzen Threadripper 7980X</u>	137,775	2	NA
<u>AMD Ryzen Threadripper 3990X</u>	80,889	23	16.64
<u>AMD Ryzen Threadripper 3970X</u>	63,273	44	25.36
<u>AMD Ryzen Threadripper 3960X</u>	54,936	75	37.26
<u>AMD Ryzen Threadripper 2990X</u>	27,606	284	NA
<u>AMD Ryzen Threadripper 2990WX</u>	32,416	212	16.21
<u>AMD Ryzen Threadripper 2970WX</u>	29,987	241	20.84
<u>AMD Ryzen Threadripper 2950X</u>	29,401	247	27.35
<u>AMD Ryzen Threadripper 2920X</u>	25,069	339	26.39
<u>AMD Ryzen Threadripper 1950X</u>	27,628	282	47.38
<u>AMD Ryzen Threadripper 1920X</u>	23,025	391	109.65
<u>AMD Ryzen Threadripper 1920</u>	22,066	424	NA
<u>AMD Ryzen Threadripper 1900X</u>	16,789	625	119.93
<u>AMD Ryzen Embedded V2748</u>	16,706	629	NA
<u>AMD Ryzen Embedded V2718</u>	16,525	637	NA
<u>AMD Ryzen Embedded V2516</u>	13,016	810	NA
<u>AMD Ryzen Embedded V1807F</u>	7,775	1161	NA
<u>AMD Ryzen Embedded V1807B</u>	8,588	1075	NA
<u>AMD Ryzen Embedded V1756B</u>	8,291	1105	NA
<u>AMD Ryzen Embedded V1605B</u>	6,735	1318	NA
<u>AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</u>	5,417	1564	NA
<u>AMD Ryzen Embedded V1500B</u>	4,584	1705	NA
<u>AMD Ryzen Embedded V1404I</u>	6,007	1454	NA

AMD Ryzen Embedded V1202B	3,532	1980	NA
AMD Ryzen Embedded V3C48	18,361	567	NA
AMD Ryzen Embedded V3C18I	15,541	678	NA
AMD Ryzen Embedded R2544	8,486	1086	NA
AMD Ryzen Embedded R2514	6,998	1271	NA
AMD Ryzen Embedded R2314	6,584	1334	NA
AMD Ryzen Embedded R2312	3,720	1929	NA
AMD Ryzen Embedded R1606G	4,186	1798	NA
AMD Ryzen Embedded R1600	3,281	2074	NA
AMD Ryzen Embedded R1505G	3,909	1870	NA
AMD Ryzen Embedded R1305G	2,980	2202	NA
AMD Ryzen 9 PRO 7945	49,660	94	NA
AMD Ryzen 9 PRO 7940HS	27,909	276	NA
AMD Ryzen 9 PRO 6950HS	23,036	390	NA
AMD Ryzen 9 PRO 6950H	22,448	414	NA
AMD Ryzen 9 PRO 5945	34,730	182	NA
AMD Ryzen 9 PRO 3900	31,621	221	NA
AMD Ryzen 9 7950X3D	62,567	48	94.64
AMD Ryzen 9 7950X	63,187	45	116.80
AMD Ryzen 9 7945HX	55,854	71	NA
AMD Ryzen 9 7940HS	30,679	227	NA
AMD Ryzen 9 7940H	30,873	225	NA
AMD Ryzen 9 7900X3D	50,598	89	90.18
AMD Ryzen 9 7900X	52,113	85	127.42
AMD Ryzen 9 7900	49,043	98	116.77
AMD Ryzen 9 7845HX	46,508	111	NA
AMD Ryzen 9 6900HX	24,891	344	NA
AMD Ryzen 9 6900HS Creator Edition	22,223	419	NA
AMD Ryzen 9 6900HS	23,904	365	NA
AMD Ryzen 9 5980HX	23,607	374	NA
AMD Ryzen 9 5980HS	21,232	456	NA
AMD Ryzen 9 5950X	45,796	117	103.68
AMD Ryzen 9 5900X	39,224	150	130.75
AMD Ryzen 9 5900HX	22,696	405	NA
AMD Ryzen 9 5900HS Creator Edition	22,138	422	NA
AMD Ryzen 9 5900HS	21,816	433	NA
AMD Ryzen 9 5900H	20,960	464	NA
AMD Ryzen 9 5900	34,506	184	NA
AMD Ryzen 9 4900HS	19,112	528	NA
AMD Ryzen 9 4900H	19,231	525	NA
AMD Ryzen 9 3950X	38,855	153	84.47

AMD Ryzen 9 3900XT	32,742	206	83.95
AMD Ryzen 9 3900X	32,686	208	150.63
AMD Ryzen 9 3900	30,820	226	61.14
AMD Ryzen 7 PRO 7840U	24,974	341	NA
AMD Ryzen 7 PRO 7840HS	25,941	320	NA
AMD Ryzen 7 PRO 7745	34,492	185	NA
AMD Ryzen 7 PRO 7730U	20,269	495	NA
AMD Ryzen 7 PRO 6860Z	20,895	469	NA
AMD Ryzen 7 PRO 6850U	20,843	472	NA
AMD Ryzen 7 PRO 6850HS	21,998	427	NA
AMD Ryzen 7 PRO 6850H	22,974	396	NA
AMD Ryzen 7 PRO 5875U	16,273	648	NA
AMD Ryzen 7 PRO 5850U	17,165	610	NA
AMD Ryzen 7 PRO 5845	26,162	315	NA
AMD Ryzen 7 PRO 5750GE	22,038	425	NA
AMD Ryzen 7 PRO 5750G	24,438	353	NA
AMD Ryzen 7 PRO 4750U	15,233	692	NA
AMD Ryzen 7 PRO 4750GE	18,471	560	NA
AMD Ryzen 7 PRO 4750G	20,482	486	82.27
AMD Ryzen 7 PRO 4700G	20,848	470	NA
AMD Ryzen 7 PRO 3700U	7,406	1212	NA
AMD Ryzen 7 PRO 3700	22,954	398	69.56
AMD Ryzen 7 PRO 2700X	16,846	623	NA
AMD Ryzen 7 PRO 2700U	7,271	1231	NA
AMD Ryzen 7 PRO 2700	15,273	690	NA
AMD Ryzen 7 PRO 1700X	15,587	677	NA
AMD Ryzen 7 PRO 1700	14,677	716	NA
AMD Ryzen 7 Extreme Edition	16,903	622	NA
AMD Ryzen 7 7840U	25,537	328	NA
AMD Ryzen 7 7840S	25,312	335	NA
AMD Ryzen 7 7840HS	28,904	255	NA
AMD Ryzen 7 7840H	29,284	251	NA
AMD Ryzen 7 7800X3D	34,480	186	78.54
AMD Ryzen 7 7745HX	32,894	201	NA
AMD Ryzen 7 7736U	22,560	410	NA
AMD Ryzen 7 7735U	21,261	454	NA
AMD Ryzen 7 7735HS	24,279	357	NA
AMD Ryzen 7 7735H	24,284	355	NA
AMD Ryzen 7 7730U	18,854	542	NA
AMD Ryzen 7 7700X	36,159	173	114.52
AMD Ryzen 7 7700	34,798	180	108.82

AMD Ryzen 7 6800U	20,640	481	NA
AMD Ryzen 7 6800HS Creator Edition	22,520	412	NA
AMD Ryzen 7 6800HS	22,966	397	NA
AMD Ryzen 7 6800H	23,690	373	NA
AMD Ryzen 7 5825U	18,427	562	NA
AMD Ryzen 7 5800X3D	28,261	266	97.60
AMD Ryzen 7 5800X	27,974	272	124.31
AMD Ryzen 7 5800U	18,618	554	NA
AMD Ryzen 7 5800HS Creator Edition	21,166	457	NA
AMD Ryzen 7 5800HS	20,360	491	NA
AMD Ryzen 7 5800H	21,138	458	NA
AMD Ryzen 7 5800	25,839	322	NA
AMD Ryzen 7 5700X	26,749	303	144.60
AMD Ryzen 7 5700U	15,857	665	NA
AMD Ryzen 7 5700GE	22,196	420	NA
AMD Ryzen 7 5700G	24,654	350	146.87
AMD Ryzen 7 5700	24,318	354	NA
AMD Ryzen 7 4980U Microsoft Surface Edition	17,469	599	NA
AMD Ryzen 7 4850U Mobile	15,920	663	NA
AMD Ryzen 7 4800U	16,812	624	NA
AMD Ryzen 7 4800HS	18,545	557	NA
AMD Ryzen 7 4800H	18,666	551	NA
AMD Ryzen 7 4700U	13,446	787	NA
AMD Ryzen 7 4700GE	19,835	507	NA
AMD Ryzen 7 4700G	20,198	497	85.90
AMD Ryzen 7 3800XT	23,698	372	114.76
AMD Ryzen 7 3800X	23,202	385	140.73
AMD Ryzen 7 3780U	6,910	1289	NA
AMD Ryzen 7 3750H	8,187	1122	NA
AMD Ryzen 7 3700X	22,607	409	153.82
AMD Ryzen 7 3700U	7,184	1239	NA
AMD Ryzen 7 3700C	7,145	1247	NA
AMD Ryzen 7 2800H	8,013	1141	NA
AMD Ryzen 7 2700X	17,561	592	161.41
AMD Ryzen 7 2700U	6,937	1283	NA
AMD Ryzen 7 2700E	14,657	719	NA
AMD Ryzen 7 2700	15,732	669	150.00
AMD Ryzen 7 1800X	16,411	643	55.63
AMD Ryzen 7 1700X	15,672	671	218.76
AMD Ryzen 7 1700	14,811	710	169.48
AMD Ryzen 5 PRO 7645	27,734	281	NA

AMD Ryzen 5 PRO 7640HS	22,977	395	NA
AMD Ryzen 5 PRO 7540U	17,868	582	NA
AMD Ryzen 5 PRO 7530U	15,333	687	NA
AMD Ryzen 5 PRO 6650U	16,772	626	NA
AMD Ryzen 5 PRO 6650H	19,907	504	NA
AMD Ryzen 5 PRO 5675U	14,548	725	NA
AMD Ryzen 5 PRO 5650U	14,963	704	NA
AMD Ryzen 5 PRO 5650GE	18,441	561	NA
AMD Ryzen 5 PRO 5650G	20,827	473	NA
AMD Ryzen 5 PRO 5645	21,904	431	NA
AMD Ryzen 5 PRO 4655GE	14,436	731	NA
AMD Ryzen 5 PRO 4655G	16,355	645	NA
AMD Ryzen 5 PRO 4650U	12,739	828	NA
AMD Ryzen 5 PRO 4650GE	15,599	676	NA
AMD Ryzen 5 PRO 4650G	16,243	649	151.81
AMD Ryzen 5 PRO 4500U	12,117	853	NA
AMD Ryzen 5 PRO 4400GE	14,795	711	NA
AMD Ryzen 5 PRO 4400G	16,354	646	NA
AMD Ryzen 5 PRO 3600	17,720	588	NA
AMD Ryzen 5 PRO 3500U	6,987	1273	NA
AMD Ryzen 5 PRO 3400GE	8,284	1107	NA
AMD Ryzen 5 PRO 3400G	9,174	1032	NA
AMD Ryzen 5 PRO 3350GE	9,643	995	NA
AMD Ryzen 5 PRO 3350G	9,319	1021	NA
AMD Ryzen 5 PRO 2600	13,480	783	NA
AMD Ryzen 5 PRO 2500U	6,640	1326	NA
AMD Ryzen 5 PRO 2400GE	7,555	1187	NA
AMD Ryzen 5 PRO 2400G	8,473	1089	NA
AMD Ryzen 5 PRO 1600	10,861	917	NA
AMD Ryzen 5 PRO 1500	9,297	1024	NA
AMD Ryzen 5 7640U	22,686	406	NA
AMD Ryzen 5 7640HS	23,306	381	NA
AMD Ryzen 5 7600X	28,703	260	131.67
AMD Ryzen 5 7600	27,474	286	124.89
AMD Ryzen 5 7540U	19,004	532	NA
AMD Ryzen 5 7535U	17,233	606	NA
AMD Ryzen 5 7535HS	18,499	559	NA
AMD Ryzen 5 7530U	16,454	639	NA
AMD Ryzen 5 7520U	9,537	1004	NA
AMD Ryzen 5 7500F	26,798	302	NA
AMD Ryzen 5 6600U	17,139	613	NA

AMD Ryzen 5 6600HS Creator Edition	18,610	555	NA
AMD Ryzen 5 6600H	19,000	533	NA
AMD Ryzen 5 5625U	15,091	699	NA
AMD Ryzen 5 5600X3D	22,154	421	NA
AMD Ryzen 5 5600X	21,926	430	140.19
AMD Ryzen 5 5600U	15,504	680	NA
AMD Ryzen 5 5600H	17,103	617	NA
AMD Ryzen 5 5600GE	18,729	548	NA
AMD Ryzen 5 5600G	19,903	505	163.41
AMD Ryzen 5 5600	21,596	441	179.98
AMD Ryzen 5 5560U	15,064	700	NA
AMD Ryzen 5 5500U	13,147	803	NA
AMD Ryzen 5 5500H	12,543	836	NA
AMD Ryzen 5 5500	19,525	517	229.73
AMD Ryzen 5 4600U	13,445	788	NA
AMD Ryzen 5 4600HS	14,322	744	NA
AMD Ryzen 5 4600H	14,529	726	NA
AMD Ryzen 5 4600GE	15,641	673	NA
AMD Ryzen 5 4600G	16,001	661	156.89
AMD Ryzen 5 4500U	11,003	906	NA
AMD Ryzen 5 4500	16,183	655	215.51
AMD Ryzen 5 4400G	17,160	611	NA
AMD Ryzen 5 3600XT	18,680	549	50.76
AMD Ryzen 5 3600X	18,231	571	140.37
AMD Ryzen 5 3600	17,779	585	212.95
AMD Ryzen 5 3580U	7,180	1241	NA
AMD Ryzen 5 3550U	7,681	1171	NA
AMD Ryzen 5 3550H	7,820	1156	NA
AMD Ryzen 5 3500X	13,201	800	132.03
AMD Ryzen 5 3500U	6,982	1275	NA
AMD Ryzen 5 3500C	5,564	1525	NA
AMD Ryzen 5 3500	12,784	824	63.92
AMD Ryzen 5 3450U	6,751	1315	NA
AMD Ryzen 5 3400GE	8,901	1057	25.04
AMD Ryzen 5 3400G	9,284	1026	87.61
AMD Ryzen 5 3350GE	9,343	1018	NA
AMD Ryzen 5 3350G	9,045	1049	NA
AMD Ryzen 5 2600X	13,949	758	180.45
AMD Ryzen 5 2600H	7,834	1154	NA
AMD Ryzen 5 2600	13,216	799	212.24
AMD Ryzen 5 2500X	9,521	1005	NA

AMD Ryzen 5 2500U	6,526	1345	NA
AMD Ryzen 5 2400GE	7,478	1196	NA
AMD Ryzen 5 2400G	8,733	1065	89.70
AMD Ryzen 5 1600X	13,071	806	94.14
AMD Ryzen 5 1600	12,297	843	238.79
AMD Ryzen 5 1500X	9,089	1044	178.42
AMD Ryzen 5 1400	7,777	1160	194.66
AMD Ryzen 3 PRO 7330U	12,846	820	NA
AMD Ryzen 3 PRO 5475U	11,272	890	NA
AMD Ryzen 3 PRO 5450U	11,075	901	NA
AMD Ryzen 3 PRO 5350GE	13,457	785	NA
AMD Ryzen 3 PRO 5350G	13,887	761	NA
AMD Ryzen 3 PRO 4450U	10,083	960	NA
AMD Ryzen 3 PRO 4355GE	10,559	933	NA
AMD Ryzen 3 PRO 4350GE	10,989	908	NA
AMD Ryzen 3 PRO 4350G	10,971	910	NA
AMD Ryzen 3 PRO 4200GE	10,930	914	NA
AMD Ryzen 3 PRO 4200G	11,315	886	NA
AMD Ryzen 3 PRO 3300U	5,972	1457	NA
AMD Ryzen 3 PRO 3200GE	6,858	1293	NA
AMD Ryzen 3 PRO 3200G	6,981	1276	NA
AMD Ryzen 3 PRO 2300U	5,842	1473	NA
AMD Ryzen 3 PRO 2200GE	6,330	1384	NA
AMD Ryzen 3 PRO 2200G	6,796	1302	NA
AMD Ryzen 3 PRO 2100GE	4,062	1837	NA
AMD Ryzen 3 PRO 1300	7,234	1236	NA
AMD Ryzen 3 PRO 1200	6,100	1431	NA
AMD Ryzen 3 7330U	11,325	885	NA
AMD Ryzen 3 7320U	9,075	1046	NA
AMD Ryzen 3 7320C	8,257	1111	NA
AMD Ryzen 3 5425U	11,471	879	NA
AMD Ryzen 3 5400U	11,524	876	NA
AMD Ryzen 3 5300U	9,718	991	NA
AMD Ryzen 3 5300GE	13,321	790	NA
AMD Ryzen 3 5300G	12,878	817	NA
AMD Ryzen 3 4300U	7,489	1193	NA
AMD Ryzen 3 4300GE	11,206	892	NA
AMD Ryzen 3 4300G	10,946	912	88.27
AMD Ryzen 3 4100	11,097	898	170.75
AMD Ryzen 3 3350U	5,853	1470	NA
AMD Ryzen 3 3300X	12,659	830	86.33

AMD Ryzen 3 3300U	5,715	1494	NA
AMD Ryzen 3 3250U	3,854	1886	NA
AMD Ryzen 3 3250C	3,208	2101	NA
AMD Ryzen 3 3200U	3,829	1893	NA
AMD Ryzen 3 3200GE	7,309	1223	NA
AMD Ryzen 3 3200G	7,153	1245	93.39
AMD Ryzen 3 3100	11,630	873	162.32
AMD Ryzen 3 2300X	7,514	1190	42.19
AMD Ryzen 3 2300U	5,484	1546	NA
AMD Ryzen 3 2200U	3,709	1931	NA
AMD Ryzen 3 2200GE	6,062	1443	NA
AMD Ryzen 3 2200G	6,767	1311	45.12
AMD Ryzen 3 1300X	6,971	1279	111.97
AMD Ryzen 3 1200	6,319	1390	125.80
AMD RX-427BB	2,778	2281	NA
AMD RX-425BB	2,724	2300	NA
AMD RX-225FB	892	3560	NA
AMD R-464L APU	1,773	2841	NA
AMD R-460L APU	1,183	3269	NA
AMD R-272F APU	1,215	3242	NA
AMD R-260H APU	954	3510	NA
AMD QC-4000	1,155	3298	NA
AMD PRO A12-9800E	3,181	2113	18.82
AMD PRO A12-9800B	2,691	2318	NA
AMD PRO A12-9800	3,758	1914	22.24
AMD PRO A12-8870E	3,043	2170	NA
AMD PRO A12-8870	3,962	1857	NA
AMD PRO A12-8830B	2,499	2407	NA
AMD PRO A12-8800B	2,580	2374	NA
AMD PRO A10-9700E	3,049	2167	21.93
AMD PRO A10-9700B	2,585	2370	NA
AMD PRO A10-9700	3,659	1941	21.65
AMD PRO A10-8850B	3,752	1918	NA
AMD PRO A10-8770E	3,030	2175	NA
AMD PRO A10-8770	3,538	1978	NA
AMD PRO A10-8750B	2,879	2244	NA
AMD PRO A10-8730B	2,403	2460	NA
AMD PRO A10-8700B	2,217	2582	NA
AMD PRO A8-9600B	2,385	2470	NA
AMD PRO A8-9600	3,337	2049	28.04
AMD PRO A8-8670E	2,989	2196	NA

AMD PRO A8-8650B	3,225	2095	NA
AMD PRO A8-8600B	2,192	2593	NA
AMD PRO A6-9500E	1,662	2902	22.46
AMD PRO A6-9500B	1,371	3117	NA
AMD PRO A6-9500	1,770	2845	23.92
AMD PRO A6-8570E	1,621	2929	NA
AMD PRO A6-8570	1,908	2751	NA
AMD PRO A6-8550B	1,882	2775	NA
AMD PRO A6-8530B	1,069	3382	NA
AMD PRO A6-8500B	1,594	2948	NA
AMD PRO A6-7350B	1,552	2987	NA
AMD PRO A4-8350B	1,635	2924	56.39
AMD PRO A4-4350B	1,109	3338	NA
AMD PRO A4-3350B APU	1,784	2830	NA
AMD Phenom X4 Quad-Core GS-6560	1,063	3386	NA
AMD Phenom X4 Quad-Core GP-9730	1,784	2832	NA
AMD Phenom X4 Quad-Core GP-9600	1,649	2917	NA
AMD Phenom X4 Quad-Core GP-9530	1,228	3225	NA
AMD Phenom X4 Quad-Core GP-9500	1,297	3166	NA
AMD Phenom X3 8550	1,079	3371	36.02
AMD Phenom X2 Dual-Core GP-7730	884	3568	NA
AMD Phenom X2 Dual-Core GE-7060	1,010	3444	NA
AMD Phenom X2 Dual-Core GE-6060	1,722	2868	NA
AMD Phenom X2 Dual-Core GE-5060	1,566	2976	NA
AMD Phenom II X940 Quad-Core	1,797	2823	NA
AMD Phenom II X920 Quad-Core	1,669	2899	NA
AMD Phenom II X640 Dual-Core	1,165	3289	NA
AMD Phenom II X620 Dual-Core	1,262	3196	NA
AMD Phenom II X6 1405T	3,335	2050	NA
AMD Phenom II X6 1100T	3,827	1894	30.00
AMD Phenom II X6 1090T	3,752	1917	53.80
AMD Phenom II X6 1075T	3,375	2032	51.89
AMD Phenom II X6 1065T	3,376	2031	50.87
AMD Phenom II X6 1055T	3,294	2068	96.02
AMD Phenom II X6 1045T	3,151	2126	65.65
AMD Phenom II X6 1035T	2,962	2212	27.42
AMD Phenom II X4 B99	2,536	2391	NA
AMD Phenom II X4 B97	2,539	2389	31.75
AMD Phenom II X4 B95	2,401	2463	38.72
AMD Phenom II X4 B93	2,159	2609	NA
AMD Phenom II X4 B70	2,303	2528	NA

<u>AMD Phenom II X4 B65</u>	2,690	2319	NA
<u>AMD Phenom II X4 B60</u>	2,546	2385	NA
<u>AMD Phenom II X4 B55</u>	2,483	2420	NA
<u>AMD Phenom II X4 B50</u>	2,369	2480	NA
<u>AMD Phenom II X4 B45</u>	2,258	2549	NA
<u>AMD Phenom II X4 B40</u>	2,238	2564	NA
<u>AMD Phenom II X4 B35</u>	2,341	2501	NA
<u>AMD Phenom II X4 B25</u>	2,108	2635	NA
<u>AMD Phenom II X4 B15e</u>	1,825	2804	NA
<u>AMD Phenom II X4 B05e</u>	1,906	2756	NA
<u>AMD Phenom II X4 980</u>	2,839	2257	21.83
<u>AMD Phenom II X4 977</u>	2,377	2475	NA
<u>AMD Phenom II X4 975</u>	2,486	2418	35.54
<u>AMD Phenom II X4 973</u>	2,204	2587	NA
<u>AMD Phenom II X4 970</u>	2,681	2324	62.51
<u>AMD Phenom II X4 965</u>	2,605	2357	35.20
<u>AMD Phenom II X4 960T</u>	2,334	2504	118.98
<u>AMD Phenom II X4 955</u>	2,486	2417	42.13
<u>AMD Phenom II X4 945</u>	2,368	2481	98.71
<u>AMD Phenom II X4 940</u>	2,311	2521	10.91
<u>AMD Phenom II X4 925</u>	2,240	2563	107.90
<u>AMD Phenom II X4 920</u>	2,209	2586	79.19
<u>AMD Phenom II X4 910e</u>	2,108	2636	30.15
<u>AMD Phenom II X4 910</u>	1,776	2836	17.76
<u>AMD Phenom II X4 905e</u>	2,004	2692	37.11
<u>AMD Phenom II X4 900e</u>	1,505	3023	NA
<u>AMD Phenom II X4 850</u>	2,361	2488	36.33
<u>AMD Phenom II X4 840T</u>	2,305	2525	39.74
<u>AMD Phenom II X4 840</u>	2,379	2474	79.31
<u>AMD Phenom II X4 830</u>	2,134	2620	112.28
<u>AMD Phenom II X4 820</u>	2,065	2660	33.30
<u>AMD Phenom II X4 810</u>	1,937	2729	9.09
<u>AMD Phenom II X4 805</u>	1,931	2736	11.10
<u>AMD Phenom II X3 B77</u>	1,844	2797	82.71
<u>AMD Phenom II X3 B75</u>	1,619	2931	32.41
<u>AMD Phenom II X3 B73</u>	1,538	3002	20.50
<u>AMD Phenom II X3 740</u>	1,424	3082	16.00
<u>AMD Phenom II X3 720</u>	1,554	2986	24.11
<u>AMD Phenom II X3 710</u>	1,551	2989	9.18
<u>AMD Phenom II X3 705e</u>	1,222	3232	8.02
<u>AMD Phenom II X3 700e</u>	1,451	3059	NA

<u>AMD Phenom II X2 B59</u>	1,431	3073	29.80
<u>AMD Phenom II X2 B57</u>	1,099	3350	NA
<u>AMD Phenom II X2 B55</u>	1,183	3270	31.18
<u>AMD Phenom II X2 B53</u>	1,137	3316	NA
<u>AMD Phenom II X2 570</u>	1,360	3124	NA
<u>AMD Phenom II X2 565</u>	1,442	3068	8.54
<u>AMD Phenom II X2 560</u>	1,375	3114	77.61
<u>AMD Phenom II X2 555</u>	1,318	3151	101.17
<u>AMD Phenom II X2 550</u>	1,158	3297	28.01
<u>AMD Phenom II X2 545</u>	1,218	3238	27.69
<u>AMD Phenom II X2 521</u>	1,374	3116	NA
<u>AMD Phenom II X2 511</u>	1,265	3192	NA
<u>AMD Phenom II P960 Quad-Core</u>	1,386	3107	35.42
<u>AMD Phenom II P940 Quad-Core</u>	1,319	3150	NA
<u>AMD Phenom II P920 Quad-Core</u>	1,006	3453	15.48
<u>AMD Phenom II P860 Triple-Core</u>	1,225	3229	NA
<u>AMD Phenom II P840 Triple-Core</u>	1,116	3334	NA
<u>AMD Phenom II P820 Triple-Core</u>	1,068	3384	NA
<u>AMD Phenom II P650 Dual-Core</u>	933	3527	26.66
<u>AMD Phenom II N970 Quad-Core</u>	1,662	2903	11.08
<u>AMD Phenom II N950 Quad-Core</u>	1,558	2980	13.84
<u>AMD Phenom II N930 Quad-Core</u>	1,584	2958	12.19
<u>AMD Phenom II N870 Triple-Core</u>	1,281	3177	NA
<u>AMD Phenom II N850 Triple-Core</u>	1,166	3287	46.63
<u>AMD Phenom II N830 Triple-Core</u>	1,233	3221	NA
<u>AMD Phenom II N830 3+1</u>	1,768	2847	NA
<u>AMD Phenom II N660 Dual-Core</u>	1,023	3424	11.49
<u>AMD Phenom II N640 Dual-Core</u>	965	3494	17.57
<u>AMD Phenom II N620 Dual-Core</u>	1,014	3438	254.11
<u>AMD Phenom FX-5200 Quad-Core</u>	1,699	2885	NA
<u>AMD Phenom FX-5000 Quad-Core</u>	1,599	2946	NA
<u>AMD Phenom 9950 Quad-Core</u>	1,884	2772	9.42
<u>AMD Phenom 9850B Quad-Core</u>	1,946	2723	NA
<u>AMD Phenom 9850 Quad-Core</u>	1,710	2879	13.15
<u>AMD Phenom 9750B Quad-Core</u>	1,520	3015	NA
<u>AMD Phenom 9750 Quad-Core</u>	1,844	2795	38.40
<u>AMD Phenom 9650 Quad-Core</u>	1,713	2876	42.82
<u>AMD Phenom 9600B Quad-Core</u>	1,822	2807	45.59
<u>AMD Phenom 9600 Quad-Core</u>	1,566	2975	39.16
<u>AMD Phenom 9550 Quad-Core</u>	1,656	2909	71.69
<u>AMD Phenom 9500 Quad-Core</u>	1,549	2994	51.64

AMD Phenom 9450e Quad-Core	1,455	3057	13.86
AMD Phenom 9350e Quad-Core	1,501	3027	0.44
AMD Phenom 9150e Quad-Core	1,414	3090	5.71
AMD Phenom 9100e Quad-Core	1,279	3179	36.58
AMD Phenom 8850B Triple-Core	1,281	3176	NA
AMD Phenom 8850 Triple-Core	1,142	3310	NA
AMD Phenom 8750B Triple-Core	1,188	3266	NA
AMD Phenom 8750 Triple-Core	1,427	3077	NA
AMD Phenom 8650 Triple-Core	1,237	3219	65.10
AMD Phenom 8600B Triple-Core	1,461	3052	97.71
AMD Phenom 8600 Triple-Core	1,210	3246	22.84
AMD Phenom 8450e Triple-Core	1,225	3227	NA
AMD Phenom 8450 Triple-Core	1,216	3241	60.80
AMD Phenom 8400 Triple-Core	1,164	3290	NA
AMD Phenom 8250e Triple-Core	1,084	3368	23.08
AMD Phenom 8250 Triple-Core	1,114	3336	NA
AMD Opteron X3421 APU	3,375	2033	NA
AMD Opteron X3418 APU	3,043	2171	NA
AMD Opteron X3216 APU	1,475	3041	NA
AMD Opteron X2170 APU	1,911	2750	NA
AMD Opteron 8439 SE	2,479	2423	0.68
AMD Opteron 6386 SE	8,291	1106	9.42
AMD Opteron 6380	6,738	1317	6.16
AMD Opteron 6378	5,889	1466	5.35
AMD Opteron 6376	5,572	1524	3.36
AMD Opteron 6366 HE	5,613	1519	7.28
AMD Opteron 6348	7,850	1153	7.14
AMD Opteron 6344	6,069	1441	110.44
AMD Opteron 6328	5,306	1583	7.42
AMD Opteron 6287 SE	6,925	1286	NA
AMD Opteron 6282 SE	6,385	1372	8.29
AMD Opteron 6281	7,279	1228	NA
AMD Opteron 6276	6,245	1402	31.43
AMD Opteron 6274	5,643	1510	7.43
AMD Opteron 6272	5,240	1601	17.53
AMD Opteron 6238	5,625	1516	161.55
AMD Opteron 6234	4,072	1835	9.03
AMD Opteron 6220	4,753	1673	21.59
AMD Opteron 6212	4,007	1848	29.81
AMD Opteron 6176 SE	3,564	1969	14.26
AMD Opteron 6174	3,697	1935	4.98

AMD Opteron 6172	2,615	2353	13.08
AMD Opteron 6164 HE	3,478	1994	NA
AMD Opteron 6136	3,381	2028	9.69
AMD Opteron 6128 HE	2,932	2224	NA
AMD Opteron 6128	2,826	2264	10.50
AMD Opteron 4386	4,378	1759	9.52
AMD Opteron 4365 EE	3,485	1993	NA
AMD Opteron 4334	3,949	1858	30.39
AMD Opteron 4332 HE	3,906	1871	7.04
AMD Opteron 4284	4,665	1691	46.54
AMD Opteron 4280	4,504	1723	47.41
AMD Opteron 4274 HE	5,776	1482	75.05
AMD Opteron 4226	3,400	2020	35.81
AMD Opteron 4184	2,872	2248	151.24
AMD Opteron 4174 HE	2,986	2199	NA
AMD Opteron 4170 HE	2,382	2472	7.22
AMD Opteron 4162 EE	2,058	2662	102.97
AMD Opteron 4130	2,347	2498	10.21
AMD Opteron 3380	4,134	1810	5.11
AMD Opteron 3365	4,091	1827	NA
AMD Opteron 3350 HE	2,825	2265	8.91
AMD Opteron 3320 EE	1,918	2745	4.35
AMD Opteron 3280	3,723	1925	51.70
AMD Opteron 3260 HE	2,283	2539	NA
AMD Opteron 3250 HE	2,061	2661	20.82
AMD Opteron 2435	3,061	2164	279.52
AMD Opteron 2431	2,936	2220	117.48
AMD Opteron 2427	1,995	2697	36.28
AMD Opteron 2419 EE	1,902	2759	NA
AMD Opteron 2393 SE	1,317	3152	NA
AMD Opteron 2384	2,074	2653	1.78
AMD Opteron 2378	1,864	2783	128.65
AMD Opteron 2373 EE	1,744	2859	NA
AMD Opteron 2356	1,733	2866	21.67
AMD Opteron 2354	1,509	3020	5.29
AMD Opteron 2222	1,198	3255	63.08
AMD Opteron 2220 SE	909	3546	36.35
AMD Opteron 2220	1,106	3343	0.85
AMD Opteron 2218	1,036	3414	2.28
AMD Opteron 1389	2,079	2649	NA
AMD Opteron 1385	1,898	2765	42.19

AMD Opteron 1381	1,797	2824	NA
AMD Opteron 1356	1,703	2882	18.92
AMD Opteron 1354	1,449	3060	6.09
AMD Opteron 1352	1,547	2996	11.38
AMD Opteron 1222	1,089	3360	NA
AMD Opteron 1220	1,036	3415	NA
AMD Opteron 1218 HE	979	3479	NA
AMD Opteron 1218	910	3544	NA
AMD Opteron 1216 HE	727	3751	NA
AMD Opteron 1216	781	3683	14.23
AMD Opteron 1214 HE	806	3651	NA
AMD Opteron 1214	696	3780	7.72
AMD Opteron 1212 HE	771	3694	NA
AMD Opteron 1212	593	3905	2.04
AMD Opteron 290	952	3512	7.05
AMD Opteron 285	956	3507	38.30
AMD Opteron 280	765	3701	2.89
AMD Opteron 275	839	3616	5.60
AMD Opteron 270	736	3739	2.72
AMD Opteron 254	451	4061	NA
AMD Opteron 185	695	3782	NA
AMD Opteron 180	746	3725	6.22
AMD Opteron 175	682	3803	NA
AMD Opteron 170	648	3844	NA
AMD Opteron 165	531	3982	0.61
AMD Opteron 154	457	4053	NA
AMD Opteron 152	428	4077	NA
AMD Opteron 150	393	4128	1.11
AMD Opteron 148	392	4130	NA
AMD Opteron 146	346	4168	9.88
AMD Opteron 144	316	4217	10.55
AMD GX-424CC SOC	1,771	2844	NA
AMD GX-420MC SOC	1,796	2825	NA
AMD GX-420CA SOC	1,794	2826	NA
AMD GX-416RA SOC	1,604	2944	NA
AMD GX-415GA SOC	1,405	3099	NA
AMD GX-412TC SOC	638	3854	NA
AMD GX-412HC	1,090	3357	NA
AMD GX-222GC SOC	1,044	3406	NA
AMD GX-218GL SOC	754	3715	NA
AMD GX-217GA SOC	784	3679	NA

<u>AMD GX-212JC SOC</u>	634	3857	NA
<u>AMD GX-210JA SOC</u>	248	4313	NA
<u>AMD Geode NX 2400+</u>	400	4115	NA
<u>AMD G-T56N</u>	484	4032	NA
<u>AMD G-T56E</u>	442	4066	NA
<u>AMD G-T52R</u>	177	4424	NA
<u>AMD G-T48E</u>	428	4079	NA
<u>AMD G-T44R</u>	130	4488	NA
<u>AMD G-T40R</u>	120	4498	NA
<u>AMD G-T40N</u>	299	4243	NA
<u>AMD G-T40E</u>	289	4260	NA
<u>AMD FX-B4150 Quad-Core</u>	3,369	2035	37.57
<u>AMD FX-9830P</u>	3,311	2062	NA
<u>AMD FX-9800P</u>	2,554	2382	NA
<u>AMD FX-9590 Eight-Core</u>	6,760	1313	26.84
<u>AMD FX-9370 Eight-Core</u>	6,110	1430	50.91
<u>AMD FX-8800P</u>	2,844	2256	NA
<u>AMD FX-8370E Eight-Core</u>	5,303	1585	210.92
<u>AMD FX-8370 Eight-Core</u>	6,206	1409	31.03
<u>AMD FX-8350 Eight-Core</u>	6,044	1448	54.81
<u>AMD FX-8320E Eight-Core</u>	5,086	1627	38.53
<u>AMD FX-8320 Eight-Core</u>	5,434	1559	112.23
<u>AMD FX-8310 Eight-Core</u>	5,128	1616	6.17
<u>AMD FX-8300 Eight-Core</u>	5,301	1587	88.36
<u>AMD FX-8150 Eight-Core</u>	5,247	1597	117.55
<u>AMD FX-8140 Eight-Core</u>	4,860	1659	32.65
<u>AMD FX-8120 Eight-Core</u>	4,639	1695	119.11
<u>AMD FX-8100 Eight-Core</u>	3,930	1862	40.10
<u>AMD FX-7600P APU</u>	2,856	2253	NA
<u>AMD FX-7600P</u>	2,611	2354	NA
<u>AMD FX-7500 APU</u>	1,920	2744	NA
<u>AMD FX-6350 Six-Core</u>	4,535	1719	85.85
<u>AMD FX-6330 Six-Core</u>	4,418	1748	NA
<u>AMD FX-6300 Six-Core</u>	4,200	1796	85.93
<u>AMD FX-6200 Six-Core</u>	4,079	1831	113.54
<u>AMD FX-6130 Six-Core</u>	4,353	1763	NA
<u>AMD FX-6120 Six-Core</u>	3,887	1874	67.00
<u>AMD FX-6100 Six-Core</u>	3,669	1939	131.27
<u>AMD FX-4350 Quad-Core</u>	3,290	2070	35.75
<u>AMD FX-4330</u>	3,098	2146	4.22
<u>AMD FX-4320</u>	3,072	2157	NA

AMD FX-4300 Quad-Core	2,985	2200	182.87
AMD FX-4200 Quad-Core	3,109	2141	51.86
AMD FX-4170 Quad-Core	3,023	2176	131.71
AMD FX-4150 Quad-Core	3,327	2053	NA
AMD FX-4130 Quad-Core	2,663	2330	133.62
AMD FX-4100 Quad-Core	2,585	2366	161.68
AMD FX-870K Quad Core	3,132	2130	NA
AMD FX-770K Quad-Core	2,915	2234	NA
AMD FX-670K Quad-Core	2,980	2203	NA
AMD FirePro A320 APU	2,153	2614	NA
AMD EPYC Embedded 7292P	30,542	231	NA
AMD EPYC 9754	81,364	22	NA
AMD EPYC 9654P	113,949	5	10.72
AMD EPYC 9654	126,045	4	18.84
AMD EPYC 9554P	109,858	6	15.46
AMD EPYC 9534	88,716	14	NA
AMD EPYC 9474F	104,894	7	NA
AMD EPYC 9454P	96,088	10	20.90
AMD EPYC 9354P	78,858	25	NA
AMD EPYC 9334	65,279	42	NA
AMD EPYC 9274F	73,784	30	NA
AMD EPYC 9254	70,006	33	NA
AMD EPYC 9174F	55,485	74	11.92
AMD EPYC 9124	43,698	125	24.32
AMD EPYC 7773X	91,491	12	18.30
AMD EPYC 7763	86,143	15	34.54
AMD EPYC 7742	69,183	37	32.98
AMD EPYC 7713P	80,379	24	20.88
AMD EPYC 7713	83,473	19	25.30
AMD EPYC 7702P	62,670	47	33.02
AMD EPYC 7702	69,872	34	68.98
AMD EPYC 7662	73,321	31	18.33
AMD EPYC 7643	76,455	27	16.80
AMD EPYC 7642	58,177	65	49.09
AMD EPYC 7601	34,079	190	23.83
AMD EPYC 7573X	70,868	32	14.28
AMD EPYC 7571	27,445	288	NA
AMD EPYC 7552	51,104	87	28.74
AMD EPYC 7551P	39,018	151	105.91
AMD EPYC 7551	21,600	440	36.74
AMD EPYC 7543P	66,608	40	28.34

<u>AMD EPYC 7543</u>	60,132	58	15.99
<u>AMD EPYC 7542</u>	49,437	95	38.09
<u>AMD EPYC 7532</u>	53,162	81	27.14
<u>AMD EPYC 7513</u>	59,988	59	21.12
<u>AMD EPYC 7502P</u>	49,887	93	29.35
<u>AMD EPYC 7502</u>	45,839	116	52.39
<u>AMD EPYC 7501</u>	24,925	343	6.89
<u>AMD EPYC 7473X</u>	59,280	61	NA
<u>AMD EPYC 7453</u>	50,575	90	29.27
<u>AMD EPYC 7452</u>	47,746	105	35.39
<u>AMD EPYC 7451</u>	20,471	488	20.49
<u>AMD EPYC 7443P</u>	57,325	68	34.04
<u>AMD EPYC 7443</u>	55,525	73	24.89
<u>AMD EPYC 7413</u>	50,223	91	25.14
<u>AMD EPYC 7402P</u>	42,899	128	48.27
<u>AMD EPYC 7402</u>	47,554	106	31.87
<u>AMD EPYC 7401P</u>	28,591	262	142.97
<u>AMD EPYC 7371</u>	31,094	222	50.97
<u>AMD EPYC 7352</u>	40,096	144	42.21
<u>AMD EPYC 7351P</u>	25,706	323	85.69
<u>AMD EPYC 7351</u>	23,566	377	36.31
<u>AMD EPYC 7343</u>	44,189	123	25.99
<u>AMD EPYC 7313P</u>	42,032	132	46.04
<u>AMD EPYC 7313</u>	40,075	145	34.80
<u>AMD EPYC 7302P</u>	32,612	210	38.41
<u>AMD EPYC 7302</u>	32,994	200	58.13
<u>AMD EPYC 7301</u>	14,991	703	9.99
<u>AMD EPYC 7282</u>	29,496	246	59.59
<u>AMD EPYC 7281</u>	21,981	429	21.98
<u>AMD EPYC 7272</u>	25,568	327	42.68
<u>AMD EPYC 7262</u>	20,795	474	42.69
<u>AMD EPYC 7252</u>	19,411	521	50.83
<u>AMD EPYC 7251</u>	14,935	705	40.15
<u>AMD EPYC 7232P</u>	17,017	619	38.89
<u>AMD EPYC 3451</u>	19,532	515	NA
<u>AMD EPYC 3251</u>	13,912	760	44.17
<u>AMD EPYC 3201</u>	8,545	1079	NA
<u>AMD EPYC 3151</u>	7,915	1151	NA
<u>AMD EPYC 3101 4-Core</u>	6,050	1446	NA
<u>AMD EPYC 75F3</u>	68,505	38	13.70
<u>AMD EPYC 74F3</u>	60,666	55	19.91

<u>AMD EPYC 73F3</u>	46,085	115	11.62
<u>AMD EPYC 72F3</u>	27,252	293	10.24
<u>AMD EPYC 7V13</u>	82,878	20	NA
<u>AMD EPYC 7T83</u>	81,757	21	NA
<u>AMD EPYC 7R32</u>	64,727	43	NA
<u>AMD EPYC 7R12</u>	48,934	99	NA
<u>AMD EPYC 7K62</u>	49,104	97	NA
<u>AMD EPYC 7J13</u>	85,683	16	NA
<u>AMD EPYC 7H12</u>	69,633	36	18.72
<u>AMD EPYC 7F52</u>	40,957	139	13.21
<u>AMD EPYC 7F32</u>	23,453	378	9.51
<u>AMD EPYC 7D12</u>	42,762	129	NA
<u>AMD EPYC 7B13</u>	77,460	26	NA
<u>AMD EPYC 7B12</u>	55,859	70	NA
<u>AMD Embedded R-Series RX-421ND</u>	3,575	1967	NA
<u>AMD Embedded R-Series RX-421BD</u>	3,302	2066	NA
<u>AMD Embedded R-Series RX-418GD Radeon R6</u>	3,426	2010	NA
<u>AMD Embedded R-Series RX-216GD</u>	1,628	2926	NA
<u>AMD Embedded G-Series GX-420GI Radeon R7E</u>	1,570	2972	NA
<u>AMD Embedded G-Series GX-224IJ Radeon R4E</u>	1,271	3187	NA
<u>AMD Embedded G-Series GX-215JJ Radeon R2E</u>	1,057	3391	NA
<u>AMD E-450 APU</u>	432	4072	NA
<u>AMD E-350D APU</u>	486	4028	NA
<u>AMD E-350 APU</u>	423	4085	NA
<u>AMD E-350</u>	420	4087	NA
<u>AMD E-300 APU</u>	339	4178	NA
<u>AMD E-240</u>	195	4391	NA
<u>AMD E2-9030</u>	983	3477	NA
<u>AMD E2-9010</u>	991	3469	NA
<u>AMD E2-9000e</u>	887	3566	NA
<u>AMD E2-9000</u>	945	3517	NA
<u>AMD E2-7110 APU</u>	1,511	3019	NA
<u>AMD E2-7015 APU</u>	679	3807	NA
<u>AMD E2-7015</u>	572	3930	NA
<u>AMD E2-6110 APU</u>	1,088	3361	NA
<u>AMD E2-3800 APU</u>	1,132	3319	NA
<u>AMD E2-3200 APU</u>	953	3511	119.23
<u>AMD E2-3000M APU</u>	668	3822	15.54
<u>AMD E2-3000 APU</u>	726	3753	NA
<u>AMD E2-2000 APU</u>	492	4022	NA
<u>AMD E2-1800 APU</u>	444	4063	NA

<u>AMD E1-7010 APU</u>	592	3908	NA
<u>AMD E1-6050J APU</u>	1,385	3108	NA
<u>AMD E1-6015 APU</u>	585	3915	NA
<u>AMD E1-6010 APU</u>	534	3978	NA
<u>AMD E1-2500 APU</u>	594	3903	NA
<u>AMD E1-2200 APU</u>	474	4039	NA
<u>AMD E1-2100 APU</u>	403	4110	NA
<u>AMD E1-1500 APU</u>	402	4111	NA
<u>AMD E1-1200 APU</u>	378	4140	NA
<u>AMD E1 Micro-6200T APU</u>	600	3891	NA
<u>AMD C-70 APU</u>	315	4221	NA
<u>AMD C-60 APU</u>	311	4227	NA
<u>AMD C-60</u>	290	4259	NA
<u>AMD C-50</u>	265	4292	NA
<u>AMD C-30</u>	178	4423	NA
<u>AMD Athlon XP 3200+</u>	281	4268	NA
<u>AMD Athlon XP 3100+</u>	282	4267	NA
<u>AMD Athlon XP 3000+</u>	262	4297	3.29
<u>AMD Athlon XP 2900+</u>	276	4276	NA
<u>AMD Athlon XP 2800+</u>	260	4298	NA
<u>AMD Athlon XP 2700+</u>	256	4301	3.02
<u>AMD Athlon XP 2600+</u>	242	4321	10.52
<u>AMD Athlon XP 2500+</u>	231	4346	NA
<u>AMD Athlon XP 2400+</u>	234	4339	2.93
<u>AMD Athlon XP 2200+</u>	214	4365	2.52
<u>AMD Athlon XP 2100+</u>	210	4367	3.30
<u>AMD Athlon XP 2000+</u>	195	4393	3.31
<u>AMD Athlon XP 1900+</u>	203	4379	4.44
<u>AMD Athlon XP 1800+</u>	195	4392	3.83
<u>AMD Athlon XP 1700+</u>	176	4425	3.44
<u>AMD Athlon XP 1600+</u>	174	4428	NA
<u>AMD Athlon XP 1500+</u>	167	4436	NA
<u>AMD Athlon XP2400+</u>	243	4318	NA
<u>AMD Athlon XP1600+</u>	183	4414	NA
<u>AMD Athlon X4 970</u>	3,850	1888	NA
<u>AMD Athlon X4 950</u>	3,580	1965	137.73
<u>AMD Athlon X4 880K</u>	3,650	1946	38.58
<u>AMD Athlon X4 870K</u>	3,385	2027	98.97
<u>AMD Athlon X4 860K</u>	3,410	2015	166.36
<u>AMD Athlon X4 850</u>	3,366	2039	NA
<u>AMD Athlon X4 845</u>	3,806	1901	107.38

<u>AMD Athlon X4 840</u>	3,315	2059	26.53
<u>AMD Athlon X4 830</u>	2,901	2239	14.34
<u>AMD Athlon X4 760K Quad Core</u>	2,948	2216	193.97
<u>AMD Athlon X4 750K Quad Core</u>	2,834	2260	14.88
<u>AMD Athlon X4 750 Quad Core</u>	2,625	2347	27.70
<u>AMD Athlon X4 740 Quad Core</u>	2,637	2342	263.69
<u>AMD Athlon X4 730</u>	2,278	2540	NA
<u>AMD Athlon X4 640</u>	2,115	2630	NA
<u>AMD Athlon X4 620</u>	1,810	2815	27.87
<u>AMD Athlon X4 530</u>	1,786	2829	NA
<u>AMD Athlon X3 455</u>	1,783	2833	NA
<u>AMD Athlon X3 445</u>	1,626	2928	NA
<u>AMD Athlon X3 440</u>	1,438	3071	16.35
<u>AMD Athlon X3 435</u>	1,781	2834	18.65
<u>AMD Athlon X3 425</u>	1,516	3018	NA
<u>AMD Athlon X2 Dual Core L310</u>	324	4206	NA
<u>AMD Athlon X2 Dual Core BE-2400</u>	674	3816	NA
<u>AMD Athlon X2 Dual Core BE-2350</u>	591	3909	NA
<u>AMD Athlon X2 Dual Core BE-2300</u>	570	3931	6.34
<u>AMD Athlon X2 Dual Core 6850e</u>	564	3941	NA
<u>AMD Athlon X2 Dual Core 3250e</u>	357	4158	NA
<u>AMD Athlon X2 450</u>	1,295	3168	NA
<u>AMD Athlon X2 370K Dual Core</u>	1,504	3025	NA
<u>AMD Athlon X2 340 Dual Core</u>	1,301	3164	13.70
<u>AMD Athlon X2 280</u>	1,327	3142	39.63
<u>AMD Athlon X2 255</u>	938	3523	NA
<u>AMD Athlon X2 250</u>	855	3596	NA
<u>AMD Athlon X2 240e</u>	1,015	3436	NA
<u>AMD Athlon X2 240</u>	921	3538	NA
<u>AMD Athlon X2 215</u>	996	3463	NA
<u>AMD Athlon TF-36</u>	338	4180	NA
<u>AMD Athlon TF-20</u>	265	4293	NA
<u>AMD Athlon Silver PRO 3125GE</u>	4,633	1696	NA
<u>AMD Athlon Silver 7120U</u>	3,013	2183	NA
<u>AMD Athlon Silver 3050U</u>	3,001	2191	NA
<u>AMD Athlon Silver 3050GE</u>	4,545	1718	NA
<u>AMD Athlon Silver 3050e</u>	3,043	2169	NA
<u>AMD Athlon Silver 3050C</u>	2,879	2245	NA
<u>AMD Athlon PRO 3045B</u>	2,618	2352	NA
<u>AMD Athlon PRO 300U</u>	4,080	1830	NA
<u>AMD Athlon PRO 300GE</u>	4,432	1740	NA

<u>AMD Athlon PRO 200GE</u>	3,926	1865	NA
<u>AMD Athlon Neo X2 Dual Core L335</u>	529	3985	NA
<u>AMD Athlon Neo X2 Dual Core L325</u>	556	3955	NA
<u>AMD Athlon Neo X2 Dual Core 6850e</u>	456	4056	NA
<u>AMD Athlon Neo MV-40</u>	270	4283	NA
<u>AMD Athlon LE-1660</u>	416	4094	NA
<u>AMD Athlon LE-1640</u>	430	4074	4.78
<u>AMD Athlon LE-1620</u>	421	4086	23.40
<u>AMD Athlon LE-1600</u>	412	4097	19.63
<u>AMD Athlon L110</u>	197	4388	NA
<u>AMD Athlon II X4 655</u>	2,078	2652	NA
<u>AMD Athlon II X4 651 Quad-Core</u>	2,494	2412	16.63
<u>AMD Athlon II X4 650</u>	2,409	2459	14.46
<u>AMD Athlon II X4 645</u>	2,321	2515	144.04
<u>AMD Athlon II X4 641 Quad-Core</u>	2,313	2520	196.32
<u>AMD Athlon II X4 640</u>	2,225	2575	195.38
<u>AMD Athlon II X4 638 Quad-Core</u>	2,250	2553	35.79
<u>AMD Athlon II X4 635</u>	2,189	2597	127.95
<u>AMD Athlon II X4 631 Quad-Core</u>	2,136	2619	173.50
<u>AMD Athlon II X4 630</u>	2,134	2621	44.43
<u>AMD Athlon II X4 620</u>	1,991	2699	36.24
<u>AMD Athlon II X4 615e</u>	2,000	2694	33.90
<u>AMD Athlon II X4 610e</u>	1,882	2776	113.37
<u>AMD Athlon II X4 605e</u>	1,973	2710	131.52
<u>AMD Athlon II X4 600e</u>	1,711	2878	86.19
<u>AMD Athlon II X4 559</u>	2,602	2358	NA
<u>AMD Athlon II X4 557</u>	2,567	2380	NA
<u>AMD Athlon II X4 555</u>	2,498	2409	NA
<u>AMD Athlon II X4 553</u>	2,418	2452	NA
<u>AMD Athlon II X3 460</u>	1,985	2703	119.26
<u>AMD Athlon II X3 455</u>	1,848	2793	71.76
<u>AMD Athlon II X3 450</u>	1,813	2813	121.67
<u>AMD Athlon II X3 445</u>	1,816	2812	121.16
<u>AMD Athlon II X3 440</u>	1,712	2877	116.78
<u>AMD Athlon II X3 435</u>	1,687	2891	10.55
<u>AMD Athlon II X3 425</u>	1,570	2973	26.91
<u>AMD Athlon II X3 420e</u>	1,557	2982	13.40
<u>AMD Athlon II X3 415e</u>	1,441	3069	19.21
<u>AMD Athlon II X3 405e</u>	1,331	3139	11.79
<u>AMD Athlon II X3 400e</u>	1,320	3149	51.80
<u>AMD Athlon II X2 B28</u>	1,274	3185	32.65

<u>AMD Athlon II X2 B26</u>	1,193	3263	47.83
<u>AMD Athlon II X2 B24</u>	1,120	3328	46.48
<u>AMD Athlon II X2 B22</u>	1,053	3400	40.57
<u>AMD Athlon II X2 4450e</u>	867	3583	NA
<u>AMD Athlon II X2 4400e</u>	978	3481	NA
<u>AMD Athlon II X2 4300e</u>	990	3471	NA
<u>AMD Athlon II X2 280</u>	1,355	3128	17.62
<u>AMD Athlon II X2 270u</u>	675	3812	9.98
<u>AMD Athlon II X2 270</u>	1,277	3182	85.16
<u>AMD Athlon II X2 265</u>	1,265	3191	101.63
<u>AMD Athlon II X2 260u</u>	713	3763	8.54
<u>AMD Athlon II X2 260</u>	1,141	3312	91.34
<u>AMD Athlon II X2 255</u>	1,170	3285	93.23
<u>AMD Athlon II X2 250u</u>	597	3899	23.94
<u>AMD Athlon II X2 250e</u>	1,155	3299	15.05
<u>AMD Athlon II X2 250</u>	1,127	3322	28.93
<u>AMD Athlon II X2 245e</u>	1,171	3282	58.66
<u>AMD Athlon II X2 245</u>	1,093	3353	27.40
<u>AMD Athlon II X2 240e</u>	1,002	3457	26.45
<u>AMD Athlon II X2 240</u>	1,028	3421	41.19
<u>AMD Athlon II X2 235e</u>	1,095	3352	11.23
<u>AMD Athlon II X2 220</u>	1,016	3432	16.95
<u>AMD Athlon II X2 215</u>	957	3506	33.03
<u>AMD Athlon II X2 210e</u>	1,105	3345	38.79
<u>AMD Athlon II P360 Dual-Core</u>	734	3742	36.78
<u>AMD Athlon II P340 Dual-Core</u>	691	3788	17.28
<u>AMD Athlon II P320 Dual-Core</u>	694	3784	34.79
<u>AMD Athlon II Neo N36L Dual-Core</u>	478	4035	NA
<u>AMD Athlon II Neo K345 Dual-Core</u>	527	3986	NA
<u>AMD Athlon II Neo K325 Dual-Core</u>	417	4093	16.04
<u>AMD Athlon II Neo K145</u>	298	4246	NA
<u>AMD Athlon II Neo K125</u>	302	4237	NA
<u>AMD Athlon II N370 Dual-Core</u>	899	3554	NA
<u>AMD Athlon II N350 Dual-Core</u>	767	3698	NA
<u>AMD Athlon II N330 Dual-Core</u>	665	3826	NA
<u>AMD Athlon II Dual-Core M340</u>	807	3647	NA
<u>AMD Athlon II Dual-Core M320</u>	726	3752	24.21
<u>AMD Athlon II Dual-Core M300</u>	670	3820	NA
<u>AMD Athlon II 170u</u>	340	4176	14.16
<u>AMD Athlon II 160u</u>	358	4157	11.93
<u>AMD Athlon Gold PRO 4150GE</u>	8,259	1110	NA

<u>AMD Athlon Gold PRO 3150GE</u>	7,006	1268	NA
<u>AMD Athlon Gold PRO 3150G</u>	7,702	1167	NA
<u>AMD Athlon Gold 7220U</u>	4,714	1682	NA
<u>AMD Athlon Gold 3150U</u>	4,018	1847	NA
<u>AMD Athlon Gold 3150G</u>	7,112	1251	NA
<u>AMD Athlon Gold 3150C</u>	3,292	2069	NA
<u>AMD Athlon Dual Core 5600B</u>	737	3734	NA
<u>AMD Athlon Dual Core 5400B</u>	914	3540	NA
<u>AMD Athlon Dual Core 5200B</u>	823	3635	NA
<u>AMD Athlon Dual Core 5050e</u>	809	3645	13.48
<u>AMD Athlon Dual Core 5000B</u>	856	3594	9.02
<u>AMD Athlon Dual Core 4850e</u>	783	3681	20.06
<u>AMD Athlon Dual Core 4850B</u>	727	3750	NA
<u>AMD Athlon Dual Core 4450e</u>	705	3772	48.71
<u>AMD Athlon Dual Core 4450B</u>	719	3757	23.18
<u>AMD Athlon Dual Core 4050e</u>	674	3815	NA
<u>AMD Athlon 7850 Dual-Core</u>	1,058	3389	10.59
<u>AMD Athlon 7750 Dual-Core</u>	968	3491	12.10
<u>AMD Athlon 7550 Dual-Core</u>	900	3552	60.23
<u>AMD Athlon 7450 Dual-Core</u>	789	3674	NA
<u>AMD Athlon 5370 APU</u>	1,867	2782	3.12
<u>AMD Athlon 5350 APU</u>	1,777	2835	12.02
<u>AMD Athlon 5200 Dual-Core</u>	869	3580	4.58
<u>AMD Athlon 5150 APU</u>	1,388	3106	14.04
<u>AMD Athlon 5000 Dual-Core</u>	872	3576	7.94
<u>AMD Athlon 3000G</u>	4,485	1728	49.84
<u>AMD Athlon 2850e</u>	333	4195	NA
<u>AMD Athlon 2800+</u>	291	4257	2.65
<u>AMD Athlon 2650e</u>	274	4278	14.43
<u>AMD Athlon 1640B</u>	412	4099	8.23
<u>AMD Athlon 1500+</u>	191	4401	NA
<u>AMD Athlon 320GE</u>	4,388	1756	NA
<u>AMD Athlon 300U</u>	3,942	1861	NA
<u>AMD Athlon 300GE</u>	4,277	1778	NA
<u>AMD Athlon 240GE</u>	4,534	1720	46.14
<u>AMD Athlon 220GE</u>	4,429	1742	36.28
<u>AMD Athlon 200GE</u>	4,111	1817	33.19
<u>AMD Athlon 64 X2 QL-67</u>	582	3918	NA
<u>AMD Athlon 64 X2 QL-66</u>	641	3850	NA
<u>AMD Athlon 64 X2 QL-65</u>	622	3869	28.28
<u>AMD Athlon 64 X2 QL-64</u>	617	3874	NA

<u>AMD Athlon 64 X2 QL-62</u>	525	3988	NA
<u>AMD Athlon 64 X2 QL-60</u>	547	3965	NA
<u>AMD Athlon 64 X2 Dual-Core TK-57</u>	620	3871	NA
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	518	3993	7.13
<u>AMD Athlon 64 X2 Dual-Core TK-53</u>	558	3952	NA
<u>AMD Athlon 64 X2 Dual-Core TK-42</u>	577	3925	NA
<u>AMD Athlon 64 X2 Dual Core BE-2350</u>	573	3928	NA
<u>AMD Athlon 64 X2 Dual Core BE-2300</u>	594	3902	NA
<u>AMD Athlon 64 X2 Dual Core 6400+</u>	998	3461	3.99
<u>AMD Athlon 64 X2 Dual Core 6000+</u>	940	3522	24.42
<u>AMD Athlon 64 X2 Dual Core 5800+</u>	797	3665	26.60
<u>AMD Athlon 64 X2 Dual Core 5600+</u>	912	3543	8.50
<u>AMD Athlon 64 X2 Dual Core 5400+</u>	907	3548	17.11
<u>AMD Athlon 64 X2 Dual Core 5200+</u>	839	3620	13.98
<u>AMD Athlon 64 X2 Dual Core 5000+</u>	774	3689	2.33
<u>AMD Athlon 64 X2 Dual Core 4800+</u>	679	3808	4.53
<u>AMD Athlon 64 X2 Dual Core 4600+</u>	710	3766	2.03
<u>AMD Athlon 64 X2 Dual Core 4400+</u>	678	3809	2.27
<u>AMD Athlon 64 X2 Dual Core 4200+</u>	689	3793	6.27
<u>AMD Athlon 64 X2 Dual Core 4000+</u>	662	3829	NA
<u>AMD Athlon 64 X2 Dual Core 3800+</u>	636	3855	NA
<u>AMD Athlon 64 X2 Dual Core 3600+</u>	610	3881	8.94
<u>AMD Athlon 64 X2 Dual Core 3400+</u>	531	3981	NA
<u>AMD Athlon 64 X2 3800+</u>	566	3937	NA
<u>AMD Athlon 64 FX-74</u>	972	3489	1.95
<u>AMD Athlon 64 FX-62 Dual Core</u>	943	3519	3.77
<u>AMD Athlon 64 FX-60 Dual Core</u>	709	3768	NA
<u>AMD Athlon 64 FX-59</u>	465	4047	NA
<u>AMD Athlon 64 FX-57</u>	517	3995	NA
<u>AMD Athlon 64 FX-55</u>	404	4107	6.22
<u>AMD Athlon 64 4000+</u>	340	4175	3.40
<u>AMD Athlon 64 3800+</u>	292	4253	2.23
<u>AMD Athlon 64 3700+</u>	394	4126	4.38
<u>AMD Athlon 64 3500+</u>	396	4121	4.95
<u>AMD Athlon 64 3400+</u>	317	4216	3.17
<u>AMD Athlon 64 3300+</u>	375	4142	NA
<u>AMD Athlon 64 3200+</u>	305	4234	2.03
<u>AMD Athlon 64 3100+</u>	484	4031	NA
<u>AMD Athlon 64 3000+</u>	334	4193	16.68
<u>AMD Athlon 64 2800+</u>	295	4248	2.95
<u>AMD Athlon 64 2600+</u>	243	4319	NA

AMD Athlon 64 2000+	154	4456	NA
AMD Athlon64 X2 Dual Core 4600+	803	3657	NA
AMD A12-9800E	3,445	2005	5.14
AMD A12-9800	3,552	1973	40.51
AMD A12-9730P	3,216	2098	NA
AMD A12-9720P	2,641	2340	NA
AMD A12-9700P	2,441	2438	NA
AMD A10-9700E	3,171	2116	35.60
AMD A10-9700	3,531	1981	40.10
AMD A10-9630P	2,929	2225	NA
AMD A10-9620P	2,587	2365	NA
AMD A10-9600P	2,329	2508	NA
AMD A10-8850	3,438	2006	NA
AMD A10-8750	3,161	2119	NA
AMD A10-8700P	2,219	2580	NA
AMD A10-7890K	3,542	1977	25.95
AMD A10-7870K	3,416	2013	6.61
AMD A10-7860K	3,290	2071	61.85
AMD A10-7850K APU	3,427	2009	61.20
AMD A10-7800 APU	3,191	2108	60.62
AMD A10-7700K APU	3,204	2103	136.85
AMD A10-7400P	2,078	2651	NA
AMD A10-7300 APU	1,737	2864	NA
AMD A10-6800K APU	3,213	2099	67.61
AMD A10-6800B APU	3,088	2152	24.12
AMD A10-6790K APU	3,069	2159	73.07
AMD A10-6700T APU	2,299	2531	26.12
AMD A10-6700 APU	3,115	2139	80.88
AMD A10-5800K APU	2,964	2210	141.20
AMD A10-5800B APU	3,021	2179	67.14
AMD A10-5757M APU	1,923	2742	NA
AMD A10-5750M APU	1,992	2698	21.19
AMD A10-5745M APU	1,762	2852	NA
AMD A10-5700 APU	2,701	2313	39.70
AMD A10-4657M APU	1,759	2853	NA
AMD A10-4655M APU	1,655	2911	NA
AMD A10-4600M APU	1,925	2741	32.64
AMD A10 PRO-7850B APU	3,453	1999	23.33
AMD A10 PRO-7800B APU	3,370	2034	NA
AMD A10 PRO-7350B APU	1,937	2727	NA
AMD A10 Micro-6700T APU	1,426	3078	NA

<u>AMD A9-9820</u>	3,870	1878	NA
<u>AMD A9-9430</u>	1,658	2907	NA
<u>AMD A9-9425</u>	1,507	3021	NA
<u>AMD A9-9420e</u>	1,124	3324	NA
<u>AMD A9-9420</u>	1,504	3024	NA
<u>AMD A9-9410</u>	1,526	3010	NA
<u>AMD A9-9400</u>	1,346	3134	NA
<u>AMD A8-9600</u>	3,304	2065	29.37
<u>AMD A8-8650</u>	2,996	2193	NA
<u>AMD A8-8600P</u>	2,240	2562	NA
<u>AMD A8-7690K</u>	2,157	2610	NA
<u>AMD A8-7680</u>	3,518	1984	95.79
<u>AMD A8-7670K</u>	3,182	2112	40.02
<u>AMD A8-7650K</u>	3,094	2148	81.44
<u>AMD A8-7600 APU</u>	3,226	2094	150.76
<u>AMD A8-7500</u>	3,640	1951	NA
<u>AMD A8-7410 APU</u>	1,817	2811	NA
<u>AMD A8-7200P</u>	2,154	2613	NA
<u>AMD A8-7100 APU</u>	1,641	2920	NA
<u>AMD A8-7050</u>	1,170	3286	NA
<u>AMD A8-6600K APU</u>	3,010	2184	156.86
<u>AMD A8-6500T APU</u>	1,929	2737	32.18
<u>AMD A8-6500B APU</u>	2,855	2254	57.17
<u>AMD A8-6500 APU</u>	2,811	2270	101.11
<u>AMD A8-6410 APU</u>	1,763	2851	NA
<u>AMD A8-5600K APU</u>	2,819	2268	40.86
<u>AMD A8-5557M APU</u>	1,801	2820	NA
<u>AMD A8-5550M APU</u>	1,859	2786	NA
<u>AMD A8-5545M APU</u>	1,575	2969	NA
<u>AMD A8-5500B APU</u>	2,643	2339	53.90
<u>AMD A8-5500 APU</u>	2,587	2364	43.89
<u>AMD A8-4555M APU</u>	1,302	3162	NA
<u>AMD A8-4500M APU</u>	1,677	2896	29.83
<u>AMD A8-3870K APU</u>	2,302	2529	33.83
<u>AMD A8-3850 APU</u>	2,359	2489	34.68
<u>AMD A8-3820 APU</u>	2,170	2603	48.27
<u>AMD A8-3800 APU</u>	2,005	2689	18.24
<u>AMD A8-3550MX APU</u>	1,579	2964	NA
<u>AMD A8-3530MX APU</u>	1,572	2970	NA
<u>AMD A8-3520M APU</u>	1,448	3063	26.33
<u>AMD A8-3510MX APU</u>	1,605	2942	20.82

<u>AMD A8-3500M APU</u>	1,412	3092	23.55
<u>AMD A8 PRO-7600B APU</u>	2,923	2231	NA
<u>AMD A8 PRO-7150B APU</u>	1,531	3005	NA
<u>AMD A6-9500E</u>	1,758	2854	30.65
<u>AMD A6-9500</u>	1,872	2779	20.81
<u>AMD A6-9400</u>	2,717	2304	NA
<u>AMD A6-9230</u>	1,303	3161	NA
<u>AMD A6-9225</u>	1,321	3148	NA
<u>AMD A6-9220e</u>	1,000	3459	NA
<u>AMD A6-9220C</u>	1,053	3401	NA
<u>AMD A6-9220</u>	1,265	3193	NA
<u>AMD A6-9210</u>	1,238	3216	NA
<u>AMD A6-9200</u>	1,102	3348	NA
<u>AMD A6-8550</u>	1,604	2943	NA
<u>AMD A6-8500P</u>	1,445	3065	NA
<u>AMD A6-7480</u>	1,843	2798	52.94
<u>AMD A6-7470K</u>	1,799	2822	20.22
<u>AMD A6-7400K APU</u>	1,612	2935	59.28
<u>AMD A6-7310 APU</u>	1,719	2871	NA
<u>AMD A6-7000</u>	1,010	3445	NA
<u>AMD A6-6420K APU</u>	1,576	2967	10.51
<u>AMD A6-6420B APU</u>	1,550	2991	NA
<u>AMD A6-6400K APU</u>	1,469	3046	80.78
<u>AMD A6-6400B APU</u>	1,616	2932	NA
<u>AMD A6-6310 APU</u>	1,660	2905	NA
<u>AMD A6-5400K APU</u>	1,264	3194	24.29
<u>AMD A6-5400B APU</u>	1,457	3054	50.33
<u>AMD A6-5357M APU</u>	1,165	3288	NA
<u>AMD A6-5350M APU</u>	1,176	3278	35.52
<u>AMD A6-5345M APU</u>	1,122	3327	NA
<u>AMD A6-5200 APU</u>	1,660	2904	NA
<u>AMD A6-4455M APU</u>	792	3671	NA
<u>AMD A6-4400M APU</u>	1,006	3452	37.27
<u>AMD A6-3670 APU</u>	2,165	2606	39.39
<u>AMD A6-3650 APU</u>	2,049	2668	16.01
<u>AMD A6-3620 APU</u>	1,844	2796	81.98
<u>AMD A6-3600 APU</u>	1,645	2918	65.94
<u>AMD A6-3500 APU</u>	1,395	3104	18.62
<u>AMD A6-3430MX APU</u>	1,448	3062	NA
<u>AMD A6-3420M APU</u>	1,291	3171	NA
<u>AMD A6-3410MX APU</u>	1,263	3195	316.44

<u>AMD A6-3400M APU</u>	1,186	3268	48.50
<u>AMD A6-1450 APU</u>	1,045	3405	NA
<u>AMD A6 PRO-7400B</u>	1,654	2914	NA
<u>AMD A6 PRO-7050B APU</u>	1,009	3448	NA
<u>AMD A6 Micro-6500T APU</u>	1,146	3307	NA
<u>AMD A4-9125</u>	1,211	3244	NA
<u>AMD A4-9120e</u>	835	3623	NA
<u>AMD A4-9120C</u>	825	3634	NA
<u>AMD A4-9120</u>	1,223	3231	NA
<u>AMD A4-7300 APU</u>	1,528	3008	82.72
<u>AMD A4-7210 APU</u>	1,660	2906	NA
<u>AMD A4-6320 APU</u>	1,530	3006	21.86
<u>AMD A4-6300B APU</u>	1,328	3141	47.51
<u>AMD A4-6300 APU</u>	1,431	3072	34.06
<u>AMD A4-6250J APU</u>	1,656	2908	NA
<u>AMD A4-6210 APU</u>	1,494	3033	NA
<u>AMD A4-5300B APU</u>	1,248	3209	48.10
<u>AMD A4-5300 APU</u>	1,367	3120	50.74
<u>AMD A4-5150M APU</u>	765	3702	NA
<u>AMD A4-5100 APU</u>	1,346	3133	NA
<u>AMD A4-5050 APU</u>	1,328	3140	NA
<u>AMD A4-5000 APU</u>	1,302	3163	NA
<u>AMD A4-4355M APU</u>	806	3649	NA
<u>AMD A4-4300M APU</u>	1,000	3460	33.48
<u>AMD A4-4020 APU</u>	1,260	3197	11.96
<u>AMD A4-4000 APU</u>	1,172	3281	58.72
<u>AMD A4-3420 APU</u>	1,054	3399	7.75
<u>AMD A4-3400 APU</u>	1,078	3372	13.49
<u>AMD A4-3330MX APU</u>	752	3717	NA
<u>AMD A4-3320M APU</u>	668	3823	17.12
<u>AMD A4-3310MX APU</u>	782	3682	NA
<u>AMD A4-3305M APU</u>	729	3748	35.04
<u>AMD A4-3300M APU</u>	711	3765	23.71
<u>AMD A4-3300 APU</u>	967	3493	17.07
<u>AMD A4-1250 APU</u>	411	4100	NA
<u>AMD A4-1200 APU</u>	369	4147	NA
<u>AMD A4 PRO-7350B</u>	1,544	2999	NA
<u>AMD A4 PRO-7300B APU</u>	1,477	3040	NA
<u>AMD A4 PRO-3340B</u>	1,645	2919	NA
<u>AMD A4 Micro-6400T APU</u>	1,004	3455	NA
<u>AMD 4700S</u>	18,073	577	NA

<u>AMD 3020e</u>	2,458	2432	NA
<u>AMD 3015e</u>	2,708	2309	NA
<u>AMD 3015Ce</u>	2,094	2641	NA
<u>Allwinner H618</u>	604	3886	NA
<u>Allwinner A527</u>	2,297	2532	NA
<u>Allwinner A523</u>	1,956	2719	NA
<u>Allwinner A133</u>	744	3727	NA
<u>AC8257V/WAB</u>	728	3749	NA
<u>AArch64 rev 4 (aarch64)</u>	1,792	2827	NA
<u>AArch64 rev 2 (aarch64)</u>	2,320	2517	NA

* - Last price seen from our affiliates.